

Step name	Status	Commentary + test data
Create a user by POST/user request with all valid test data	Passed	URL: https://petstore.swagger.io/v2/user , Username: october, firstName: Autumn, lastName: Wind, email: newpost, password: relative, phone: vodaphone
Find a user with a valid username by GET/user/username request	Passed	URL: https://petstore.swagger.io/v2/user/{{username}} , Username: october
Log in by GET/user/login request with a valid username and password	Passed	URL: https://petstore.swagger.io/v2/user/login , username: october, password: relative
Log in by GET/user/login request with an empty username and a valid password	Failed	URL: https://petstore.swagger.io/v2/user/login , password: relative
Log in by GET/user/login request with a valid username and an empty password	Failed	URL: https://petstore.swagger.io/v2/user/login , username: october
Log in by GET/user/login request with an empty username and password	Failed	URL: https://petstore.swagger.io/v2/user/login
Log in by GET/user/login request with invalid username and valid password	Failed	URL: https://petstore.swagger.io/v2/user/login , username: 12345, password: relative
Log in with the GET/user/login request without a username, by entering a valid password relative in the Body field and selecting 'raw, Text'	Failed	URL: https://petstore.swagger.io/v2/user/login , password: relative
Log in by GET/user/login request with an invalid username 5 hearts emoji and a valid password	Failed	URL: https://petstore.swagger.io/v2/user/login , username: , password: relative
Find a user with valid data by POST/user/username instead of GET/user/username request	Passed	URL: https://petstore.swagger.io/v2/user/{{username}} , Username: october
Find user by invalid URL (v3 instead of v2) and valid data by GET/user/username request	Passed	URL: https://petstore.swagger.io/v3/user/{{username}} , Username: october
Create a user with an empty username string and all other valid data at the POST/user request	Passed	URL: https://petstore.swagger.io/v2/user , firstName: Autumn, lastName: Wind, email: newpost, password: relative, phone: vodaphone
Create user by POST request/user with all valid test data and username with numeric data	Failed	URL: https://petstore.swagger.io/v2/user , Username: 12345, firstName: Autumn, lastName: Wind, email: newpost, password: relative, phone: vodaphone
Create a user by POST/user request with all valid test data and username with 5 spaces	Failed	URL: https://petstore.swagger.io/v2/user , Username: 5 пробілів, firstName: Autumn, lastName: Wind, email: newpost, password: relative, phone: vodaphone
Create a user by POST/user request with all valid test data and ID with 5 emojis	Passed	URL: https://petstore.swagger.io/v2/user , Username: october, firstName: Autumn, lastName: Wind, email: newpost, password: relative, phone: vodaphone, id:
Create a user by POST/user request with all valid test data and with userstatus insert the word crazy instead of a number	Passed	URL: https://petstore.swagger.io/v2/user , Username: october, firstName: Autumn, lastName: Wind, email: newpost, password: relative, phone: vodaphone, userstatus: crazy
Create a user by POST/user request with all valid test data by adding XSS injection to the 'phone' line	Passed	URL: https://petstore.swagger.io/v2/user , Username: october, firstName: Autumn, lastName: Wind, email: newpost, password: relative, userstatus: crazy, phone: <script>alert(123)</script>
Create a user by POST/user request with all valid test data by adding SQL injection to the 'ID' line	Passed	URL: https://petstore.swagger.io/v2/user , Username: october, firstName: Autumn, lastName: Wind, email: newpost, password: relative, phone: vodaphone, id: SELECT*FROM petstore WHERE code LIKE 'a%'