



Shubham Pack®
PACK WITH CONFIDENCE!

REF: SPM/EXP/L/SK0256/2024-25

DATE: 20-05-2024

Techno-Commercial

Proposal for

MULTI TRACK MACHINE MODEL SPM 600L-1A-3T (DELITE Model)

Global Standards Unmatched Performance

Specially prepared for

=====

Mr Ashit Desai
Team Lead
BIDCO AFRICA LIMITED
KENYA

=====

Prepared by:

Shiv Om Kaushik

Marketing

Email: shivom@shubhampack.com

Cell: +91-8130192043

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 **Fax:** 0091 129 4272351, **E-mail:** sales@shubhampack.com





Shubham Pack®
PACK WITH CONFIDENCE!

Index

Annexure- I

Project Data

Annexure-II

Technical Specifications

Annexure- III

Exclusions

Annexure- IV

Price Schedule & Optional Items

Annexure- V

Commercial terms and conditions

Annexure- VI

Attachments E-Brochure

SHUBHAM PACK

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 **Fax:** 0091 129 4272351, **E-mail:** sales@shubhampack.com





Annexure-I

Project Data

1	Product to be Packed		Paste
2	Product name		Margarine
3	Characteristics of product	Viscosity	Viscous Paste
4	Pouch Size & Type	W X L	25g – 90mm X 81mm 50g – 90mm X 95mm 100g – 150mm X 100mm
5	Quantity to be packed	MI	25g, 50g, 100g
6	Horizontal Sealing Width	mm	5mm
7	Vertical Sealing Width	mm	5mm
8	Core Dia.	76/152	76mm
9	Perforation Pitch	mm	3mm
10	Type of Perforation	V/Y	V type
11	Single Pouch	Cutting/String	Cutting
12	Type of Sealing	V-Lining/Butt/Knurling	V-Lining/Butt
13	PLC Make	Omron/Mitsubishi	Omron/Mitsubishi
14	Power Supply	VAC/Ph/Hz	415 VAC, 3 Ph, 50 Hz



Annexure-II
Technical specification

S. No.	Description
01	Sachet Form, Fill and Seal packing machine model SPM 600L-1A-3T Delite Suitable for packing Margarine consist of: • Basic machine frame is MS body powder coated structure & SS-304 Cladding. • Pre-determined laminate draw with Servo drive system along with eye mark sensor. • Sealing Drives controlled by Induction motor driven. • Pneumatic operated Batch cutter cum perforation Blade. • Electrical Equipment for standard machine. • Standard front Acrylic Guarding with limit switches.
	3 Tracks - Product Filling unit consist of: • Set of filling nozzles with individual vertical adjustment system. • SS 316L Header 1 Axis Machine: (1 Servo System) • In Laminate Pulling



Machine Model	SPM 600L-1A-3T Delite Model
Sealing Style	4 Side Seal
*Speed	For 25g Pack = *35-40 Strokes / min X no. of tracks = *35 X 3 = *105 – 120 Pouches/min For 50g Pack = *30-35 Strokes / min X no. of tracks = *30 X 3 = *90 – 105 Pouches/min For 100g Pack = *20-25 Strokes / min X no. of tracks = *20 X 2 = *40 – 50 Pouches/min (Depends upon the nature of product, laminate & filling qty.)
No. of Tracks	3 Tracks (Depending upon the pouch width)
Laminate specification	Width - 600 mm Max. Max. Reel Dia – 500 mm Reel Core Dia – 76 mm
Product to be packed	Margarine
Laminate Draw Off system	Servo Motor driven (1A)
Filling System	Pneumatic operated
Sealing drives	Induction Motor Driven
Perforation and cutting	Pneumatic operated
PLC	Omron Make
HMI	Omron Make
Servo Drive	Omron Make
Data Communication Cable	Omron / Standard



Power Supply	Omron / Schneider Make
Pneumatics	SMC / FESTO
Main Motor	Crompton Greaves
Wires Make	FINOLEX / LAPP / RR
SENSORS	P&F / SICK
MCBs	ETON / SIEMENS
Relay	Omron
Door Sensor	P&F
Cable Entering	All cables from Panel
Bearing	SKF MAKE
Contact Parts	SS 316L
Sealing Jaw	SS 420
Pull Roller	Silicon Rubber on SS 304
Electrical Spec.	Main Motor – 2.2 Kw, 3Φ, 415 V Connected load – 8 KW Consumption – 6 KW
Layout Dimensions	Length → 2700 mm Width → 2000 mm Height → 3000 mm
Machine Weight	Net Weight → 2000 kgs. Gross weight → 2300 kgs.
Compressed Air	Operating Pressure – 6 Bar. Consumption – 3 CFM.

Special condition/requirement/specification of the proposal

- Standard Conveyor



Shubham Pack®
PACK WITH CONFIDENCE!

Annexure-III
Exclusion
(To be provided by customer)

- 1.0 Foundation and any civil building work
- 2.0 Dismantling of existing equipment, if any.
- 3.0 Compressed air piping including compressor
- 4.0 Incomer cable and power supply up to Shubham Pack control panel.
- 5.0 Voltage stabilizer of suitable capacity in case voltage and frequency variation is more than 10% & 3% respectively at site.
- 6.0 Bulk material/Laminate during Factory acceptance test (FAT)
- 7.0 Special tools and tackles like cranes, lifts etc., at the time of installation.
- 8.0 Skilled and unskilled manpower at site along with qualified supervisor to assist installation.

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 **Fax:** 0091 129 4272351, **E-mail:** sales@shubhampack.com





Annexure-IV **Price Schedule**

S. No	Tech. Specs. & Scope of supply	Qty.	Total Price (In USD)
1.0	Machine Model SPM 600L-1A-3T DELITE	01	50000.00
2.0	Standard Conveyer 2 meter	01	2000.00
3.0	Embossing Coding Digits – 500Nos.	01	1000.00
4.0	Servo Stabilizer with Surge Protector	01	1500.00

S. No.	Item description		Total Price (In USD)
	<u>Model-SPM 600L-1A-3T DELITE</u>		
A	Lump sum price of design, manufacturing, supply and installation of machine as per technical specifications at Annexure-II		54500.00
	Special Discount Given (10%)		-5450.00
	Cost after special discount		49050.00
B	Packing and forwarding		2000.00
C	Installation and training at site visa charges + flight + lodging + boarding will be borne by customer (for details refer terms & conditions attached)		2500.00
	Ex-works cost of machine In words: US DOLLARS Fifty three thousand five hundred and fifty only.		53550.00

(*) Prices are on Ex-works Ballabgarh basis, Freight will be extra as per commercial terms attached.



Shubham Pack®
PACK WITH CONFIDENCE!

Annexure-V
Commercial terms and conditions

PRICE BASIS

All prices are on **Ex-works cost, Ballabgarh** basis unless otherwise specified.

TERMS OF PAYMENT

- a) 50% Advance along with purchase order.
- b) 40% After the FAT of machine before dispatch.
- c) 10% After the Installation & Commissioning of machine

Supplier's Bankers, as per the below details:

Axis Bank Ltd.
SCO-40, Sec-7 Market
Ballabgarh, Faridabad 121004
Haryana, India
A/c holder name- Shubham Flexible Packaging Machines Pvt. Ltd.
A/c no.- 039010200025364
Swift code- AXISINBB039

The Letter of Credit must permit **partial shipment** and transshipment and should be valid for negotiation for a period of 21 days beyond the last permissible date of shipment.

The Letter of Credit must accept **Combined Transport Bill of Lading** issued by the Shipping Company in New Delhi as a negotiable document.

PACKING & FORWARDING (P&F):

In strong seaworthy wooden boxes

INSURANCE: -

Buyer's responsibility to take suitable insurance for goods from seller's warehouse in Ballabgarh to the port of discharge covering all risks including erection, installation and commissioning for 110% of CIF value. Documentary evidence of this insurance to be given to us at least 30 days before shipment

FREIGHT

Extra at Actuals, or Shipping line to be arranged by Buyer.

DELIVERY:-

Within 3 months from the date of receipt of advance or within 2months from the date of receipt of LC, whichever is later.

INSTALLATION / START- UP AND TRAINING

To be done by factory trained engineers of Shubham pack or its authorized sub suppliers. The installation cost is indicated separately in the price schedule at Annexure-IV.

Buyer has to provide Air Tickets, Hotel, Food, local conveyance and medical expenses for all service engineers at customer site.





In case our engineer has to stay back after **5 days** or has to revisit for the reason not attributed to Shubham, then the Buyer has to bear expenses for extra to and fro air fares, if any, stay in hotel, food, local transport and medical expenses for deputing engineers and also reimburse out of pocket expenses @ **USD 250** per day per including the travel time and intervening holidays.

Local Labour, Power and other connected items including lifting, tackle, foundation and masonry work during installation shall have to be provided by the Buyer.

Buyer is advised to unload the machine from the truck/container and place it at designated place. It is also advisable that inlet of bulk feed, air connection, power supply etc. should be made ready before arrival of Installation engineer. However, all such connections as well as electrical power ON should be done in presence of installation engineer only.

FREE SPARES & START UP PARTS:

We shall be supplying one lot of requisite start up parts and standard recommended spares along with the equipment.

GURANTEE

We guarantee for a period of 12 months from the date of erection of products at Buyer's site, all products and parts thereof, when properly installed, adjusted, operated and maintained as per our proposal and / or the applicable technical manuals. This will however not include components made of rubber, plastic and electrical equipment and other parts / components subject to normal wear and tear.

Guarantee does not cover Electrical Switchgears, hoses, belts, burnt out Blowers / Motors, Drives and all external wiring. These parts are considered as consumables and are required to be paid for upon replacement.

Guarantee does not cover damage of part due to poor preventive maintenance OR parts that are subject to damage due to voltage fluctuation or improper voltage at buyer site.

Guarantee does not apply to any equipment which has been improperly installed, adjusted, operated, maintained, repaired or altered by unauthorized persons. We reserve the right to inspect any claimed defect prior to replacement.

We will replace/repair, any defective material or workmanship, provided that we are given written notice of the claimed defects above. Unless caused by us, equipment damaged by overloading, exposure to corrosive or abrasive substance of abnormal dampness or other misuse, neglect or accident, shall not be subject to the warranty set forth above.

The Guarantee as referred to above clause will cease to operate if:

a. The buyer, within the guarantee period, sells or otherwise parts with possession of the products.

AND / OR

b. Any local mechanic or electrician tampers with the Products without Shubham's written permission.

AND / OR

c. The buyer shifts the Products from original place of installation.

AND/OR

d. The buyer changes the original place of installation.

LIABILITY

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 Fax: 0091 129 4272351, E-mail: sales@shubhampack.com





Shubham Pack®
PACK WITH CONFIDENCE!

Liability of Shubham Flexible Packaging Machines Pvt. Ltd is limited to guarantee performance of equipment and does not cover any aspect related to conversion of material. Shubham Flexible Packaging Machines Pvt. Ltd undertakes no responsibility on performance of laminate/film converted on the equipment. Customer must conduct trials at his own risk and cost, to evaluate and achieve satisfactory results before commencing large-scale production. Machine speed and performance are indicative and may vary with different substrates and raw material and may not be accurate. Liability of Shubham Flexible Packaging Machines Pvt. Ltd is only limited to replacement of defective parts and does not cover any incidental or consequential loss to customer.

CANCELLATION

In the event of a request to stop work or to cancel any part of the order:

- a. Any cancellation after half the stipulated time of delivery must be paid in full.
- b. Cancellation of any order other than outlined in "a" above shall be subject to indemnity satisfaction of Shubham Flexible Packaging Machines Pvt. Ltd.
- c. Special machines: If a special machine is ordered by the customer and has entered into production stage, it shall not be cancelled and must be paid in full.

FORCE MAJEURE:

We will not be responsible for any delay in delivery or for non-delivery of our products by reasons of Force Majeure, such as acts of God, war, riots, civil disturbances, acts of authorities, strikes, lockouts or other labour difficulties or any other circumstances beyond our control which might affect us or our suppliers and hinder, impede or prevent deliveries. The notice of force majeure will be sent by us to customer in writing.

APPROVAL

Shubham Flexible Packaging Machines Pvt. Ltd will fully assemble the equipment prior to shipping and a representative of the customer must approve the Equipment in writing prior to shipment. Any modification or change suggested at this point will invalidate the delivery date clause and reasonable time will be allowed to incorporate the modification.

ARBITRATION

Any dispute or differences whatsoever arising between the parties out of or relating to the construction, meaning and operation or effect of this contract or the breach thereof shall be settled by arbitration in accordance with the Rules of Arbitration of the Indian Council of Arbitration and the Award made in pursuance thereof shall be binding on the parties.

VALIDITY:

This Contract and prices are valid for 30 days and supersedes all previous contracts. The terms and conditions mentioned above shall supersede any terms and conditions agreed to earlier proforma invoice if any.

GENERAL

Continuous improvement is standard policy at Shubham. Accordingly, all specification and features are subject to change without any prior notice.

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India




EPABX.: 0091 129 4272350/4272352 **Fax:** 0091 129 4272351, **E-mail:** sales@shubhampack.com





Shubham Pack®
PACK WITH CONFIDENCE!

Annexure-VI



=====X=====X=====

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 Fax: 0091 129 4272351, E-mail: sales@shubhampack.com

