



Shubham Pack®
PACK WITH CONFIDENCE!

REF: SPM/EXP/L/SK0255/2024-25

DATE: 18-05-2024

**Techno-Commercial
Proposal for
Vertical Form Fill & Seal Machine (VFFS) Twin Line
(Model SPM 450L-6A-TW)**

Global Standards Unmatched Performance

Specially prepared for

=====

**Mr Ashit Desai
Team Lead
BIDCO AFRICA LIMITED
KENYA**

=====

Prepared by:

Shiv Om Kaushik

Marketing

Email: shivom@shubhampack.com

Cell: +91-8130192043

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 Fax: 0091 129 4272351, E-mail: sales@shubhampack.com





Shubham Pack®
PACK WITH CONFIDENCE!

Index

Annexure- I

Project Data

Annexure-II

Technical Specifications

Annexure- III

Exclusions

Annexure- IV

Price Schedule & Optional Items

Annexure- V

Commercial terms and conditions

Annexure- VI

Attachments E-Brochure

SHUBHAM PACK INDIA

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 **Fax:** 0091 129 4272351, **E-mail:** sales@shubhampack.com





Annexure - I

Project Data

1	Product to be Packed		Oil
2	Product name		Palm Oil / Sunflower Oil
3	Characteristics of product		
4	Pouch Size & Type	W X L	To be confirm
5	Quantity to be packed	Gm	50-200ml
6	Horizontal Sealing Width	mm	15mm
7	Vertical Sealing Width	mm	15mm
8	Core Dia.	76/152	76mm
9	Perforation Pitch	mm	3mm
10	Type of Perforation	V/Y	Plain Cut
11	Single Pouch	Cutting/String	Cutting
12	Type of Sealing	Impulse / Butt	Impulse Sealing
13	PLC Make	Omron/Mitsubishi	Omron/Mitsubishi
14	Power Supply	VAC/Ph/Hz	415 VAC, 3 Ph, 50 Hz



Annexure-II
Technical specification

Sr. No.	Description
01	Automatic Collar Type Form-Fill-Seal Machine Model: SPM 450L-6A TWIN LINE suitable for packing Oil in 3 Side seal pouches. <u>Features</u> ➤ Mild steel machine Structure to absorb vibration at higher speed. ➤ Two collar mounted in one frame unit controlled through common panel. ➤ All contact Parts SS 304 / 316 L & SS 304 Cladding where as required. ➤ HMI to interface the problem and to adjust the temperature, speed and pouch length etc. ➤ Belt pulling system to pull the laminate film via Servo Driven System ➤ Vertical sealing unit Pneumatic operated. ➤ Horizontal sealing unit servo operated. ➤ Photo cell mounting bracket width flexible up to 200 mm. ➤ Electrical Equipment for standard machine with Air-cooled panel. ➤ Standard front POLY CARBONATE Guarding with limit switches. ➤ Automatic web tension control by Dancing Roller and Pneumatic operated brake. ➤ All Proximity switches disconnecting type. ➤ Double door front guarding with safety Interlock. ➤ Filling System - Positive displacement pump filler – servo driven
02	<u>NO. OF AXIS (NO. OF SERVO SYSTEM):</u> LAMINATE PULLING – 2 NOS. HORIZONTAL SEALER – 2 NOS. FILLER SYSTEM – 2 NOS.



Machine Model	SPM 450L-6A-TW
Product to be packed	Edible Oil
Filling capacity	50-200ml
Sealing Style	Three Side Seal
No. Of Lane	Twin Line
Speed	= * 35-40 Strokes X No. of tracks = * 35 X 2 Tracks = * 70 – 80 Pouches / min for 200ml Pack <i>*(Output depends upon Characteristics of product, Fill volume, Pouch Length & Characteristics of Laminate)</i>
Pouch Dimension	Confirm by customer
Packing material	Co-extruded 5 layer film of thickness > 85 micron
Laminate Pulling	Servo Motor Driven
Filling system	Positive displacement pump filler – servo driven
Power Consumption	12 - 14 KW
Max Roll Width	450mm
Max Roll Dia	350mm
Reel Core Dia	76mm
Net Weight	2000kg
Gross Weight	2200kg
Air Consumption	3 CFM @ 6 kg/cm sq.
Machine Color	Mulshell Grey Powder Coated
Vertical Sealing	Pneumatic Operated
Horizontal Sealing	Servo Motor Driven
Batch Cutter Operation	Pneumatic
Temperature Controlled Mechanism	PID Based
Display setting	Through Touch Panel Screen
Machine Structure	Main Body-MS Powder Coated Machine all contact Parts SS 304 / 316 L
Electrical Automation	Omron / Mitsubishi
Power Supply	Omron / Schneider Make



Shubham Pack®
PACK WITH CONFIDENCE!

Pneumatics	SMC / FESTO
Wires Make	FINOLEX / LAPP / RR
SENSORS	P&F / SICK
MCBs	ETON / SIEMENS
Relay	Omron
Door Sensor	P&F
Bearing	SKF MAKE
Gear Box and motor	Bonfiglioli or ABB
Safety Guard	Covers for gear box/motor and other moving parts
Unwinding System	Motorized film reel unwinding control mechanism
Contact Parts	SS 316 L
Sealing Jaw	SS 420
Cooling Water	
Flow Rate	200 Ltr/hr
Temperature Range	6 degrees to 8 degrees C maintained
Minimum Pressure	0.5 bar

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 **Fax:** 0091 129 4272351, **E-mail:** sales@shubhampack.com





Shubham Pack®
PACK WITH CONFIDENCE!

Annexure-III
Exclusion
(To be provided by customer)

- 1.0 Foundation and any civil building work
- 2.0 Dismantling of existing equipment, if any.
- 3.0 Compressed air piping including compressor
- 4.0 Incomer cable and power supply up to Shubhampack control panel.
- 5.0 Voltage stabilizer of suitable capacity in case voltage and frequency variation is more than 10% & 3% respectively at site.
- 6.0 Bulk material/Laminate during Factory acceptance test (FAT)
- 7.0 Special tools and tackles like cranes, lifts etc., at the time of installation.
- 8.0 Skilled and unskilled man power at site along with qualified supervisor to assist installation.

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 **Fax:** 0091 129 4272351, **E-mail:** sales@shubhampack.com





Annexure-IV **Price Schedule**

S No.	Tech. Specs & Scope of supply	Qty.	Total Price (In USD)
1.0	Machine Model SPM 450L-6A Twin Line	01	60,000.00
2.0	Standard Conveyor 2mtr (SS MAKE) (2000 X 2 = 4000)	02	4,000.00
3.0	Dust Collector (2HP) (Optional)	01	3,000.00
4.0	TTO Printer – 5000 x 2 = 10000 USD	02	10,000.00
5.0	Chiller for Impulse sealer	01	2,500.00
6.0	Servo Stabilizer	01	1,500.00
7.0	1 Year Consumable Spares	01	3,500.00

S No.	Item description	Total Price (In USD)
	<u>Model-SPM 450L-6A TW</u>	
A	Lump sum price of design, manufacturing, supply of machine as per technical specifications at Annexure-II	84,500.00
	Special Discount Given	-8,450.00
	Cost After Special Discount	76,050.00
B	Packing and forwarding (4.5%)	2,000.00
C	Installation and training at site (for details refer terms & conditions attached)	Separate quote will share
	*Ex-Works Cost of Machine	78,050.00
	In words: US DOLLARS, Seventy eight thousand, and fifty only.	

(*) Prices are on Ex-Works Ballabgarh basis, Freight will be extra as per commercial terms attached.



Shubham Pack®
PACK WITH CONFIDENCE!

Annexure-V **Commercial terms and conditions**

PRICE BASIS

All prices are on **Ex-works Ballabgarh Basis** unless otherwise specified.

TERMS OF PAYMENT

- a) **50% Advance along with purchase order.**
- b) **40% After the FAT of machine before dispatch.**
- c) **10% After the Installation & Commissioning of machine**

Supplier's Bankers, as per the below details:

Axis Bank Ltd.
SCO-40, Sec-7 Market
Ballabgarh, Faridabad 121004
Haryana, India
A/c holder name- Shubham Flexible Packaging Machines Pvt. Ltd.
A/c no.- 039010200025364
Swift code- AXISINBB039

The Letter of Credit must permit **partial shipment** and transshipment and should be valid for negotiation for a period of 21 days beyond the last permissible date of shipment.

The Letter of Credit must accept **Combined Transport Bill of Lading** issued by the Shipping Company in New Delhi as a negotiable document.

PACKING & FORWARDING (P&F):

In strong seaworthy wooden boxes

INSURANCE: -

Buyer's responsibility to take suitable insurance for goods from seller's warehouse in Ballabgarh to the port of discharge covering all risks including erection, installation and commissioning for 110% of CIF value. Documentary evidence of this insurance to be given to us at least 30 days before shipment

FREIGHT

Extra at Actuals, or Shipping line to be arranged by Buyer.

DELIVERY:-

Within 3months from the date of receipt of advance or within 3months from the date of receipt of LC, whichever is later.

INSTALLATION / START- UP AND TRAINING

To be done by factory trained engineers of Shubham pack or its authorized sub suppliers. The installation cost is indicated separately in the price schedule at Annexure-IV.

Buyer has to provide Hotel, Food, local conveyance and medical expenses for all service engineers at customer site.





In case our engineer has to stay back after **3 days** or has to revisit for the reason not attributed to Shubham, then the Buyer has to bear expenses for extra to and fro air fares, if any, stay in hotel, food, local transport and medical expenses for deputing engineers and also reimburse out of pocket expenses @ **USD 450** per day per including the travel time and intervening holidays.

Local Labour, Power and other connected items including lifting, tackle, foundation and masonry work during installation shall have to be provided by the Buyer.

Buyer is advised to unload the machine from the truck/container and place it at designated place. It is also advisable that inlet of bulk feed, air connection, power supply etc. should be made ready before arrival of Installation engineer. However, all such connections as well as electrical power ON should be done in presence of installation engineer only.

FREE SPARES & START UP PARTS:

We shall be supplying one lot of requisite start up parts and standard recommended spares along with the equipment.

GURANTEE

We guarantee for a period of 12 months from the date of erection of products at Buyer's site, all products and parts thereof, when properly installed, adjusted, operated and maintained as per our proposal and / or the applicable technical manuals. This will however not include components made of rubber, plastic and electrical equipment and other parts / components subject to normal wear and tear.

Guarantee does not cover Electrical Switchgears, hoses, belts, burnt out Blowers / Motors, Drives and all external wiring. These parts are considered as consumables and are required to be paid for upon replacement.

Guarantee does not cover damage of part due to poor preventive maintenance OR parts that are subject to damage due to voltage fluctuation or improper voltage at buyer site.

Guarantee does not apply to any equipment which has been improperly installed, adjusted, operated, maintained, repaired or altered by unauthorized persons. We reserve the right to inspect any claimed defect prior to replacement.

We will replace/repair, any defective material or workmanship, provided that we are given written notice of the claimed defects above. Unless caused by us, equipment damaged by overloading, exposure to corrosive or abrasive substance of abnormal dampness or other misuse, neglect or accident, shall not be subject to the warranty set forth above.

The Guarantee as referred to above clause will cease to operate if:

a. The buyer, within the guarantee period, sells or otherwise parts with possession of the products.

AND / OR

b. Any local mechanic or electrician tampers with the Products without Shubham's written permission.

AND / OR

c. The buyer shifts the Products from original place of installation.

AND/OR

d. The buyer changes the original place of installation.



LIABILITY

Liability of Shubham Flexible Packaging Machines Pvt. Ltd is limited to guarantee performance of equipment and does not cover any aspect related to conversion of material. Shubham Flexible Packaging Machines Pvt. Ltd undertakes no responsibility on performance of laminate/film converted on the equipment. Customer must conduct trials at his own risk and cost, to evaluate and achieve satisfactory results before commencing large-scale production. Machine speed and performance are indicative and may vary with different substrates and raw material and may not be accurate. Liability of Shubham Flexible Packaging Machines Pvt. Ltd is only limited to replacement of defective parts and does not cover any incidental or consequential loss to customer.

CANCELLATION

In the event of a request to stop work or to cancel any part of the order:

- a. Any cancellation after half the stipulated time of delivery must be paid in full.
- b. Cancellation of any order other than outlined in "a" above shall be subject to indemnity satisfaction of Shubham Flexible Packaging Machines Pvt. Ltd.
- c. Special machines: If a special machine is ordered by the customer and has entered into production stage, it shall not be cancelled and must be paid in full.

FORCE MAJEURE:

We will not be responsible for any delay in delivery or for non-delivery of our products by reasons of Force Majeure, such as acts of God, war, riots, civil disturbances, acts of authorities, strikes, lockouts or other labour difficulties or any other circumstances beyond our control which might affect us or our suppliers and hinder, impede or prevent deliveries. The notice of force majeure will be sent by us to customer in writing.

APPROVAL

Shubham Flexible Packaging Machines Pvt. Ltd will fully assemble the equipment prior to shipping and a representative of the customer must approve the Equipment in writing prior to shipment. Any modification or change suggested at this point will invalidate the delivery date clause and reasonable time will be allowed to incorporate the modification.

ARBITRATION

Any dispute or differences whatsoever arising between the parties out of or relating to the construction, meaning and operation or effect of this contract or the breach thereof shall be settled by arbitration in accordance with the Rules of Arbitration of the Indian Council of Arbitration and the Award made in pursuance thereof shall be binding on the parties.

VALIDITY:

This Contract and prices are valid for 30 days and supersedes all previous contracts. The terms and conditions mentioned above shall supersede any terms and conditions agreed to earlier proforma invoice if any.

GENERAL

Continuous improvement is standard policy at Shubham. Accordingly, all specification and features are subject to change without any prior notice.

=====X=====