



Shubham Pack®
PACK WITH CONFIDENCE!

REF: SPM/EXP/L/SR/0043/24-25

DATE: 30-05-2024

Techno-Commercial

Proposal for

MULTI TRACK MACHINE MODEL SPM 1200L-6A-12T

Global Standards Unmatched Performance

Specially prepared for

=====

Mr. Chisom Ogbuagu
Unilever Nigeria PLC
Nigeria

=====

Prepared by:

Shiv Om Kaushik

Marketing

Email: shivom@shubhampack.com

Cell: +91-8130192043

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 **Fax:** 0091 129 4272351, **E-mail:** sales@shubhampack.com



Shubham Pack®
PACK WITH CONFIDENCE!

Index

Annexure- I

Project Data

Annexure-II

Technical Specifications

Annexure- III

Exclusions

Annexure- IV

Price Schedule & Optional Items

Annexure- V

Commercial terms and conditions

Annexure- VI

Attachments E-Brochure

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 **Fax:** 0091 129 4272351, **E-mail:** sales@shubhampack.com



Annexure-I

Project Data

1	Product to be Packed	Liquid / Paste	Paste
2	Product name		Tooth Paste
3	Characteristics of product	Viscosity (in cps)	TBC
4	Pouch Size & Type	W X L	82mm X 140mm
5	No. of tracks		12 Tracks
6	Quantity to be packed	Gm	10g
7	Horizontal Sealing Width	mm	5mm
8	Vertical Sealing Width	mm	5mm
9	Core Dia.	76/152	76/152mm
10	Perforation Pitch	mm	3mm
11	Type of Perforation	V/Y	V type
12	Single Pouch	Cutting/String	Cutting
13	Type of Sealing	V- Lining/Butt/Knurling	V – Lining
14	PLC Make	Omron/AB	AB
15	Power Supply	VAC/Ph/Hz	415 VAC, 3 Ph, 50 Hz



Annexure-II
Technical specification


Sr. No.	Description															
01	Sachet Form, Fill and Seal packing machine model SPM 1200L-6A-12T Suitable for packing Tooth Paste product consist of: ➤ Basic machine frame in MS Body Powder Coated structure & SS Cladding whereas required. ➤ Detachable Laminate reel mounting unit for two reels mounting with laminate end Detector sensor. ➤ Electronics web aligner for laminate tracking. ➤ Sealing station for longitudinal sealing. ➤ Pre-determined laminate draw with Servo drive system along with eye mark sensor. ➤ Pneumatic operated Batch cutter cum perforation Blade with servo driven horizontal sealing jaws. ➤ Electrical Equipment for standard machine with Air-cooled panel. ➤ Standard front Acrylic Guarding with limit switches. 12 Tracks – Product Filling unit consist of: ➤ Servo drives from basic machine. ➤ Servo for Valve filling “ON – OFF”. ➤ Designed Filling ➤ Set of filling nozzles with individual vertical adjustment system. ➤ Individual Weight Adjustment System. ➤ Low level and High Level sensor. For Exact fill volumes/weights the following is necessary. ➤ Constant viscosity and density of Products. ➤ Product without air pockets. ➤ Ventilation of product feed system prior to production start. <u>AXIS SERVO</u> ➡ <table><tr><td>➤ Horizontal Sealing</td><td>-</td><td>1 Nos. Servo</td></tr><tr><td>➤ Vertical Sealing</td><td>-</td><td>1 Nos. Servo</td></tr><tr><td>➤ In Pulling</td><td>-</td><td>1 Nos. Servo</td></tr><tr><td>➤ Piston movement</td><td>-</td><td>2 Nos. Servo</td></tr><tr><td>➤ Traverse movement</td><td>-</td><td>1 Nos. Servo</td></tr></table>	➤ Horizontal Sealing	-	1 Nos. Servo	➤ Vertical Sealing	-	1 Nos. Servo	➤ In Pulling	-	1 Nos. Servo	➤ Piston movement	-	2 Nos. Servo	➤ Traverse movement	-	1 Nos. Servo
	➤ Horizontal Sealing	-	1 Nos. Servo													
	➤ Vertical Sealing	-	1 Nos. Servo													
	➤ In Pulling	-	1 Nos. Servo													
	➤ Piston movement	-	2 Nos. Servo													
	➤ Traverse movement	-	1 Nos. Servo													




Machine Model	SPM 1200L-6A-12T
Product to be packed	Tooth Paste
Filling capacity	10g
Sealing Style	4 Side seal
Speed	* 60-70 Strokes/min X no. of tracks * 60 x 12 * 720 – 840 Pouches/min <i>*(Output depends upon Characteristics of product, Fill volume, Pouch Length & Characteristics of Laminate)</i>
Roll Width	Max. - 1000 mm
Packaging material	Heat Sealable Laminate
Control	PLC based with touch screen HMI
Filling Mechanism	Piston Movement - Servo Motor Driven
Sealing drives	Vertical Sealer - Servo Motor Driven Horizontal Sealer - Servo Motor Driven
Batch Cutter with Perforation	Pneumatic operated
Film Pulling	Servo Motor Driven
Product contact parts	SS-304
Electrical Specification	3Φ, 415 V Connected load – 20 KW Consumption – 16 KW
Internet Remote Connection	Yes
Air Consumption	Operating Pressure – 6 Bar Consumption – 3 CFM
Machine Frame	MS Body Powder Coated Structure
Layout Dimensions (Approx.)	Length → 3000 mm Width → 2500 mm Height → 3000 mm
Weight	Net Weight → 2800 kgs. Gross weight → 3200 kgs.
Production Counter Provision	Yes
Hopper Type	Double Jacketed Pressurized Hopper
Reel Joint Detection	Yes
Automatic Web Aligner System	E + L Make`
Traverse Movement	Servo Motor Driven



Shubham Pack®
PACK WITH CONFIDENCE!



FILLING SYSTEM



SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 **Fax:** 0091 129 4272351, **E-mail:** sales@shubhampack.com



Exclusion
(To be provided by customer)

- 1.0 Foundation and any civil building work
- 2.0 Dismantling of existing equipment, if any.
- 3.0 Compressed air piping including compressor
- 4.0 Incomer cable and power supply up to Shubham Pack control panel.
- 5.0 Voltage stabilizer of suitable capacity in case voltage and frequency variation is more than 10% & 3% respectively at site.
- 6.0 Bulk material/Laminate during Factory acceptance test (FAT)
- 7.0 Special tools and tackles like cranes, lifts etc., at the time of installation.
- 8.0 Skilled and unskilled man power at site along with qualified supervisor to assist installation.



Annexure-IV Price Schedule

S.no.	Item description	Qty	Total Price (In USD)
	<u>Model - SPM 1200L-6A-12T</u>		
A	Price of design, manufacturing, supply of machine as per technical specifications (OMRON AUTOMATION) - Ladder and Platform - Filling Unit and Unwinding Cover - Shut-Off Nozzles – 12 nos.	01	140000.00
B	Additional Charges in case of Allen Bradley Automation	01	10000.00
C	Collating Conveyor	01	3500.00
D	Traverse System	01	7000.00
E	Inkjet Printer	01	13000.00
	Total Basic Cost (Ex-Works)	01	173500.00
F	Packing Charges (On Ex – Works Basis)	2.5%	4337.50
G	Forwarding Charges	1%	1735.00
H	Insurance charges (Not Applicable in Ex – Works, Transit Damages* (Mechanical & Electrical) will not be covered under warranty)	0.5%	867.50
I	Installation and Training at site for two Engineers @ USD 450 per Man day (for details refer terms & conditions attached). (All Local Taxes must be beard by Customer)		Separate offer will be shared
	Sub Total Cost (*Ex-Works)		180440.00
	Freight Charges (40FT HC)		8000.00
	Cost of Machine (CFR, TinCan Port) In words: US Dollars One hundred eighty eight thousand forty four only.		188440.00



Shubham Pack®
PACK WITH CONFIDENCE!

Annexure-V **Commercial terms and conditions**

PRICE BASIS

All prices are on CFR TINCAN PORT, LAGOS basis unless otherwise specified.

TERMS OF PAYMENT

- a) **30% advance** thru Telegraphic Transfer (TT).
- b) **70% LC at sight.**

Supplier's Bankers, as per the below details:

Axis Bank Ltd.
SCO-40, Sec-7 Market
Ballabgarh, Faridabad 121004
Haryana, India
A/c holder name- Shubham Flexible Packaging Machines Pvt. Ltd.
A/c no.- 039010200025364
Swift code- AXISINBB039

The Letter of Credit must permit **partial shipment** and trans-shipment and should be valid for negotiation for a period of 21 days beyond the last permissible date of shipment.

The Letter of Credit must accept Combined Transport Bill of Lading issued by the Shipping Company in New Delhi as a negotiable document.

PACKING & FORWARDING (P&F):

In strong seaworthy wooden boxes

INSURANCE: -

Buyer's responsibility to take suitable insurance for goods from seller's warehouse in Ballabgarh to the port of discharge covering all risks including erection, installation and commissioning for 110% of CIF value. Documentary evidence of this insurance to be given to us at least 30 days before shipment

FREIGHT

Extra at Actuals, or Shipping line to be arranged by Buyer.

DELIVERY:-

3 months from the date of receipt of advance or the date of receipt of LC, whichever is later.

INSTALLATION / START- UP AND TRAINING

To be done by factory trained engineers of Shubham pack or its authorized sub suppliers. The installation cost is indicated separately in the price schedule at Annexure-IV.

Buyer has to provide Hotel, Food, local conveyance and medical expenses with 450USD/day/Engineer at customer site.

Local Labour, Power and other connected items including lifting, tackle, foundation and masonry work during installation shall have to be provided by the Buyer.

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 **Fax:** 0091 129 4272351, **E-mail:** sales@shubhampack.com



Buyer is advised to unload the machine from the truck/container and place it at designated place. It is also advisable that inlet of bulk feed, air connection, power supply etc. should be made ready before arrival of Installation engineer. However, all such connections as well as electrical power ON should be done in presence of installation engineer only.

FREE SPARES & START UP PARTS:

We shall be supplying one lot of requisite start up parts and standard recommended spares along with the equipment.

GURANTEEE

We guarantee for a period of 12 months from the date of erection of products at Buyer's site, all products and parts thereof, when properly installed, adjusted, operated and maintained as per our proposal and / or the applicable technical manuals. This will however not include components made of rubber, plastic and electrical equipment and other parts / components subject to normal wear and tear.

Guarantee does not cover Electrical Switchgears, hoses, belts, burnt out Blowers / Motors, Drives and all external wiring. These parts are considered as consumables and are required to be paid for upon replacement.

Guarantee does not cover damage of part due to poor preventive maintenance OR parts that are subject to damage due to voltage fluctuation or improper voltage at buyer site.

Guarantee does not apply to any equipment which has been improperly installed, adjusted, operated, maintained, repaired or altered by unauthorized persons. We reserve the right to inspect any claimed defect prior to replacement.

We will replace/repair, any defective material or workmanship, provided that we are given written notice of the claimed defects above. Unless caused by us, equipment damaged by overloading, exposure to corrosive or abrasive substance of abnormal dampness or other misuse, neglect or accident, shall not be subject to the warranty set forth above.

The Guarantee as referred to above clause will cease to operate if:

a. The buyer, within the guarantee period, sells or otherwise parts with possession of the products.

AND / OR

b. Any local mechanic or electrician tampers with the Products without Shubham's written permission.

AND / OR

c. The buyer shifts the Products from original place of installation.

AND/OR

d. The buyer changes the original place of installation.

LIABILITY

Liability of Shubham Flexible Packaging Machines Pvt. Ltd is limited to guarantee performance of equipment and does not cover any aspect related to conversion of material. Shubham Flexible Packaging Machines Pvt. Ltd undertakes no responsibility on performance of laminate/film converted on the equipment. Customer must conduct trials at his own risk and cost, to evaluate and achieve satisfactory results before commencing

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 Fax: 0091 129 4272351, E-mail: sales@shubhampack.com



large-scale production. Machine speed and performance are indicative and may vary with different substrates and raw material and may not be accurate. Liability of Shubham Flexible Packaging Machines Pvt. Ltd is only limited to replacement of defective parts and does not cover any incidental or consequential loss to customer.

CANCELLATION

In the event of a request to stop work or to cancel any part of the order:

- a. Any cancellation after half the stipulated time of delivery must be paid in full.
- b. Cancellation of any order other than outlined in "a" above shall be subject to indemnity satisfaction of Shubham Flexible Packaging Machines Pvt. Ltd.
- c. Special machines: If a special machine is ordered by the customer and has entered into production stage, it shall not be cancelled and must be paid in full.

FORCE MAJEURE:

We will not be responsible for any delay in delivery or for non-delivery of our products by reasons of Force Majeure, such as acts of God, war, riots, civil disturbances, acts of authorities, strikes, lockouts or other labour difficulties or any other circumstances beyond our control which might affect us or our suppliers and hinder, impede or prevent deliveries. The notice of force majeure will be sent by us to customer in writing.

APPROVAL

Shubham Flexible Packaging Machines Pvt. Ltd will fully assemble the equipment prior to shipping and a representative of the customer must approve the Equipment in writing prior to shipment. Any modification or change suggested at this point will invalidate the delivery date clause and reasonable time will be allowed to incorporate the modification.

ARBITRATION

Any dispute or differences whatsoever arising between the parties out of or relating to the construction, meaning and operation or effect of this contract or the breach thereof shall be settled by arbitration in accordance with the Rules of Arbitration of the Indian Council of Arbitration and the Award made in pursuance thereof shall be binding on the parties.

VALIDITY:

This Contract and prices are valid for 30 days and supersedes all previous contracts. The terms and conditions mentioned above shall supersede any terms and conditions agreed to earlier proforma invoice if any.

GENERAL

Continuous improvement is standard policy at Shubham. Accordingly all specification and features are subject to change without any prior notice.

=====X=====