



Shubham Pack®
PACK WITH CONFIDENCE!

REF: SPM/EXP/P/SR/0013/24-25

DATE: 28-05-2024

Techno-Commercial

Proposal for

Single Track Machine Model 280P-AU-1A-1T

Global Standards Unmatched Performance

Specially prepared for

=====

MR. KATO CHARLES
K C PRODUCTS LTD
UGANDA

=====

Prepared by:

Shiv Om Kaushik

Marketing

Email: shivom@shubhampack.com

Cell: +91-8130192043

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 **Fax:** 0091 129 4272351, **E-mail:** sales@shubhampack.com



Shubham Pack®
PACK WITH CONFIDENCE!

Index

<u>Annexure- I</u>	Project Data
<u>Annexure-II</u>	Technical Specifications
<u>Annexure- III</u>	Exclusions
<u>Annexure- IV</u>	Price Schedule & Optional Items
<u>Annexure- V</u>	Commercial terms and conditions
<u>Annexure- VI</u>	Attachments E-Brochure

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 **Fax:** 0091 129 4272351, **E-mail:** sales@shubhampack.com



Annexure-I

Project Data

1	Product to be Packed		Powder
2	Product name		TAYARI CURRY Powder
3	Characteristics of product	Density	To be confirm
4	Pouch Size & Type	W X L	62.5mm X 75mm Centre seal – 10mm
5	Quantity to be packed	Gm	6g
6	Horizontal Sealing Width	mm	10mm
7	Vertical Sealing Width	mm	10mm
8	Core Dia.	76/152	76mm
9	Perforation Pitch	mm	3mm
10	Type of Perforation	V/Y	V type
11	Single Pouch	Cutting/String	String
12	Type of Sealing	V-Lining/Butt/Knurling	Male-female linings on all sealing
13	Electric Controls	Digital soft touch control panel	MultiSpan
14	Power Supply	VAC/Ph/KW	230VAC, 1Ph, 3-4KW



Annexure-II
Technical specification

Sr. No.	Description
01	<u>Vertical Form, Fill and Seal packing M/c model SPM 280P-AU-1A-1T</u> ➤ Filling range – 6g ➤ Product – Curry Powder ➤ Packing Speed - <u>Up to 40-50 Pouches/min</u> ➤ Sealing type – Centre Seal (Pneumatic vertical & horizontal both). ➤ Sealing Impression - Male-female linings on all sealing. ➤ Filling System - Auger Filler System. ➤ Filling accuracy - Upto +/- 0.3-0.6 Gms. of total weight to be packed. ➤ Packaging film - Heat sealable laminated film in roll form. ➤ Maximum roll width - 280 mm. ➤ Maximum pouch length - 180 mm. ➤ Film draw mechanism - By silicon rubber rollers, controlled by clutch-brake unit. ➤ Electric Controls - Digital soft touch control panel, Multispan make. ➤ Proximity Sensors - Omron / Global make. ➤ Pneumatic components - Pneumax / Camozzi make. ➤ Temperature Controller - Multispan make. ➤ Heater breaker alarm - Alarm on breaking of heater to avoid production loss. ➤ Photocell - To sense eye mark for accurate pouch length. ➤ Pouch counter - In control panel. ➤ Contact Parts - Stainless Steel 304 / Teflon. ➤ Construction Parts - Cast Iron, MS & EN. ➤ Covering / Cladding - Stainless steel-304. ➤ Electrical motors - Marathon / Rotomotive / Motovario make. ➤ Gear Boxes - Altra / Motovario make. ➤ No regular lubrication required as used linear bearings in place of bushes. ➤ Compressed air - 1-2 CFM at 5 Kg/cm² ➤ Electrical requirement - Single phase, 230 VAC +/- 10%, 3-4 kW. ➤ Note – you have to arrange a compressor of 2HP motor capacity.



Shubham Pack®
PACK WITH CONFIDENCE!



SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 **Fax:** 0091 129 4272351, **E-mail:** sales@shubhampack.com



Shubham Pack®
PACK WITH CONFIDENCE!

Annexure-III
Exclusion
(To be provided by customer)

- 1.0 Foundation and any civil building work
- 2.0 Dismantling of existing equipment, if any.
- 3.0 Compressed air piping including compressor
- 4.0 Incomer cable and power supply up to Shubham Pack control panel.
- 5.0 Voltage stabilizer of suitable capacity in case voltage and frequency variation is more than 10% & 3% respectively at site.
- 6.0 Bulk material/Laminate during Factory acceptance test (FAT)
- 7.0 Special tools and tackles like cranes, lifts etc., at the time of installation.
- 8.0 Skilled and unskilled man power at site along with qualified supervisor to assist installation.

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 **Fax:** 0091 129 4272351, **E-mail:** sales@shubhampack.com



Annexure-IV
Price Schedule

S. No	Tech. Specs. & Scope of supply	Qty.	Total Price (In USD)
1.0	Automatic vertical FFS (Full Pneumatic) Machine Model SPM 280P-AU-1A-1T	01	17000.00
2.0	Takeoff Conveyor	01	1500.00
3.0	Hot foil coding system	01	1500.00

S. no.	Item description	Qty	Total Price (In USD)
	<u>Model-SPM 280P-AU-1A-1T</u>		
A	Lump sum price of design, manufacturing, supply of machine as per technical specifications at Annexure-II	01	20000.00
B	Packing and forwarding	01	1000.00
	*Ex-works Cost of machine In words: US DOLLARS, Twenty One thousand only.		21000.00
C	Installation and training at site for 7 days (visa charges + Flight Charges + lodging + boarding + local conveyance in customer's scope)		1500.00

(*) Prices are on Ex-works Ballabgarh basis, Freight will be extra as per commercial terms attached.



Shubham Pack®
PACK WITH CONFIDENCE!

Annexure-V **Commercial terms and conditions**

PRICE BASIS

All prices are on **Ex-works Ballabgarh** basis unless otherwise specified.

TERMS OF PAYMENT

- a) **50%** Advance along with Purchase Order.
- b) **50%** After FAT of machine before dispatch.

Bank details:

Axis Bank Ltd.
SCO-40, Sec-7 Market
Ballabgarh, Faridabad 121004
Haryana, India
A/c holder name- Shubham Flexible Packaging Machines Pvt. Ltd.
A/c no.- 039010200025364
Swift code- AXISINBB039

PACKING & FORWARDING (P&F):

In strong seaworthy wooden boxes

INSURANCE: -

Buyer's responsibility to take suitable insurance for goods from seller's warehouse in Ballabgarh to the port of discharge covering all risks including erection, installation and commissioning for 110% of CIF value. Documentary evidence of this insurance to be given to us at least 30 days before shipment

FREIGHT

Extra at Actuals, or Shipping line to be arranged by Buyer.

DELIVERY:-

Within 3 months from the date of receipt of advance.

INSTALLATION / START- UP AND TRAINING

To be done by factory trained engineers of Shubham pack or its authorized sub suppliers. The installation cost is indicated separately in the price schedule at Annexure-IV.

Buyer has to provide Visa Charges, Flight Charges, Hotel, Food, local conveyance and medical expenses for all service engineers at customer site with USD 450 per day per engineer.

Local Labour, Power and other connected items including lifting, tackle, foundation and masonry work during installation shall have to be provided by the Buyer.

Buyer is advised to unload the machine from the truck/container and place it at designated place. It is also advisable that inlet of bulk feed, air connection, power supply etc. should be made ready before arrival of Installation engineer. However, all such connections as well as electrical power ON should be done in presence of installation engineer only.

FREE SPARES & START UP PARTS:

We shall be supplying one lot of requisite start up parts and standard recommended spares along with the equipment.

GURANTEEE

We guarantee for a period of 12 months from the date of erection of products at Buyer's site, all products and parts thereof, when properly installed, adjusted, operated and maintained as per our

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 **Fax:** 0091 129 4272351, **E-mail:** sales@shubhampack.com



Shubham Pack®
PACK WITH CONFIDENCE!

proposal and / or the applicable technical manuals. This will however not include components made of rubber, plastic and electrical equipment and other parts / components subject to normal wear and tear.

Guarantee does not cover Electrical Switchgears, hoses, belts, burnt out Blowers / Motors, Drives and all external wiring. These parts are considered as consumables and are required to be paid for upon replacement.

Guarantee does not cover damage of part due to poor preventive maintenance OR parts that are subject to damage due to voltage fluctuation or improper voltage at buyer site.

Guarantee does not apply to any equipment which has been improperly installed, adjusted, operated, maintained, repaired or altered by unauthorized persons. We reserve the right to inspect any claimed defect prior to replacement.

We will replace/repair, any defective material or workmanship, provided that we are given written notice of the claimed defects above. Unless caused by us, equipment damaged by overloading, exposure to corrosive or abrasive substance of abnormal dampness or other misuse, neglect or accident, shall not be subject to the warranty set forth above.

The Guarantee as referred to above clause will cease to operate if:

a. The buyer, within the guarantee period, sells or otherwise parts with possession of the products.

AND / OR

b. Any local mechanic or electrician tampers with the Products without Shubham's written permission.

AND / OR

c. The buyer shifts the Products from original place of installation.

AND/OR

d. The buyer changes the original place of installation.

LIABILITY

Liability of Shubham Flexible Packaging Machines Pvt. Ltd is limited to guarantee performance of equipment and does not cover any aspect related to conversion of material. Shubham Flexible Packaging Machines Pvt. Ltd undertakes no responsibility on performance of laminate/film converted on the equipment. Customer must conduct trials at his own risk and cost, to evaluate and achieve satisfactory results before commencing large-scale production. Machine speed and performance are indicative and may vary with different substrates and raw material and may not be accurate. Liability of Shubham Flexible Packaging Machines Pvt. Ltd is only limited to replacement of defective parts and does not cover any incidental or consequential loss to customer.

CANCELLATION

In the event of a request to stop work or to cancel any part of the order:

- a. Any cancellation after half the stipulated time of delivery must be paid in full.
- b. Cancellation of any order other than outlined in "a" above shall be subject to indemnity satisfaction of Shubham Flexible Packaging Machines Pvt. Ltd.
- c. Special machines: If a special machine is ordered by the customer and has entered into production stage, it shall not be cancelled and must be paid in full.

FORCE MAJEURE:

We will not be responsible for any delay in delivery or for non-delivery of our products by reasons of Force Majeure, such as acts of God, war, riots, civil disturbances, acts of authorities, strikes, lockouts or other labour difficulties or any other circumstances beyond our control, which might affect our suppliers or us and hinder, impede or prevent deliveries. We will send the notice of force majeure to customer in writing.

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 **Fax:** 0091 129 4272351, **E-mail:** sales@shubhampack.com



Shubham Pack®
PACK WITH CONFIDENCE!

APPROVAL

Shubham Flexible Packaging Machines Pvt. Ltd will fully assemble the equipment prior to shipping and a representative of the customer must approve the Equipment in writing prior to shipment. Any modification or change suggested at this point will invalidate the delivery date clause and reasonable time will be allowed to incorporate the modification.

ARBITRATION

Any dispute or differences whatsoever arising between the parties out of or relating to the construction, meaning and operation or effect of this contract or the breach thereof shall be settled by arbitration in accordance with the Rules of Arbitration of the Indian Council of Arbitration and the Award made in pursuance thereof shall be binding on the parties.

VALIDITY:

This Contract and prices are valid for 30 days and supersedes all previous contracts. The terms and conditions mentioned above shall supersede any terms and conditions agreed to earlier proforma invoice if any.

GENERAL

Continuous improvement is standard policy at Shubham. Accordingly all specification and features are subject to change without any prior notice.

=====X=====

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 **Fax:** 0091 129 4272351, **E-mail:** sales@shubhampack.com