



Shubham Pack®
PACK WITH CONFIDENCE!

REF: SPM/EXP/P/0044/24-25

DATE: 06-06-2024

Techno-Commercial

Proposal for

COLLAR TYPE MACHINE MODEL SPM 300P-2A (Cup Filler System)

Global Standards Unmatched Performance

Specially prepared for

=====

**Mr Amit Shrivastava
Ajrena Foods Limited,
Isolo, Nigeria**

=====

Prepared by:

Shiv Om Kaushik

Marketing

Email: shivom@shubhampack.com

Cell: +91-8130192043

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 Fax: 0091 129 4272351, E-mail: sales@shubhampack.com



Shubham Pack®
PACK WITH CONFIDENCE!

Index

<u>Annexure- I</u>	Project Data
<u>Annexure-II</u>	Technical Specifications
<u>Annexure- III</u>	Exclusions
<u>Annexure- IV</u>	Price Schedule & Optional Items
<u>Annexure- V</u>	Commercial terms and conditions
<u>Annexure- VI</u>	Attachments E-Brochure

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 **Fax:** 0091 129 4272351, **E-mail:** sales@shubhampack.com



Annexure-I

Project Data

1	Product to be Packed		Coated Peanuts
2	Product name		Peanuts
3	Characteristics of product		Solid
4	Pouch Size & Type	W X L	To be confirm
5	Quantity to be packed	Gm	30g
6	Horizontal Sealing Width	mm	10mm
7	Vertical Sealing Width	mm	10mm
8	Core Dia.	76/152mm	76mm
9	Perforation Pitch	mm	3mm
10	Type of Perforation	V/Y	V type
11	Single Pouch	Cutting/String	String
12	Type of Sealing	V-Lining/Butt/Knurling	V – Lining
13	Pneumatics	FESTO/SMC	FESTO/SMC
14	PLC Make	Omron/Mitsubishi	Omron/Mitsubishi
15	Power Supply	VAC/Ph/Hz	415 VAC, 3 Ph, 50 Hz



Annexure-II **Technical specification**

Sr. No.	Description
01	Vertical Collar type m/c to pack Coated Peanuts *Model No : SPM 300P-2A with cup filler *Qty: 30g Change parts required depending upon the pouch size *Speed : For 30g Pack = 50-60 Pouches/min *(Depend upon the type of product properties & quantity to be filled) <u>Features</u> ➤ MS Body Powder coated structure to absorb vibration at higher speed. ➤ Former & former pipe to form the pouch. ➤ All contact Parts SS 304 ➤ HMI to interface the problem and to adjust the temperature, speed and pouch length etc. ➤ Laminate Pulling through Servo Motor Driven. ➤ Horizontal sealing unit Servo Motor Driven with Pneumatic operated Batch cutter cum perforation knife. ➤ Electrical Equipment for standard machine with Air-cooled panel. ➤ Standard front Acrylic Guarding with limit switches. ➤ Automatic web tension control by Dancing Roller and Pneumatic operated brake. ➤ Filling through Cup Filler System
02	For accuracy in fill weights, following is necessary: • Consistent Bulk Density of product. • Maintaining RH of the packing room, if product is hygroscopic in nature. • Maintaining product level in product Hopper.



Machine Model	SPM 300P-2A + Cup Filler System
Product to be packed	Coated Peanuts
Filling capacity	30g
Sealing Style	Center Sealing
Speed	*30g = 50-60 Pouches/min *(Output depends upon Characteristics of product, Fill volume, Pouch Length & Characteristics of Laminate)
Roll Width	Max. - 300 mm
Laminate Specification	Max. Reel Dia – 450 mm Reel Core Dia – 76 mm
Packaging material	Heat Sealable Laminate
Control	PLC based with touch screen HMI
Filling Mechanism	Cup Filler System
Horizontal Sealer	Servo Motor Driven
Vertical Sealer	Pneumatic Driven
Batch Cutter with Perforation	Pneumatic operated
Film Pulling	Servo Motor Pulling
Product contact parts	SS-304
Electrical Specification	Power Supply : 415 VAC, 3 Phase, 50 Hz Power Consumption: 8-10 KW Appx.
Air Consumption	2-3 CFM @ 6 bar
Pouch Counter	In HMI
Electrical motors	Motovario / Rotomotive / Marathon make
AC Drive	Mitsubishi/ Omron/ Schneider make.
Gear Boxes	Motovario / Altra / Premium make.
Alarms to avoid production loss	Film roll finish, Low air, and Low temperature.
Tool kit & Spares	A certain quantity of Tool kit & spares will be provided free of cost.



Shubham Pack®
PACK WITH CONFIDENCE!

Annexure-III
Exclusion
(To be provided by customer)

- 1.0 Foundation and any civil building work
- 2.0 Dismantling of existing equipment, if any.
- 3.0 Compressed air piping including compressor
- 4.0 Incomer cable and power supply up to Shubham Pack control panel.
- 5.0 Voltage stabilizer of suitable capacity in case voltage and frequency variation is more than 10% & 3% respectively at site.
- 6.0 Bulk material/Laminate during Factory acceptance test (FAT)
- 7.0 Special tools and tackles like cranes, lifts etc., at the time of installation.
- 8.0 Skilled and unskilled man power at site along with qualified supervisor to assist installation.

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 **Fax:** 0091 129 4272351, **E-mail:** sales@shubhampack.com



Shubham Pack®
PACK WITH CONFIDENCE!

Annexure-IV
Price Schedule

S. No	Tech. Specs & Scope of supply	Qty.	Total Price (In USD)
1.0	Machine Model SPM 300P-2A Collar Type	01	25000.00
2.0	Out feed conveyor to take-off filled pouches	01	2500.00
3.0	Nitrogen Flushing Provision	01	1000.00
4.0	Hot foil type batch coding unit to print Batch no., etc.	01	1500.00

S. no.	Item description		Total Price (In USD)
A	Lump sum price of design, manufacturing, supply of machine as per technical specifications at Annexure-II		30000.00
B	Packing and forwarding		1500.00
	FOB Cost of machine In words: US DOLLARS, Thirty one thousand only.		31500.00
C	Installation and training at site for 7 days (Flight Ticket + visa charges + lodging + boarding+ local conveyance charges are in customer scope)		1500.00

(*) Prices are on FOB TKD DELHI BASIS, Freight will be extra as per commercial terms attached.



Shubham Pack®
PACK WITH CONFIDENCE!

Annexure-V **Commercial terms and conditions**

PRICE BASIS

All prices are on **FOB-TKD DELHI**, basis unless otherwise specified.

TERMS OF PAYMENT

- a) **50% Advance along with purchase order.**
- b) **50% After the FAT of machine before dispatch.**

The L/C must be advised and negotiable through Supplier's Bankers, as per the below details:

Axis Bank Ltd.
SCO-40, Sec-7 Market
Ballabgarh, Faridabad 121004
Haryana, India
A/c holder name- Shubham Flexible Packaging Machines Pvt. Ltd.
A/c no.- 039010200025364
Swift code- AXISINBB039

The Letter of Credit must permit **partial shipment** and transshipment and should be valid for negotiation for a period of 21 days beyond the last permissible date of shipment.

The Letter of Credit must accept Combined Transport Bill of Lading issued by the Shipping Company in New Delhi as a negotiable document.

PACKING & FORWARDING (P&F):

In strong seaworthy wooden boxes

INSURANCE: -

Buyer's responsibility to take suitable insurance for goods from seller's warehouse in Ballabgarh to the port of discharge covering all risks including erection, installation and commissioning for 110% of CIF value. Documentary evidence of this insurance to be given to us at least 30 days before shipment

FREIGHT

Extra at Actuals, or Shipping line to be arranged by Buyer.

DELIVERY:-

Within 3months from the date of receipt of advance or within 3months from the date of receipt of LC, whichever is later.

INSTALLATION / START- UP AND TRAINING

To be done by factory trained engineers of Shubham pack or its authorized sub suppliers. The installation cost is indicated separately in the price schedule at Annexure-IV.

Buyer has to provide Hotel, Food, local conveyance and medical expenses for all service engineers at customer site.



In case our engineer has to stay back after **3 days** or has to revisit for the reason not attributed to Shubham, then the Buyer has to bear expenses for extra to and fro air fares, if any, stay in hotel, food, local transport and medical expenses for deputing engineers and also reimburse out of pocket expenses @ **USD 450** per day per including the travel time and intervening holidays.

Local Labour, Power and other connected items including lifting, tackle, foundation and masonry work during installation shall have to be provided by the Buyer.

Buyer is advised to unload the machine from the truck/container and place it at designated place. It is also advisable that inlet of bulk feed, air connection, power supply etc. should be made ready before arrival of Installation engineer. However, all such connections as well as electrical power ON should be done in presence of installation engineer only.

FREE SPARES & START UP PARTS:

We shall be supplying one lot of requisite start up parts and standard recommended spares along with the equipment.

GURANTEE

We guarantee for a period of 12 months from the date of erection of products at Buyer's site, all products and parts thereof, when properly installed, adjusted, operated and maintained as per our proposal and / or the applicable technical manuals. This will however not include components made of rubber, plastic and electrical equipment and other parts / components subject to normal wear and tear.

Guarantee does not cover Electrical Switchgears, hoses, belts, burnt out Blowers / Motors, Drives and all external wiring. These parts are considered as consumables and are required to be paid for upon replacement.

Guarantee does not cover damage of part due to poor preventive maintenance OR parts that are subject to damage due to voltage fluctuation or improper voltage at buyer site.

Guarantee does not apply to any equipment which has been improperly installed, adjusted, operated, maintained, repaired or altered by unauthorized persons. We reserve the right to inspect any claimed defect prior to replacement.

We will replace/repair, any defective material or workmanship, provided that we are given written notice of the claimed defects above. Unless caused by us, equipment damaged by overloading, exposure to corrosive or abrasive substance of abnormal dampness or other misuse, neglect or accident, shall not be subject to the warranty set forth above.

The Guarantee as referred to above clause will cease to operate if:

a. The buyer, within the guarantee period, sells or otherwise parts with possession of the products.

AND / OR

b. Any local mechanic or electrician tampers with the Products without Shubham's written permission.

AND / OR

c. The buyer shifts the Products from original place of installation.

AND/OR

d. The buyer changes the original place of installation.



Shubham Pack®
PACK WITH CONFIDENCE!

LIABILITY

Liability of Shubham Flexible Packaging Machines Pvt. Ltd is limited to guarantee performance of equipment and does not cover any aspect related to conversion of material. Shubham Flexible Packaging Machines Pvt. Ltd undertakes no responsibility on performance of laminate/film converted on the equipment. Customer must conduct trials at his own risk and cost, to evaluate and achieve satisfactory results before commencing large-scale production. Machine speed and performance are indicative and may vary with different substrates and raw material and may not be accurate. Liability of Shubham Flexible Packaging Machines Pvt. Ltd is only limited to replacement of defective parts and does not cover any incidental or consequential loss to customer.

CANCELLATION

In the event of a request to stop work or to cancel any part of the order:

- a. Any cancellation after half the stipulated time of delivery must be paid in full.
- b. Cancellation of any order other than outlined in "a" above shall be subject to indemnity satisfaction of Shubham Flexible Packaging Machines Pvt. Ltd.
- c. Special machines: If a special machine is ordered by the customer and has entered into production stage, it shall not be cancelled and must be paid in full.

FORCE MAJEURE:

We will not be responsible for any delay in delivery or for non-delivery of our products by reasons of Force Majeure, such as acts of God, war, riots, civil disturbances, acts of authorities, strikes, lockouts or other labour difficulties or any other circumstances beyond our control which might affect us or our suppliers and hinder, impede or prevent deliveries. The notice of force majeure will be sent by us to customer in writing.

APPROVAL

Shubham Flexible Packaging Machines Pvt. Ltd will fully assemble the equipment prior to shipping and a representative of the customer must approve the Equipment in writing prior to shipment. Any modification or change suggested at this point will invalidate the delivery date clause and reasonable time will be allowed to incorporate the modification.

ARBITRATION

Any dispute or differences whatsoever arising between the parties out of or relating to the construction, meaning and operation or effect of this contract or the breach thereof shall be settled by arbitration in accordance with the Rules of Arbitration of the Indian Council of Arbitration and the Award made in pursuance thereof shall be binding on the parties.

VALIDITY:

This Contract and prices are valid for 30 days and supersedes all previous contracts. The terms and conditions mentioned above shall supersede any terms and conditions agreed to earlier proforma invoice if any.

GENERAL

Continuous improvement is standard policy at Shubham. Accordingly, all specification and features are subject to change without any prior notice.

=====X=====

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 Fax: 0091 129 4272351, E-mail: sales@shubhampack.com