



Shubham Pack®
PACK WITH CONFIDENCE!

REF: SPM/EXP/L/0081/24-25

DATE: 17-06-2024

Techno-Commercial

Proposal for

Multi Track Machine Model SPM SPM 1200L-8A-15T

Global Standards Unmatched Performance
Specially prepared for

=====

Mr. Oluwafemi Ojumu
Factory Manager
PZ Wilmar Limited, Nigeria

=====

Prepared by:
Shiv Om Kaushik
Marketing
Email: shivom@shubhampack.com
Cell: +91-8130192043



Shubham Pack®
PACK WITH CONFIDENCE!

Index

Annexure- I

Project Data

Annexure-II

Technical Specifications

Annexure- III

Exclusions

Annexure- IV

Price Schedule & Optional Items

Annexure- V

Commercial terms and conditions

Annexure- VI

Attachments E-Brochure

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 **Fax:** 0091 129 4272351, **E-mail:** sales@shubhampack.com



Annexure-I

Project Data

1	Product to be Packed	Liquid / Paste	Paste
2	Product name		Margarine Spread
3	Characteristics of product	Viscosity	TBC
4	Pouch Size & Type	W X L	40mm X 150mm
5	Quantity to be packed	Gm	15g
6	Horizontal Sealing Width	mm	5mm
7	Vertical Sealing Width	mm	5mm
8	Core Dia.	76/152	152mm
9	Perforation Pitch	mm	3mm
10	Type of Perforation	V/Y	V type
11	Single Pouch	Cutting/String	Cutting
12	Type of Sealing	V- Lining/Butt/Knurling	V – Lining
13	PLC Make	Omron/Mitsubishi	Omron/Mitsubishi
14	Power Supply	VAC/Ph/Hz	415 VAC, 3 Ph, 50 Hz



Annexure-II
Technical specification

Sr. No.	Description
01	Sachet Form, Fill and Seal packing machine model SPM–1200L Suitable for packing Margarine product consist of: ➤ Basic machine MS frame in welded structure. ➤ Detachable Laminate reel mounting unit for two reels mounting with laminate end Detector sensor. ➤ Electronics web aligner for laminate tracking. ➤ Sealing station for longitudinal sealing. ➤ Pre-determined laminate draw with Servo drive system along with eye mark sensor. ➤ Pneumatic operated Batch cutter cum perforation Blade with servo driven horizontal sealing jaws. ➤ Electrical Equipment for standard machine with Air cooled panel. ➤ Standard front Acrylic Guarding with limit switches.
	15 Tracks – Product Filling unit consist of: ➤ Servo for Rotary Valve filling “ON – OFF”. ➤ Designed Filling ➤ Set of filling nozzles with individual vertical adjustment system. ➤ Individual Weight Adjustment System. ➤ Closed Hopper OR removable top cover hopper. ➤ Low level and High Level sensor.
	For Exact fill volumes/weights the following is necessary. ➤ Constant viscosity and density of Products. ➤ Product without air pockets. ➤ Ventilation of product feed system prior to production start.
	8 AXIS SERVO → ➤ In Pulling - 1 Nos. ➤ Horizontal Sealing - 1 Nos. ➤ Vertical Sealing - 1 Nos. ➤ Rotary Valve Movement - 2 Nos. ➤ Piston movement - 2 Nos. ➤ Traverse movement - 1 Nos.



Machine Model	SPM – 1200L-8A-12T
Product to be packed	Margarine Spread
Filling capacity	15g
Sealing Style	4 Side seal
Working Speed	* 40 - 50 Strokes/min X no. of tracks * 40 X 15 Tracks * 600 - 750 Sachets/min <i>*(Output depends upon Characteristics of product, Fill volume, Pouch Length & Characteristics of Laminate)</i>
Laminate specification	Roll Width - 1200 mm Max. Max. Reel Dia - 500 mm to 600 mm. Reel Core Dia – 76/152 mm
Packaging material	Heat Sealable Laminate
Control	PLC based with touch screen HMI
Filling Mechanism	Piston Filler with rotary valve movement System driven by individual servo motor (Twin Hopper System)
Sealing drives	Horizontal & Vertical Sealer driven by individual servo motor
Batch Cutter with Perforation	Pneumatic operated
Film Pulling	Servo Driven
Product contact parts	SS-316L / SS304
Electrical Specification	3Φ, 415 V Connected load – 20 KW Consumption – 17 KW
Air Consumption	Operating Pressure – 6 Bar Consumption – 3 CFM
Machine Color	Mulshell Grey – Powder coated
Layout Dimensions (Approx.)	Length → 2700 mm Width → 2000 mm Height → 3000 mm
Weight	Net Weight → 2500 kgs. Gross weight → 3000 kgs.



Annexure-III
Exclusion
(To be provided by customer)

- 1.0 Foundation and any civil building work
- 2.0 Dismantling of existing equipment, if any.
- 3.0 Compressed air piping including compressor
- 4.0 Incomer cable and power supply up to Shubham Pack control panel.
- 5.0 Voltage stabilizer of suitable capacity in case voltage and frequency variation is more than 10% & 3% respectively at site.
- 6.0 Bulk material/Laminate during Factory acceptance test (FAT)
- 7.0 Special tools and tackles like cranes, lifts etc., at the time of installation.
- 8.0 Skilled and unskilled man power at site along with qualified supervisor to assist installation.



Annexure-IV
Price Schedule

S.no.	Item description	Qty	Total Price (In USD)
	<u>Model - SPM SPM 1200L-8A-15T</u>		
A	Price of design, manufacturing, supply of machine as per technical specifications • Collating Conveyor • Pressurised Hopper • Nitrogen Flushing System • Jacketed Hopper System • Ladder & Platform	01	150,000.00
B	Collating Conveyor	01	4,200.00
C	Traverse System for Printer Head Movement	01	6,500.00
D	Continuous Inkjet Printer (Videojet / Markem Imaje Make)	01	8,500.00
	Total Basic Cost (Ex-Works)		169,200.00
E	Packing Charges 3.5% (On Ex – Works Basis)		5,922.00
F	Installation and training at site for 15 Days visa charges + flight + lodging + boarding will be borne by customer (for details refer terms & conditions attached)		5,000.00
G	Freight Charges – 40FT HC		7,000.00
	CFR TinCan Port, Cost of machine In words: US Dollars, One hundred eighty seven thousand one hundred & twenty two only.		187,122.00



Shubham Pack®
PACK WITH CONFIDENCE!

Annexure-V **Commercial terms and conditions**

PRICE BASIS

All prices are on **CFR-TINCAN PORT, LAGOS** basis unless otherwise specified.

TERMS OF PAYMENT

- a) **50% advance** thru Telegraphic Transfer (TT).
- b) **50%** After the FAT of machine before dispatch

Supplier's Bankers, as per the below details:

Axis Bank Ltd.
SCO-40, Sec-7 Market
Ballabgarh, Faridabad 121004
Haryana, India
A/c holder name- Shubham Flexible Packaging Machines Pvt. Ltd.
A/c no.- 920030068344715
Swift code- AXISINBB039

The Letter of Credit must permit **partial shipment** and transshipment and should be valid for negotiation for a period of 21 days beyond the last permissible date of shipment.

The Letter of Credit must accept Combined Transport Bill of Lading issued by the Shipping Company in New Delhi as a negotiable document.

PACKING CHARGES:

In strong seaworthy wooden boxes

INSURANCE: -

Buyer's responsibility to take suitable insurance for goods from seller's warehouse in Ballabgarh to the port of discharge covering all risks including erection, installation and commissioning for 110% of CIF value. Documentary evidence of this insurance to be given to us at least 30 days before shipment

FREIGHT

Extra at Actuals, or Shipping line to be arranged by Buyer.

DELIVERY:-

Within 4 months from the date of receipt of advance or within 3 months from the date of receipt of LC, whichever is later.

INSTALLATION / START- UP AND TRAINING

To be done by factory trained engineers of Shubham pack or its authorized sub suppliers. The installation cost is indicated separately in the price schedule at Annexure-IV.

Buyer has to provide Hotel, Food, local conveyance and medical expenses for all service engineers at customer site.

Service /installation charges are extra as per number of days required. Buyer has to bear expenses for extra to and fro air fares, if any, stay in hotel, food, local transport and

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 **Fax:** 0091 129 4272351, **E-mail:** sales@shubhampack.com



medical expenses for deputing engineers and also reimburse out of pocket expenses @ **USD 450** per day per including the travel time and intervening holidays.

Local Labour, Power and other connected items including lifting, tackle, foundation and masonry work during installation shall have to be provided by the Buyer.

Buyer is advised to unload the machine from the truck/container and place it at designated place. It is also advisable that inlet of bulk feed, air connection, power supply etc. should be made ready before arrival of Installation engineer. However, all such connections as well as electrical power ON should be done in presence of installation engineer only.

GURANTEEE

We guarantee for a period of 12 months from the date of erection of products at Buyer's site, all products and parts thereof, when properly installed, adjusted, operated and maintained as per our proposal and / or the applicable technical manuals. This will however not include components made of rubber, plastic and electrical equipment and other parts / components subject to normal wear and tear.

Guarantee does not cover Electrical Switchgears, hoses, belts, burnt out Blowers / Motors, Drives and all external wiring. These parts are considered as consumables and are required to be paid for upon replacement.

Guarantee does not cover damage of part due to poor preventive maintenance OR parts that are subject to damage due to voltage fluctuation or improper voltage at buyer site.

Guarantee does not apply to any equipment which has been improperly installed, adjusted, operated, maintained, repaired or altered by unauthorized persons. We reserve the right to inspect any claimed defect prior to replacement.

We will replace/repair, any defective material or workmanship, provided that we are given written notice of the claimed defects above. Unless caused by us, equipment damaged by overloading, exposure to corrosive or abrasive substance of abnormal dampness or other misuse, neglect or accident, shall not be subject to the warranty set forth above.

The Guarantee as referred to above clause will cease to operate if:

a. The buyer, within the guarantee period, sells or otherwise parts with possession of the products.

AND / OR

b. Any local mechanic or electrician tampers with the Products without Shubham's written permission.

AND / OR

c. The buyer shifts the Products from original place of installation.

AND/OR

d. The buyer changes the original place of installation.

LIABILITY

Liability of Shubham Flexible Packaging Machines Pvt. Ltd is limited to guarantee performance of equipment and does not cover any aspect related to conversion of material. Shubham Flexible Packaging Machines Pvt. Ltd undertakes no responsibility on performance of laminate/film converted on the equipment. Customer must conduct trials at his own risk and cost, to evaluate and achieve satisfactory results before commencing large-scale production. Machine speed and performance are indicative and may vary with

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 **Fax:** 0091 129 4272351, **E-mail:** sales@shubhampack.com



Shubham Pack®
PACK WITH CONFIDENCE!

different substrates and raw material and may not be accurate. Liability of Shubham Flexible Packaging Machines Pvt. Ltd is only limited to replacement of defective parts and does not cover any incidental or consequential loss to customer.

CANCELLATION

In the event of a request to stop work or to cancel any part of the order:

- a. Any cancellation after half the stipulated time of delivery must be paid in full.
- b. Cancellation of any order other than outlined in "a" above shall be subject to indemnity satisfaction of Shubham Flexible Packaging Machines Pvt. Ltd.
- c. Special machines: If a special machine is ordered by the customer and has entered into production stage, it shall not be cancelled and must be paid in full.

FORCE MAJEURE:

We will not be responsible for any delay in delivery or for non-delivery of our products by reasons of Force Majeure, such as acts of God, war, riots, civil disturbances, acts of authorities, strikes, lockouts or other labour difficulties or any other circumstances beyond our control which might affect us or our suppliers and hinder, impede or prevent deliveries. The notice of force majeure will be sent by us to customer in writing.

APPROVAL

Shubham Flexible Packaging Machines Pvt. Ltd will fully assemble the equipment prior to shipping and a representative of the customer must approve the Equipment in writing prior to shipment. Any modification or change suggested at this point will invalidate the delivery date clause and reasonable time will be allowed to incorporate the modification.

ARBITRATION

Any dispute or differences whatsoever arising between the parties out of or relating to the construction, meaning and operation or effect of this contract or the breach thereof shall be settled by arbitration in accordance with the Rules of Arbitration of the Indian Council of Arbitration and the Award made in pursuance thereof shall be binding on the parties.

VALIDITY:

This Contract and prices are valid for 30 days and supersedes all previous contracts. The terms and conditions mentioned above shall supersede any terms and conditions agreed to earlier performa invoice if any.

GENERAL

Continuous improvement is standard policy at Shubham. Accordingly all specification and features are subject to change without any prior notice.

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.





B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 **Fax:** 0091 129 4272351, **E-mail:** sales@shubhampack.com



Shubham Pack®
PACK WITH CONFIDENCE!

ANNEXURE-VI



ALL DIM. ARE IN mm	315	1000	±0.8	±0.2	SHUBHAM FLEXIBLE PACKAGING (UNIT- II)		
	120	315	±0.5	±0.15			
	30	120	±0.2	±0.1	PLOT NO. B-8A, SECTOR-59, FARIDABAD-121004.		
	6	30	±0.1	±0.05	DESCRIPTION		
	0	6	±0.05	±0.05			
	OVER	UPTO	OVERALL	CD	SPM 12+12 FILLING		
UNSPECIFIED DEVIATIONS					ASSY. NO:	MATERIAL	
DRN:	Mukesh	04/01/2019				WEIGHT	DWG. NO:
CHD:						gms	REV. NO:
APPD:							12+12 FILLING

X

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 Fax: 0091 129 4272351, E-mail: sales@shubhampack.com