




Pick fill seal for standee spout & non spout

Techno-Commercial Proposal for & PICK FILL SEAL MACHINE-PFS (To pack tomato sauce)

Specially prepared for

=====

Mr.Atul & Mr. Somani
M/S OLIVINE Industries (Pvt) Ltd.
P.O. Box No. 797, Harare, Zimbabwe

=====

Prepared by:

Praful Kumar

Marketing



Email:

marketing@shubhampack.com

Cell: +91-8130192012




Shubham Pack®
PACK WITH CONFIDENCE!



Filling unit & top as per product
Customize.

MAIN FEATURES OF THE MACHINE



Above Picture is for reference only

Filling unit reference

Product – Tomato ketchup



Shubham Pack®
PACK WITH CONFIDENCE!



400 gram – One machine
& , 1kg machine(same
machine – Nozzle will
change

Pouch size need to be share LX W
in mm for SKU?
Any change over cost will be extra.

Index

Annexure- I

Project Data

Annexure-II

Technical Specifications

Annexure- III

Exclusions

Annexure- IV

Price Schedule & Optional Items

Annexure- V

Commercial terms and conditions

Annexure- VI

Attachments (E-Brochure)

Annexure-I Project Data

1	Product to be Packed	Ketchup
2	Characteristics of product	Liquid
3	Pouch Size & Type	Min: X (W) x Y (Ht) Max: X (W) x Y (Ht) Need to share pouch size LX H inn mm (Min to max)?
4	Quantity to be packed	400 & 500 gram-One machine one KG change over (In same machine) for funnel(nozzle)
5	Product viscosity	To be confirmed
6	Production output	<u>400 gram- 30 -40 * PPM * packs/minute in one line</u> <u>500 gram 30 -35 * PPM * packs/minute in one line</u> One machine <u>1000 gram- same machine(Nozzle change)</u> Note : Any one nozzle with machine one extra for change. Speed (Depends upon product behavior pouch layout , laminate structure) <u>Subject to the following:</u> • Depending on filling characteristics and pouch size • Uninterrupted product flow. • Uniformity of film thickness +/-5% • Connection of the machine to an effective air pressure system. • Strict maintenance of the machine as per our Instruction Manuals.
7	Weight Accuracy	2 +- % Subject to the following: • Feeding of the product at a constant rate, so as to maintain the level inside the machine hopper. • Cleaning of the filling area's at regular time intervals. • Constant Bulk Density. • Flow ability and nature of the product

8	Pouch style	3 Side Seal
9	Sealing Style	3 Side seal with spout
10	Packaging material	Heat Sealable Laminate

Printer – Client scope

11	Laminate Details	Roll Width – 600mm Roll Dia – 450mm
12	Machine Mechanism	Intermittent Motion
13	Machine material	MS Body Powder Coated with SS-304 Cladding whereas Required

14	Laminate Sachet Pick	Pneumatic
15	Laminate Roll Un-wind	Motor Driven
16	Sealing Mechanism	Mechanical system
17	Un-Fold Assy.	Induction Motor Driven
18	Photocell Sensor	For Eye Mark Detection
19	Laminate Tracking	E + L Web Aligner Actuator
20	Man Machine Interface	HMI 8-10'
21	Main Control Panel	AC Panel – shubham standard
22	Pneumatics	FESTO PLC / SERVO / HMI – SIEMENS V-Lining / Butt / Knurling
23	Automation	
24	Type of Sealing	
25	Main control panel	Air cooled panel – BCH make or Equal brand Shubham standard
26	Air consumption	7 CFM @ 6 Bar
27	Power consumption	8-12 KW
28	Power Supply	3 Phase, 415V, 50 Hz, neutral & ground
29	Dimensions	
30	Weight	3.0 Ton

Annexure-II **Technical specification**

S. No.	Description
01	Pick Fill Seal Machine Model - (SPM PFS)- ➤ Main frame of machine is MS Body with Powder Coated. Strong & Rigid mono-block unit frame, designed to protect all moving parts inside and makes all frames and mechanisms stable and homogeneous without vibration and misalignments. ➤ Intermittent unwinding system unwinds intermittently to provide smooth unwinding, without jerking so that the material is in the best possible conditions for the pouch making process. ➤ Bottom seal of the seal the pouch (4 side seal), as the machine folds the film in U or W shape, this seal is considered as a complement of achieve better definition in the case of flat or gusseted pouches. ➤ Accessible top sealing includes two independent mechanical levers for top jaws and a cooling jaw, where each jaw has a temperature probe adjustable from the touch screen. ➤ Laminate Pulling System – Servo motor controlled with the touch screen to driven the film according the eye mark or size of pouch. ➤ Pouch opening system is controlled by Vacuum suction cups, Mechanical holders Top, blowing tubes. ➤ Reel holder is equipped with an end-of-reel detector and a film – splicing table which greatly simplifies reel changing. To make stand up pouches, the unwinding unit has a gusset perforator, a forming triangle designed to ensure perfect alignment of pouch faces when film has been folded, avoiding overlapping. ➤ End of reel detector - Proximity photocell detects reel running out and stopping the machine automatically to enable reel replacement. ➤ Web Edge Aligner is designed to maintain the film perfectly folded and aligned, the reel edge aligner is controlled by two optical fibers, these optical fibers send signals to the PLC, and so the PLC controls the actuator to change the coordinates of the aligner till the two edges are aligned (optional). ➤ Production counter system - To controls the number of pouches produced and to classified the actual and test products. ➤ S.S Guarding with polycarbonate sheet & limit switches at doors.

02

- **“No pouch No fill system”** - This is a security device (detector) to avoid fill discharge in case there is no pouch available to the filling station or pouch available is not properly open to receive product in optimal conditions (optional).
- **Hopper level Sensor** - detects the level of the product in the filling hopper and controls the automatic feeding system (in case it exists) to keep the product at a suitable level in the hopper.
- **Machine pouch outlet** - is achieved through a motor driven belt in line with the machine so that pouches come out in standing up position.
- **Filling system** – Piston filler system to pack ketchup

For Exact fill volumes/weights the following is necessary.

- Uniform density of products.
- Ventilation of product feed system prior to production start.
- Continuous product feed into product Hopper. Steady Product level by controllable feed over primary feeder

Annexure-III
Exclusion
(To be provided by customer)

- 1.0 Foundation and any civil building work
- 2.0 Dismantling of existing equipment, if any.
- 3.0 Compressed air piping including compressor
- 4.0 Incomer cable and power supply up to ShubhamPack control panel.
- 5.0 Voltage stabilizer of suitable capacity in case voltage and frequency variation is more than 10% & 3% respectively at site.
- 6.0 Bulk material/Laminate during Factory acceptance test (FAT)
- 7.0 Special tools and tackles like cranes, lifts etc., at the time of installation.
- 8.0 Skilled and unskilled man power at site along with qualified supervisor to assist installation.

Annexure-IV **Price Schedule**

S. No.	Item description	Total Price (USD) UNIT MACHINE PRICE
<u>Model- PICK FILL SEAL MACHINE (SPM -PFS)</u>		
A	Lump sum price of design, manufacturing, supply of machine as per technical specifications at Annexure-II One kg nozzle including in machine. For 400/500 gram nozzle including extra.	45,000.00
B	Piston cylinder base with jacketed hopper hot filled optional Specialize feeding	10,000.00
C	One year consumable spares	4500.00
D	Feeding pump with stand with on off valve(Optional)	2800.00
E	Ladder & Platform SS-304-(Optional extra) for PM	4000.00
F	Packing and forwarding extra Export packing –Wooden case sea worthy packing	2320.50
G	Insurance Extra or Client scope	343.10
H	FOB Tkd port	500.00
I	Installation and training at site(For 10 days) for 2 engineers (for details refer terms & conditions attached) TO & FRO Flight , Visa , Lodging , Boarding , Local pick drop –Client scope	5,000.00
	Total FOB including I &C and training charges (Best price)	74463.60

(*) Prices are on Ex-works ,FOB

Annexure-V

Commercial Terms and Conditions

PRICE BASIS

All prices are on **Ex-works Shubham Pack**, Ballabagdh, and basis unless otherwise specified.

TERMS OF PAYMENT

- **50% Advance** along with Purchase Order.
- 40% after FAT before dispatch.
- 10 % after I &C within 30 days or In case delay at client end reason not attributed to shubham within 45 days of invoice
- Bank Details
- AXIS BANK
SCO-40, Sec-7 Market
Ballabgarh, Faridabad 121004,
Haryana, India
A/c holder name- Shubham Flexible Packaging Machines Pvt. Ltd.
A/c no.- 039010200025364

PACKING CHARGES:

In strong seaworthy wooden per boxes suitable for retaining the integrity of the machinery as required by Manufactured during transit. Thence will be Secured inside Marine Containers to be provided by the buyer/buyer's Freight forwarding Agents at a mutually convenient time and loading Schedule!. (EX-works terms @ proximate Warehouse/Location to Wet Export Port. All wood used in packaging a sper Sea worthy Global standard

INSURANCE: -

Extra @0.5%

FREIGHT

Extra at Actuals, or Shipping line to be arranged by Buyer.

DELIVERY / READINESS:-

Within 16-18 weeks from the date of receipt of advance

Special case 14-16 weeks port P.O & Advance whichever is later.

INSTALLATION / START- UP AND TRAINING

To be done by factory trained engineers of Shubham pack or its authorized sub suppliers. The installation cost is indicated separately in the price schedule at Annexure-IV.

Buyer has to provide Hotel, Food, local conveyance and medical expenses for all service engineers at customer site.

Service /installation charges are extra as per number of days required. Buyer has to bear expenses for extra to and fro air fares, if any, stay in hotel, food, local transport and medical

Expenses for deputing engineers and also reimburse out of pocket expenses @ **USD 350** per day per including the travel time and intervening holidays.

Local Labour, Power and other connected items including lifting, tackle, foundation and masonry work during installation shall have to be provided by the Buyer.

Buyer is advised to unload the machine from the truck/container and place it at designated place. It is also advisable that inlet of bulk feed, air connection, power supply etc. should be made ready before arrival of Installation engineer. However, all such connections as well as electrical power ON should be done in presence of installation engineer only.

GURANTEE

We guarantee for a period of 12 months from the date of erection of products at Buyer's site, all products and parts thereof, when properly installed, adjusted, operated and maintained as per our proposal and / or the applicable technical manuals. This will however not include components made of rubber, plastic and electrical equipment and other parts / components subject to normal wear and tear.

Guarantee does not cover Electrical Switchgears, hoses, belts, burnt out Blowers /Motors, Drives and all external wiring. These parts are considered as consumables and are required to be paid for upon replacement.

Guarantee does not cover damage of part due to poor preventive maintenance OR parts that are subject to damage due to voltage fluctuation or improper voltage at buyer site.

Guarantee does not apply to any equipment which has been improperly installed, adjusted, operated, maintained, repaired or altered by unauthorized persons. We reserve the right to inspect any claimed defect prior to replacement.

We will replace/repair, any defective material or workmanship, provided that we are given written notice of the claimed defects above. Unless caused by us, equipment damaged by overloading, exposure to corrosive or abrasive substance of abnormal dampness or other misuse, neglect or accident, shall not be subject to the warranty set forth above.

The Guarantee as referred to above clause will cease to operate if:

a. The buyer, within the guarantee period, sells or otherwise parts with possession of the products.

AND / OR

b. Any local mechanic or electrician tampers with the Products without Shubham's written permission.

AND / OR

c. The buyer shifts the Products from original place of installation.

AND/OR

d. The buyer changes the original place of installation.

LIABILITY

Liability of Shubham Flexible Packaging Machines Pvt. Ltd is limited to guarantee performance of equipment and does not cover any aspect related to conversion of material. Shubham Flexible

Packaging Machines Pvt. Ltd undertakes no responsibility on performance of laminate/film converted on the equipment. Customer must conduct trials at his own risk and cost, to evaluate and achieve satisfactory results before commencing large-scale production. Machine speed and performance are indicative and may vary with different substrates and raw material and may not be accurate. Liability of Shubham Flexible Packaging Machines Pvt. Ltd is only limited to replacement of defective parts and does not cover any incidental or consequential loss to customer.

CANCELLATION

In the event of a request to stop work or to cancel any part of the order:

- a. Any cancellation after half the stipulated time of delivery must be paid in full.
- b. Cancellation of any order other than outlined in “a” above shall be subject to indemnity satisfaction of Shubham Flexible Packaging Machines Pvt. Ltd.
- c. Special machines: If a special machine is ordered by the customer and has entered into production stage, it shall not be cancelled and must be paid in full.

FORCE MAJEURE:

We will not be responsible for any delay in delivery or for non-delivery of our products by reasons of Force Majeure, such as acts of God, war, riots, civil disturbances, acts of authorities, strikes, lockouts or other labour difficulties or any other circumstances beyond our control which might affect us or our suppliers and hinder, impede or prevent deliveries. The notice of force majeure will be sent by us to customer in writing.

APPROVAL

Shubham Flexible Packaging Machines Pvt. Ltd will fully assemble the equipment prior to shipping and a representative of the customer must approve the Equipment in writing prior to shipment. Any modification or change suggested at this point will invalidate the delivery date clause and reasonable time will be allowed to incorporate the modification.

ARBITRATION

Any dispute or differences whatsoever arising between the parties out of or relating to the construction, meaning and operation or effect of this contract or the breach thereof shall be settled by arbitration in accordance with the Rules of Arbitration of the Indian Council of Arbitration and the Award made in pursuance thereof shall be binding on the parties; the law of England and Wales (“English law”) will be the governing law of this Contractual Agreement.

VALIDITY:

This Contract and prices are valid for 30 days and supersedes all previous contracts. The terms and conditions mentioned above shall supersede any terms and conditions agreed to earlier performa invoice if any.

GENERAL

Continuous improvement is standard policy at Shubham. Accordingly all specification and features are subject to change without any prior notice.



Shubham Pack®
PACK WITH CONFIDENCE!





Shubham Pack®
PACK WITH CONFIDENCE!

REF: Rev 02 SPM/EXP/L/701/24

DATE: 24-08-2024

Rev02 31 Aug 2024

Techno-Commercial Proposal for
MULTI TRACK MACHINE MODEL SPM 600L
(New Generation Advance DELITE Model)

Global Standards Unmatched Performance

Specially prepared for

=====

Mr.Atul & Mr. Somani

M/S OLIVINE Industries (Pvt) Ltd.
P.O. Box No. 797, Harare, Zimbabwe

=====

Prepared by:

Praful Kumar

Email: manager-sales@esspak-shubhamgroup.com

Cell: +91-8130192012

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 Fax: 0091 129 4272351, E-mail: sales@shubhampack.com



Shubham Pack®
PACK WITH CONFIDENCE!

Index

<u>Annexure- I</u>	Project Data
<u>Annexure-II</u>	Technical Specifications
<u>Annexure- III</u>	Exclusions
<u>Annexure- IV</u>	Price Schedule & Optional Items
<u>Annexure- V</u>	Commercial terms and conditions
<u>Annexure- VI</u>	Attachments E-Brochure(On Request)

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 **Fax:** 0091 129 4272351, **E-mail:** sales@shubhampack.com



Project Data

1	Product to be Packed		Liquid
2	Product name		Ketchup
3	Characteristics of product	Viscosity	15000 CPS
4	Pouch Size & Type	W X L	Width 40 x Length –Variable
5	Quantity to be packed	MI	10 gram or 15 gram Range 8 gram to 15 gram
6	Horizontal Sealing Width	mm	5mm
7	Vertical Sealing Width	mm	5mm
8	Core Dia.	76/152	76mm
9	Perforation Pitch	mm	3mm
10	Type of Perforation	V/Y	Y type
11	Single Pouch	Cutting/String	String
12	Type of Sealing	V-Lining/Butt/Knurling	V – Lining
13	PLC Make		Mitsubishi
14	Power Supply	VAC/Ph/Hz	415 VAC, 3 Ph, 50 Hz




Technical specification

Sr. No.	Description
01	Sachet Form, Fill and Seal packing machine model SPM – 600L Delite Suitable for packing Ketchup consist of: • Basic machine frame is MS make in welded structure & SS Cladding whereas required. • Pre-determined laminate draw with <u>Servo drive</u> system along with eye mark sensor. • Pneumatic operated Batch cutter cum perforation Blade. • Electrical Equipment for standard machine. • Standard front Acrylic Guarding with limit switches.
	6 – Tracks (Tracks depends upon pouch width) - Product Filling unit consist of: • Set of (will be Special customize) filling nozzles with individual weight adjustmentsystem. • SS 316 Hopper-Jacketed hopper - 40-50 ltr (With low & high level sensor) • Low level and High Level sensor. 1 Axis Machine: (1 Servo Laminate pulling)




Shubham Pack®
PACK WITH CONFIDENCE!

This Drawing is The Property of Shubham Flexible Packaging Machines Pvt.Ltd.
This Drawing or Any Part of Drawing Should Not be Copy, Reproduce or Transfer Without Written Permission.





SPM- 600L Delite



ALL DIMENSIONS ARE IN MM.

ALL SHARP EDGES TO BE REMOVED 0.5mmX45°

REV No	DESCRIPTION	DATE	CH BY	ECN/ECO
215	1000	±0.8	±0.2	
120	315	±0.5	±0.15	
30	120	±0.2	±0.1	
5	30	±0.1	±0.05	
0	5	±0.05	±0.05	
OVER	UP TO	OVERALL	GD	
UNSPECIFIED DEVIATIONS:				
DRN: Rajesh		19/09/2018	ASSY. NO.	
CHD:			MATERIAL:	
APPRO:			WEIGHT:	
			gms:	
				DWG NO: M00023
				REV NO:



SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 Fax: 0091 129 4272351, E-mail: sales@shubhampack.com



ANNEXURE- III

Machine Model	SPM – 600L Delite Model
Sealing Style	4 Side Seal
Speed	50-60 Strokes / min X no. of tracks (Depends upon the nature of product, Fill volume, laminate specification, Pouch layout.)
No. of Tracks	6* Tracks (Track Depends upon Pouch width)
Laminate specification	Width - 600 mm Max. Max. Reel Dia – 500 mm Reel Core Dia – 76 mm
Product to be packed	Ketchup/Mayonnaise
Sealing drives	CAM driven
Perforation and cutting	Pneumatic operated
Laminate Draw Off system	PLC based Servo driven
PLC	Omron /Mitsubishi Make
HMI	Omron/ Mitsubishi Make(Japanize)
Servo Drive	Omron /Mitsubishi Make
Data Communication Cable	Omron / Standard
Power Supply	Omron Make
Pneumatics	SMC / FESTO
Main Motor	Crompton Greaves
Wires Make	FINOLEX / LAPP / RR
SENSORS	P&F / SICK
MCBs	ETON / SIEMENS
Relay	Omron
Door Sensor	P&F
Cable Entering	All cables from Panel



Shubham Pack®
PACK WITH CONFIDENCE!

Bearing	SKF MAKE
Contact Parts	SS 316L
Sealing Jaw	SS 420
Pull Roller	Silicon Rubber on SS 304
Electrical Spec.	Main Motor – 2.2 Kw, 3Φ, 415 V Connected load – 15 KW Consumption – 12-14 KW
Layout Dimensions	Length → 2700 mm Width → 2000mm Height → 3000 mm
Machine Weight	Net Weight → 2000kgs. Gross weight → 2300 kgs.
Compressed Air	Operating Pressure – 6 Bar. Consumption – 4-5 CFM.

Special condition/requirement/specification of the proposal
1- Collating Conveyor 2- Jacked hopper 3- CIP arrangement

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 Fax: 0091 129 4272351, E-mail: sales@shubhampack.com



Shubham Pack®
PACK WITH CONFIDENCE!

Annexure-III
Exclusion
(To be provided by customer)

- 1.0 Foundation and any civil building work
- 2.0 Dismantling of existing equipment, if any.
- 3.0 Compressed air piping including compressor
- 4.0 Incomer cable and power supply up to Shubham Pack control panel.
- 5.0 Voltage stabilizer of suitable capacity in case voltage and frequency variation is more than 10% & 3% respectively at site.
- 6.0 Bulk material/Laminate during Factory acceptance test (FAT)
- 7.0 Special tools and tackles like cranes, lifts etc., at the time of installation.
- 8.0 Skilled and unskilled man power at site along with qualified supervisor to assist installation.



Price Schedule

S.no.	Item description		Total Price (In USD)
	Model- SPM 600L DELITE(New Generation Deign-advance model)		
A	Lump sum price of design, manufacturing, supply of machine as per technical specifications at Annexure-II SPM 600 L 1 A–Servo control UDL latest technology 6 th generation machine Jacked hopper CIP Single cut batch cut Mayo & Ketchup both (Cool & hot)		43500.00
B	Collating Conveyor /Take away conveyor (Optional Extra)		1500.00
C	Mechanical setup with output at collection setup -post conveyor – pouch collect (synchronize with programing)		1200.00
D	Embossing digits for Mfg & Exp. – 200 digits		400.00 (Discounted)
E	One year consumable spares parts cost		5000.00
F	Packing and forwarding (Wooden case airtight Sea worthy packing with corrosion inhibitor)		1575.00
G	10 Days I & C and Training charges (Including travel time)		2500.00
H	TO &FRO FLIGHT , Lodging , boarding , Visa Or Extra as actual		Client scope
I	Insurance	0.5 % of total value or Client scope	268.50
J	FOB TKD PORT		500.00
	Total cost FOB including all features and I &C charges (Best price)		56,043.50
K	Freight up to Sea port		client scope

(*) Freight will be extra as per commercial terms attached.

To and fro, air fares –Our scope (Extra prices) , Lodging & Boarding and local transport will be borne by customer.

Note: I & C and training Charges: extra including in offer

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 Fax: 0091 129 4272351, marketing@shubhampack.com



Shubham Pack®
PACK WITH CONFIDENCE!

TO & FRO flight, Lodging boarding, Local pick drop , Visa- Client scope or separate quotation

Commercial terms and conditions

PRICE BASIS

All prices are on **FOB TKD port** unless otherwise specified.

TERMS OF PAYMENT

50 % advance

40% of balance payment before dispatch after FAT at our works before dispatch.

10 % post I & C report signed within 30 days or In case of delay in I & C reason not attributed to shubham within 45 days of Invoice date.

The L/C must be advised and negotiable through Supplier's Bankers, as per the below

Axis Bank Ltd.
SCO-40, Sec-7 Market
Ballabgarh, Faridabad 121004
Haryana, India
A/c holder name- Shubham Flexible Packaging Machines Pvt. Ltd.
A/c no. - 039010200025364
Swift code- AXISINBB039

PACKING & FORWARDING (P&F):

In strong seaworthy wooden boxes

INSURANCE: -

Buyer's responsibility to take suitable insurance for goods from seller's warehouse in Ballabgarh to the port of discharge covering all risks including erection, installation and commissioning for 110% of CIF value. Documentary evidence of this insurance to be given to us at least 30 days before shipment

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 Fax: 0091 129 4272351, marketing@shubhampack.com



Shubham Pack®
PACK WITH CONFIDENCE!

FREIGHT

Extra at Actuals, or Shipping line to be arranged by Buyer.

DELIVERY:-

3 months from the date of receipt of advance or PO copy, whichever is later

INSTALLATION / START- UP AND TRAINING:

To be done by factory trained engineers of Shubham pack or its authorized sub suppliers. The installation cost is indicated separately in the price schedule at Annexure

Buyer has to provide Hotel, Food, local conveyance and medical expenses for all service engineers at customer site.

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 Fax: 0091 129 4272351, marketing@shubhampack.com



Shubham Pack®
PACK WITH CONFIDENCE!

In case our engineer has to stay back after **agreed days of I & C** or has to revisit for the reason not attributed to Shubham, then the Buyer has to bear expenses for extra to and fro air fares, if any, stay in hotel, food, local transport and medical expenses for deputing engineers and also reimburse out of pocket expenses @ **USD 350** per day per including the travel time and intervening holidays.

Local Labour, Power and other connected items including lifting, tackle, foundation and masonry work during installation shall have to be provided by the Buyer.

Buyer is advised to unload the machine from the truck/container and place it at designated place. It is also advisable that inlet of bulk feed, air connection, power supply etc. should be made ready before arrival of Installation engineer. However, all such connections as well as electrical power ON should be done in presence of installation engineer only.

FREE SPARES & START UP PARTS:

We shall be supplying one lot of requisite start up parts and standard recommended spares along with the equipment.

GURANTEE

We guarantee for a period of 12 months from the date of erection of products at Buyer's site, all products and parts thereof, when properly installed, adjusted, operated and maintained as per our proposal and / or the applicable technical manuals. This will however not include components made of rubber, plastic and electrical equipment and other parts / components subject to normal wear and tear.

Guarantee does not cover Electrical Switchgears, hoses, belts, burnt out Blowers / Motors, Drives and all external wiring. These parts are considered as consumables and are required to be paid for upon replacement.

Guarantee does not cover damage of part due to poor preventive maintenance OR parts that are subject to damage due to voltage fluctuation or improper voltage at buyer site.

Guarantee does not apply to any equipment which has been improperly installed, adjusted, operated, maintained, repaired or altered by unauthorized persons. We reserve the right to inspect any claimed defect prior to replacement.

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 Fax: 0091 129 4272351, marketing@shubhampack.com



Shubham Pack®
PACK WITH CONFIDENCE!

We will replace/repair, any defective material or workmanship, provided that we are given written notice of the claimed defects above. Unless caused by us, equipment damaged by overloading, exposure to corrosive or abrasive substance of abnormal dampness or other misuse, neglect or accident, shall not be subject to the warranty set forth above.

The Guarantee as referred to above clause will cease to operate if:

a. The buyer, within the guarantee period, sells or otherwise parts with possession of the products.

AND / OR

b. Any local mechanic or electrician tampers with the Products without Shubham's written permission.

AND / OR

c. The buyer shifts the Products from original place of installation.

AND/OR

d. The buyer changes the original place of installation.

LIABILITY

Liability of Shubham Flexible Packaging Machines Pvt. Ltd is limited to guarantee performance of equipment and does not cover any aspect related to conversion of material. Shubham Flexible Packaging Machines Pvt. Ltd undertakes no responsibility on performance of laminate/film converted on the equipment. Customer must conduct trials at his own risk and cost, to evaluate and achieve satisfactory results before commencing large-scale production. Machine speed and performance are indicative and may vary with different substrates and raw material and may not be accurate. Liability of Shubham Flexible Packaging Machines Pvt. Ltd is only limited to replacement of defective parts and does not cover any incidental or consequential loss to customer.

CANCELLATION

In the event of a request to stop work or to cancel any part of the order:

- a. Any cancellation after half the stipulated time of delivery must be paid in full.
- b. Cancellation of any order other than outlined in "a" above shall be subject to indemnity satisfaction of Shubham Flexible Packaging Machines Pvt. Ltd.
- c. Special machines: If a special machine is ordered by the customer and has entered into production stage, it shall not be cancelled and must be paid in full.

FORCE MAJEURE:

We will not be responsible for any delay in delivery or for non-delivery of our products by reasons of Force Majeure, such as acts of God, war, riots, civil disturbances, acts of authorities, strikes, lockouts or other labour difficulties or any other circumstances beyond our control which might affect us or our suppliers and hinder, impede or prevent deliveries. The notice of force majeure will be sent by us to customer in writing.

APPROVAL

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 Fax: 0091 129 4272351, marketing@shubhampack.com



Shubham Pack®
PACK WITH CONFIDENCE!

Shubham Flexible Packaging Machines Pvt. Ltd will fully assemble the equipment prior to shipping and a representative of the customer must approve the Equipment in writing prior to shipment. Any modification or change suggested at this point will invalidate the delivery date clause and reasonable time will be allowed to incorporate the modification.

ARBITRATION

Any dispute or differences whatsoever arising between the parties out of or relating to the construction, meaning and operation or effect of this contract or the breach thereof shall be settled by arbitration in accordance with the Rules of Arbitration of the Indian Council of Arbitration and the Award made in pursuance thereof shall be binding on the parties.

VALIDITY:

This Contract and prices are valid for 30 days and supersedes all previous contracts. The terms and conditions mentioned above shall supersede any terms and conditions agreed to earlier proforma invoice if any.

GENERAL

Continuous improvement is standard policy at Shubham. Accordingly all specification and features are subject to change without any prior notice.

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

B-8A, Sector 59 Part II, Ballabgarh, Faridabad - 121004, Haryana, India

EPABX.: 0091 129 4272350/4272352 Fax: 0091 129 4272351, marketing@shubhampack.com