



Shubham Pack®
PACK WITH CONFIDENCE!

Ref. no. SPM/EXP/L/0374/24-25

Date: 23 Sep 2024

Version - 01

**TECHNO COMMERCIAL
QUOTE FOR
VFFS MULTI TRACK MACHINE
MODEL SPM 1200L-1A-8T**

“Global Standards Unmatched Performance”

Specially prepared for

**IKI LEADS LIMITED
ONWUNALI IKECHUKWU INNOCENT
NIGERIA**

Submitted by:

Shiv Om Kaushik

Marketing

Email: Shivom@shubhampack.com

Cell: +91-8130192043

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

Corp. Off & Works

B-8A, Sector 59 Part II, Ballabhgarh, Faridabad -121004 Haryana India

Email : shubham@shubhampack.com





Shubham Pack®
PACK WITH CONFIDENCE!

Index

Annexure-I

Project Data

Annexure-II

Technical Specifications

Annexure-III

Exclusions

Annexure-IV

Price Schedule & Optional Items

Annexure-V

Commercial terms and conditions

Annexure-VI

Machine Layout Image

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

Corp. Off & Works

B-8A, Sector 59 Part II, Ballabhgarh, Faridabad -121004 Haryana India

Email : shubham@shubhampack.com





Annexure-I Project Data

1	Product to be Packed	Liquid	
2	Product name	Liquor	
3	Qty to be Packed & Pouch Size	Qty	Size (LxWxH) (mm)
		50 ml	75x140x0
4	Sealing Style	4 Side Seal	
5	Horizontal Sealing Width	5mm	
6	Vertical Sealing Width	5 mm	
7	Perforation Pitch	3 mm	
8	Perforation Style	V-Type	
9	Batch Cut	String	
10	Type of Sealing	Butt	
11	PLC Make	Omron	
12	Power Supply	380 VAC, 3 Phase, 50 Hz	
13	Liquid Viscosity	1	
14	Liquid Conductivity	NA	




Quotation Cum Technical Specification Of The Machine

Sr No.	Description
01	VFFS MULTI TRACK MACHINE MODEL SPM 1200L-1A-8T • Basic machine frame in welded structure & SS-304 Cladding where as required. • Detachable Laminate reel mounting unit for two reels mounting with laminate end detector sensor. • Electronics web aligner for laminate tracking. • Sealing station for longitudinal sealing. • Pre-determined laminate draw off with Servo motor driven system along with eye mark sensor. • Pneumatic operated Batch cutter cum perforation Blade. • Electrical Equipment for standard machine with Air-cooled panel. • Standard front Acrylic Guarding with limit switches. Product Filling unit consist of: • Solenoid Valve filling “ON – OFF”. • Set of filling nozzles with individual vertical adjustment system. • SS 304 Header For Exact fill volumes/weights the following is necessary. • Constant viscosity and density of Products. • Product without air pockets. • Ventilation of product feed system prior to production start. • Continuous product feed into product header. Steady Product level by controllable feed pump over primary feeder.
02	No. of Axis in Machine: 1 • Laminate Pulling System-1



Shubham Pack®
PACK WITH CONFIDENCE!

MACHINE FILLING SYSTEM



HEADER

CHECK VALVE

SOLENOID

DOSSING FUNNEL

SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

Corp. Off & Works

B-8A, Sector 59 Part II, Ballabhgarh, Faridabad -121004 Haryana India

Email : shubham@shubhampack.com





Electrical & Automation Parts Brand/Make

Sr. No.	Description	Brands/Make
1	PLC/ HMI / SERVO	Omron
2	Pneumatics	SMC
3	Data Communication Cable	Phoenix Contact
4	Power Supply	Omron
5	Wires Make	LAPP
6	Sensors	P&F
7	MCB(s)	ABB
8	Relay	Omron
9	SSR	Unison
10	Level Sensor	Sick
11	Heaters	Shubham Standard
12	RTD	Shubham Standard
13	Web Aligner	E+L
14	Terminal Block	Phoenix Contact
15	Electrical Panel	Rittal Make-IP55 Standard



Annexure-II Technical Specifications

Machine Model	SPM 1200L-1A-8T
No. of Tracks	8
Filling Accuracy	less Than $\pm 2\%$
Speed	Design Speed- For 50ml Pack = *50-60 Strokes / min X No. of tracks Actual Speed- For 50ml Pack = *40-45 Strokes / min X 8 tracks = 320 - 360 Sachets / min <i>*(Output depends upon Characteristics of product, Fill volume, Pouch Length & Characteristics of Laminate)</i>
Laminate specification (in mm)	Width-1200 Max. Reel Dia-500 Reel Core Dia-152
Electrical Spec.	Main Motor – 2.2 KW, 3Phase, 415 V Connected load – 15 KW, Consumption – 12 KW. PLC controlled Operations PID Temperature controllers
Machine Layout Dimensions (in mm)	L-3500 W-2500 H-3000
Machine Weight (in kg)	Net Weight -2800 Gross Weight -3200
Compressed Air	Operating Pressure - 5 CFM Consumption - 6 BAR



Annexure-III
Exclusion
(To be provided by customer)

- 1.0 Foundation and any civil building work
- 2.0 Dismantling of existing equipment, if any.
- 3.0 Compressed air piping including compressor
- 4.0 Incomer cable and power supply up to Shubham Pack control panel.
- 5.0 Voltage stabilizer of suitable capacity in case voltage and frequency variation is more than 10% & 3% respectively at site
- 6.0 Bulk material/Laminate during Factory acceptance test (FAT)
- 7.0 Special tools and tackles like cranes, lifts etc., at the time of installation.
- 8.0 Skilled and unskilled man power at site along with qualified supervisor to assist installation.



Annexure-IV Price Schedule

Line items below will be added as per the requirement

S.no.	Item description	Unit Price (USD)	Qty	Total Price (USD)
	<u>VEFS MULTI TRACK MACHINE MODEL SPM 1200L-1A-8T</u>			
1	Price of design, manufacturing, supply of machine as per technical specifications at Annexure-II SPM 1200L-1A-8T	75,000	1	75,000
2	Collating Conveyor	3,500	1	3,500
	Basic Cost			78,500
	Special Discount Given (20 %)			-15,700
	Cost of Machine after Special Discount Given			62,800
3	Packing Charges @2.5%			1,570
4	Forwarding Charges @1%			628
5	Insurance Charges @0.5%			314
6	Freight			8,000
	CFR, Cost of machine USD Seventythree Thousand Three Hundred Twelve Dollars Only.			73,312



Annexure-V

Commercial Terms and Conditions

PRICE BASIS

All prices are on CFR , Basis unless otherwise specified.

TERMS OF PAYMENT

50% Thru Telegraphic Transfer (TT) & 50% after FAT of the Machine Before Dispatch

Supplier's Bankers details:

Axis Bank Ltd.

SCO-40, Sec-7 Market

Ballabgarh, Faridabad 121004

Haryana, India

A/c holder name- Shubham Flexible Packaging Machines Pvt. Ltd.

A/c no.- 920030068344715

Swift code- AXISINBB039

The Letter of Credit must permit **partial shipment** and transshipment and should be valid for negotiation for a period of 21 days beyond the last permissible date of shipment.

The Letter of Credit must accept Combined Transport Bill of Lading issued by the Shipping Company in New Delhi as a negotiable document.

PACKING CHARGES: -

In strong seaworthy wooden boxes. 1% of forwarding charges will be applicable in case of terms other than Ex – Works.

INSURANCE: -

Buyer's responsibility to take suitable insurance for goods from seller's warehouse in Ballabhgarh to the port of discharge covering all risks including erection, installation and commissioning for 110 % of CIF value. Documentary evidence of this insurance to be given to us at least 30 days before shipment. Insurance will be applicable in case of terms other than Ex-works.

FREIGHT:-

DELIVERY: -

3 Months from the date of purchase order and advance payment

INSTALLATION / START- UP AND TRAINING

To be done by factory trained engineers of Shubham pack or its authorized sub suppliers. The installation cost is indicated separately in the price schedule at Annexure-IV.

Standard tool kit will be provided along with machine [Click here to view standard toolkit](#)

Buyer has to provide Hotel, Food, local conveyance and medical expenses for all service engineers at customer site.



Service /installation charges are extra as per number of days required. Buyer has to bear expenses for extra to and fro air fares, if any, stay in hotel, food, local transport and medical expenses for deputing engineers and also reimburse out of pocket expenses @ **USD 250** per day per including the travel time and intervening holidays.

Local Labor, Power and other connected items including lifting, tackle, foundation and masonry work during installation shall have to be provided by the Buyer.

Buyer is advised to unload the machine from the truck/container and place it at designated place. It is also advisable that inlet of bulk feed, air connection, power supply etc. should be made ready before arrival of Installation engineer. However, all such connections as well as electrical power ON should be done in presence of installation engineer only.

WARRANTY

We warranty for a period of 12 months from the date of erection of products at Buyer's site, all products and parts thereof, when properly installed, adjusted, operated and maintained as per our proposal and / or the applicable technical manuals. This will however not include components made of rubber, plastic and electrical equipment and other parts / components subject to normal wear and tear.

Warranty does not cover consumables. These parts are considered as consumables and are required to be paid for upon replacement.

Customer must buy critical and consumable spares for 24 months in order to avail comprehensive warranty of 24 months.

Warranty does not cover damage of part due to poor preventive maintenance OR parts that are subject to damage due to voltage fluctuation or improper voltage at buyer site.

Warranty does not apply to any equipment which has been improperly installed, adjusted, operated, maintained, repaired or altered by unauthorized persons. We reserve the right to inspect any claimed defect prior to replacement.

We will replace/repair, any defective material or workmanship, provided that we are given written notice of the claimed defects above. Unless caused by us, equipment damaged by overloading, exposure to corrosive or abrasive substance of abnormal dampness or other misuse, neglect or accident, shall not be subject to the warranty set forth above.

The Warranty as referred to above clause will cease to operate if:

a. The buyer, within the Warranty period, sells or otherwise parts with possession of the products.

AND / OR

b. Any local mechanic or electrician tampers with the Products without Shubham' written permission

LIABILITY

Liability of Shubham Flexible Packaging Machines Pvt. Ltd is limited to Warranty performance of equipment and does not cover any aspect related to conversion of material. Shubham Flexible Packaging Machines Pvt.



Ltd undertakes no responsibility on performance of laminate/film converted on the equipment. Customer must conduct trials at his own risk and cost, to evaluate and achieve satisfactory results before commencing large-scale production. Machine speed and performance are indicative and may vary with different substrates and raw material and may not be accurate. Liability of Shubham Flexible Packaging Machines Pvt. Ltd is only limited to replacement of defective parts and does not cover any incidental or consequential loss to customer.

CANCELLATION

In the event of a request to stop work or to cancel any part of the order should be mutually discussed between Supplier and Buyer.

FORCE MAJEURE:

We will not be responsible for any delay in delivery or for non-delivery of our products by reasons of Force Majeure, such as acts of God, war, riots, civil disturbances, acts of authorities, strikes, lockouts or other labour difficulties or any other circumstances beyond our control which might affect us or our suppliers and hinder, impede or prevent deliveries. We will send the notice of force majeure to customer in writing.

APPROVAL

Shubham Flexible Packaging Machines Pvt. Ltd will fully assemble the equipment prior to shipping and a representative of the customer must approve the Equipment in writing prior to shipment. Any modification or change suggested at this point will invalidate the delivery date clause and reasonable time will be allowed to incorporate the modification.

ARBITRATION

Any dispute or differences whatsoever arising between the parties out of or relating to the construction, meaning and operation or effect of this contract or the breach thereof shall be settled by arbitration in accordance with the Rules of Arbitration of the Indian Council of Arbitration and the Award made in pursuance thereof shall be binding on the parties.

VALIDITY

This Contract and prices are valid for 30 days and supersedes all previous contracts. The terms and conditions mentioned above shall supersede any terms and conditions agreed to earlier Performa invoice if any.


GENERAL

Continuous improvement is standard policy at Shubham. Accordingly, all specification and features are subject to change without any prior notice.



Shubham Pack®
PACK WITH CONFIDENCE!

Annexure-VI



SHUBHAM FLEXIBLE PACKAGING MACHINES PVT. LTD.

Corp. Off & Works

B-8A, Sector 59 Part II, Ballabhgarh, Faridabad -121004 Haryana India

Email : shubham@shubhampack.com

