

From: Project Dept.	Reference DF. No.-
DF No.- 1888 Date:- 10-08-2026	0 Reference DF Date: 10-08-2026

Order Details For MULTI TRACK MACHINE			REMARKS
>>	CE complied	No	
>>	Date of PO	14-07-2026	
>>	Penalty Clause	Yes	
>>	Dispatch date	28-11-2026	
>>	Trial Date	21-11-2026	
>>	Machine Model No.	SPM 1250L(C)-13A-12T with accessories	
>>	Machine Type	Continuous	
>>	Machine Orientation	LHS	

Machine Specification			REMARKS
1	No. of Tracks	12	
2	Product to be Packed	Liquid / Paste --> Viscous	Tooth Paste
3	Type Of Filling Unit	Piston Filler Overall Driven	Piston Movement - 4 Servo-Based (Front/Back)
4	Product Specification (Viscosity / Density)	Viscosity: 100 - 200K CPS	
5	Pouch Size (W x L x H) in mm	45 X 115 45 X 120	
6	Quantity to be packed	8.5 gm 10 gm	
7	Profile of Sealing	Butt	4 Side Seal
8	Provision of Notching	No	
9	Hopper Details	Openable Type --> Pressurised --> Non-Jacketed	Twin hopper

10	Cladding Provision	Yes	
11	Provision of Embossing coding	Yes Linear Block Type T020	
12	Web Aligner	Yes E+L	Horizontal Design
13	Center Slitting	Rotary	
14	Vertical Slitter	Rotary	
15	Vertical Sealer Drive	Servo Motor Driven	1 Nos.
16	Laminate Pulling Drive	Servo Motor Driven	1 Nos.
17	Up & Down	Servo	1 Nos.
18	Embossing Coding Drive	Pneumatic Driven	
19	Cooling Station Drive	NA	
20	Horizontal Sealer Drive	Servo Motor Driven	
21	Perforation Blade Drive	Servo Motor Driven	1 Nos.
22	Piston Movement	Servo Motor Driven	4 Servo-Based (Front/Back)
23	Shut off Nozzle Drive	Pneumatic Driven	
24	Dosing movement	Servo Motor Driven	2 Nos. Rotary Valve
25	Individual Weight Adjustment	Manual	
26	Overall Weight Adjustment	HMI	
27	Traverse Drive	Yes Servo Motor Driven	
28	Printer	Yes Markem Image	9712-DS-HQ-B1 Markem-Imaje - (2 Nos. / Twin Head)
29	Case Packer Drive	NA	
30	Nozzle/Funnel	Shut off + Blow off nozzle	
31	Hose Pipe (type)	Tri-Clamp	
32	Batch Cut Format	String	
33	Horizontal Sealer Width	5mm	

34	Vertical Sealer Width	5mm	
35	Rotary Valve Coating	HALAR	
36	Working Speed	80 - 90 Strokes/minute	
37	Reel Shaft Type	Hollow	
38	Reel Core Diameter	152mm	
39	Trial Material / Product	Yes	
40	Laminate Details	Heat Sealable laminate	
41	Heater Control System	Individual	
42	Beacon Lights	3 Stage	
43	Hopper Level Sensor	Yes Vega	
44	Safety Relay + Safety Switch	Yes	
45	Supply Voltage	380-415 VAC, 3 Phase, 50Hz	
46	PLC Make	Omron	
47	HMI Size	12 inch	NA Series
48	CIP System	Yes Alfa Laval	
49	Tool Kit	Yes	
50	Changeover Parts	No	
51	Secondary Packaging Solution	Yes Collating Conveyor - 1	
52	Ladder & Platform	Yes	
53	Machine Guarding	Shubham Standard	

54 SPECIAL NOTES

1. Servo stabilizer - 1 Nos.
2. Total Servo motors -13
3. Latching is to be positive such that doors cannot be opened until equipment has fully ceased to operate. The air shall also be dumped, either via safety solenoid valves or by a physical air dump that must be released to open the guard.
4. Sensors to pick the joining point on wrappers(Joint Detector – Before Centre Slitting – Recommended by Trial Team)
5. Pneumatic tubing shall have identifying colors relating to their function.
6. Positions for non-adjustable items shall be marked, so that it is clear if they have moved.
7. Where multiple pneumatic feeds exist within the equipment, each airline shall be wholly colored for ease of identification and fault finding.- Red ,yellow ,Blue Color coding
8. PLC-OMRON NJ501 Variant
9. HMI - OMRON- NA series 12 inch
10. Nozzle up & Down - Servo based (1 Nos.)
11. Embossing Digits -

S. No.	Description	Quantity (in Nos.)
1	0 - 9	30 Each X 10 = 300
2	M	30 Each
3	F	30 Each
4	D	30 Each
5	E	30 Each
6	X	30 Each
7	P	30 Each
8	B	30 Each
9	N	30 Each
10	E	30 Each
11	N	30 Each
12	G	30 Each

12. Set of Spares

S. No.	Description	Quantity (in Nos.)
1	Pull Rollers	26
2	Plain Slitters	10
3	Slotted slitters	20
4	Piston Seals Set	24
5	Rotary Valve Seals	8
6	Nozzle Seals/O-Rings	24
7	RTD	10
8	SSR	10
9	Vertical Heater	4
10	Horizontal Heater	4
11	Perforation Blade	6

Reviewed By:

Shiv Om Kaushik
Project/Marketing Dept.

Head Design Dept.

Trial Dept.

Production/ PPC Dept.

Purchase Dept.

Operations-Plant head

Mr. Rishabh Sharma
Executive Director - Design & Development

Mr. Shubham Sharma
Executive Director - Business Development

Mr. Virendra Sharma
Chairman & Managing Director