

INCIDENT DOOMSDAY | Case briefing

CLASSROOM SIMULATION: This is an invented incident involving a real movie title. Every event, person, account, system and evidence record is fictional. This activity makes no claim about a real leak. All website names use reserved .example domains; no website visits are needed.

Urgent incident

In this fictional timeline, an unreleased copy of Avengers: Doomsday appears on fictional piracy sites. Investigators receive six studio logs. Build a tool, find related records, and explain what the evidence supports.

All records use UTC (Z), on 2026-11-27. Use the complete date and time. Routine records are synthetic teaching data. These logs are text simulations, not actual footage or actual studio records.

People and accounts

Maya Chen | mchen | Editor | Master access for render repairs.

Andre Lewis | alewis | VFX artist | Scene previews for effects work.

Sofia Reyes | sreyes | Marketing | Public trailers and posters.

Marcus Reed | mreed | IT administrator | Approved internal backups.

Jordan Blake | jblake | Distribution coordinator | Approved partner delivery.

Access privileges alone do not establish responsibility. An account record is evidence of account activity, not independent proof of who was at the keyboard.

Evidence dictionary

login.log: Successful/failed sign-ins; host=computer; session=login session.

file_access.log: File reads; asset_id=stable asset identifier.

downloads.log: Completed copies from the studio server to a workstation.

usb_activity.log: Device connections; a connection alone does not prove a file copy.

network.log: Outgoing transfers; destination=receiving system; bytes=size; transfer=transfer identifier.

security.log: Alerts, approvals, tickets, and approved destination list. ALERT does not automatically mean guilt.

sha256: File fingerprint. Matching fingerprints support that two records refer to identical content in this simulation.

Start here: Cyber Range Ubuntu

Download and unzip the student ZIP. Copy its STUDENT_PACKAGE folder to Ubuntu using the range's file-upload method. If uploads are unavailable, the teacher can provide the .log text for saving as six separate files in a logs folder. Open a Bash terminal in STUDENT_PACKAGE; confirm with pwd and ls logs. No Docker or installation required.

Start here: GitHub Codespaces

Upload the contents of STUDENT_PACKAGE to a classroom repository; open that repository in Codespaces. Open its Bash terminal. If STUDENT_PACKAGE is a subfolder, run cd STUDENT_PACKAGE. Confirm with pwd and ls logs. No Docker required for this activity.

Run your script

Use bash evidence_processor.sh. Arrays require Bash; do not use sh evidence_processor.sh. Run from the folder that contains logs. Save work in the script; variables typed in a terminal do not automatically become part

of the script.

If you see > while entering a loop, Bash is waiting for its remaining lines. Finish do/done or press Ctrl+C and try again.

Two evidence sizes

Begin with logs: 120 total records. Use logs_expanded for the independent investigation: 1,500 total records, with the same case clues. Change LOG_DIR only. Extra routine entries increase the search workload, not the difficulty of the solution.