

Gamers.bet Unity SDK QA Guide

1. Set Up a Test Account

Create a Gamers.bet account here: <https://club-production-8de5.up.railway.app/signup>

After confirming the email address, sign in to the User Portal here: <https://club-production-8de5.up.railway.app/>

Once signed in, navigate to Wallet and click Create Wallet.

Click Deposit, enter \$50, and click Continue.

The payment modal will display a test credit card by default. Enter 123 in the CVV field, then click Confirm Purchase.

The test account will now have funds available for use with the Unity SDK client.

2. Unity Client Fields


The Unity client contains four fields used to authenticate a user and enter the user into a paid game mode:

Email: The email address associated with the user's Gamers.bet account.

Enter Code: A game code is sent to the user's email address and is used to authenticate the user.

Tournament ID: The ID of the specific asynchronous paid game the user will join.

Event ID: The ID of the specific synchronous paid game the user will join.



Authentication Note

In a production integration, the email and code fields are used to authenticate the user within the game. Once authenticated, the user can join multiple paid games without repeating the authentication process. Authentication can also persist between game sessions.

For QA purposes, the Unity client demo requires email and game-code authentication each time a new test session is started.

Open Tournament ID: cmtdi5yuc00yktl016dbn9vs1

3. Successful Test Flow

Authenticate the User

Enter the email address associated with the test account. A game code will be sent to that email address, and the client state will change to `AwaitingCode`.

```
[Log] [ReferenceIntegration] State: RequestingAuth
[Log] [ReferenceIntegration] State: AwaitingCode
[Log] [ReferenceIntegration] Code requested for derek@datton.ca
[Log] [ReferenceIntegration] Code sent to derek@datton.ca
```

Enter the game code. The user should authenticate successfully and the client state will change to `Authenticated`.

```
[Log] [ReferenceIntegration] State: AwaitingAuthResult
[Log] [ReferenceIntegration] State: Authenticated
[Log] [ReferenceIntegration] Authenticated: 91fa55a0-d8c7-48bf-ae39-a0a1fd44fb00
[Log] [ReferenceIntegration] Signed in as 91fa55a0-d8c7-48bf-ae39-a0a1fd44fb00
```

Join a Paid Game

Enter the provided open Tournament ID or Event ID and click the corresponding Join Tournament or Join Event button.

The user should successfully join the selected game.

```
[Log] [ReferenceIntegration] State: JoiningTournament
[Log] [ReferenceIntegration] State: JoinedTournament
[Log] [ReferenceIntegration] Joined tournament cmtbxhnmw900v6tl01whlni7p5
with entry cmtbxih9h00vjt01xkpl8dw1
[Log] [ReferenceIntegration] Entry cmtbxih9h00vjt01xkpl8dw1 created for
cmtbxhnmw900v6tl01whlni7p5
```

The entry fee, re-entry fee, and other competition parameters are determined by the tournament or event configuration associated with the ID. Tournament and event configurations are set by the game developer in the Developer Portal. See Section 6.

4. Error Test Cases

Unassociated Email: Enter an email address that is not associated with a Gamers.bet account. The email received will contain an invitation to create a Gamers.bet account rather than a game code.

Invalid Game Code: Enter an incorrect or expired game code. Authentication will fail and the client will return INVALID_CODE.

```
[Error] [ReferenceIntegration] Error INVALID_CODE: Invalid or expired game code
```

```
[Error] [ReferenceIntegration] SubmitCode failed: INVALID_CODE - Invalid or expired game code
```

Invalid Tournament ID: Enter an invalid Tournament ID and attempt to join the tournament. The client will return INVALID_TOURNAMENT_ID.

```
INVALID_TOURNAMENT_ID - The tournament ID is invalid, please check and try again
```

```
[Error] [ReferenceIntegration] Error INVALID_TOURNAMENT_ID: The tournament ID is invalid, please check and try again
```

Invalid Event ID: Enter an invalid Event ID and attempt to join the event. The client will return INVALID_EVENT_ID.

```
[Error] [ReferenceIntegration] Error INVALID_EVENT_ID: The event ID is invalid, please check and try again
```

```
[Error] [ReferenceIntegration] JoinEvent failed: INVALID_EVENT_ID - The event ID is invalid, please check and try again
```

No Wallet: Create and authenticate a user without creating a wallet. Attempt to join a tournament. The client will return NO_WALLET.

```
[Error] [ReferenceIntegration] Error NO_WALLET: Wallet not found
```

```
[Error] [ReferenceIntegration] JoinTournament failed: NO_WALLET - Wallet not found
```

Insufficient Funds: Authenticate a user whose wallet balance is zero or below the amount required to enter the tournament. The native token is USDC and represents equivalent USD value. The join attempt will fail and the client will return INSUFFICIENT_NATIVE_TOKEN.

```
[Error] [ReferenceIntegration] Error INSUFFICIENT_NATIVE_TOKEN:
Insufficient native token balance to cover transaction fees
[Error] [ReferenceIntegration] JoinTournament failed:
INSUFFICIENT_NATIVE_TOKEN - Insufficient native token balance to cover
transaction fees
```

5. Verify Tournament Entry

User View

Sign in to the User Portal using the account that joined the tournament: <https://club-production-8de5.up.railway.app/>

Navigate to Stats. The tournament should appear at the top of the table with a status of Opened.

	Name	Gameplay Mode	Entries	Entry fee	Won	Date/Time	Status
	Police Trainer Tournament	Tournament	3	\$0.01	\$0.00	2026-08-27 12:41	OPENED

Click the tournament to view its details.

Game Developer View

Sign in to the Game Developer Portal using the provided test developer credentials: <https://developer-production.up.railway.app/>

Test developer credentials: derek+test6@gamers.bet / Gamers1!

Navigate to Tournaments. The open tournament should appear at the top of the table.

TOURNAMENT	GAME / MODE	ENTRY FEE	UNIQUE PARTICIPANTS	ENTRIES	STATUS	START / END	CREATED	ACTIONS
Police Trainer Tournament 2026-08-27 (4) Testing	 Police Trainer Tournament	\$0.01 VARIABLE	4/99	4	OPENED	Aug 27, 2026 Aug 27, 2026	Aug 27, 2026 12:41:17 PM	Cancel

Click the tournament to view its details, then select Entries. The test user should appear in the list of tournament entries.

Police Trainer Tournament 2026-08-27 (4)

Police Trainer - Tournament

OPENED

Overview

Entries

Leaderboard

Prizes

Winners

USER	EMAIL	ENTRIES	FEES PAID	ATTEMPTS	STATUS	JOINED
Bagz	derek+test14@dkr.ca	1	\$0.01 	1	ACTIVE	Aug 27, 2026 12:41:48 PM
d djacts	derek@dkr.ca	1	\$0.01 	0	ACTIVE	Aug 27, 2026 12:41:55 PM
h happydayz	derek+test17@dkr.ca	1	\$0.01 	1	ACTIVE	Aug 27, 2026 12:43:14 PM
S Stackz	derek+test16@dkr.ca	1	\$0.01 	1	ACTIVE	Aug 27, 2026 12:44:47 PM

Close

6. Verify Tournament Configuration

Tournament parameters - including (but not limited to) entry fees, payout format, and the number of permitted re-entries - are configured in the tournament template.

To verify the configuration used by the test tournament, navigate to Games in the Game Developer Portal. Click View for Police Trainer, then open the tournament template named **"Unity Test Tournament"**.

The template can be used to confirm that the entry fee and other tournament parameters shown during testing match the configured values. Those values can be viewed in the user portal when viewing the tournament details in the Stats section.

7. View Tournament Leaderboard

The tournament leaderboard can be viewed without authenticating a user or joining the tournament. Enter the Tournament ID and click **Show Leaderboard**. The leaderboard for the selected tournament should be displayed.

```
[Log] [ReferenceIntegration] Leaderboard has 7 entries
[Log] [ReferenceIntegration] 7 entries, showing 7
```

8. Additional Developer Documentation

The public Unity SDK documentation is available in the Unity SDK demo repository:

<https://github.com/gamers-bet/gamers-unity-client-sdk-demo-app>

Additional platform and integration documentation is available to registered game developers through the Gamers.bet Game Developer Portal under the **Documentation** tab.

This includes the **Developer Guide**, **OpenAPI Document**, **Server SDK Guide**, **Reference Game-Server Guide**, **Usage Scenario Document**, **API Changelog**, and additional implementation guidance covering areas such as authentication and geofencing.

The screenshot shows the 'Documentation' section of the Gamers.bet Game Developer Portal. It features a dark theme with a grid of seven documentation links: Developer Guide, OpenAPI Document, Unity Client SDK Guide, Server SDK Guide, Reference Game-Server Guide, Usage Scenario Document, and API Changelog. Below this is the 'Authentication Methods' section, which explains that the game supports two authentication methods. The 'Token-based Authentication' section describes how the game receives an authentication token as a CLI parameter and lists steps for checking the token and skipping verification. The 'Email/Code Authentication' section describes the fallback method where users enter their email and a verification code. An 'Implementation Note' states that the game should check for the --auth-token parameter and fall back to the email/code flow if it's not present. The 'Geofencing (Radar SDK)' section mentions location verification for compliance. At the bottom, there are links for 'Full Documentation' and 'View Documentation', along with a code snippet for using the Unity SDK.

Documentation

- Developer Guide
- OpenAPI Document
- Unity Client SDK Guide
- Server SDK Guide
- Reference Game-Server Guide
- Usage Scenario Document
- API Changelog

Authentication Methods

The game supports two authentication methods depending on how it's launched.

Token-based Authentication

When launched via the game launcher, the game will receive an authentication token as a CLI parameter.

```
./game.exe --auth-token="xxxx..."
```

- The game checks for the `--auth-token` parameter on startup.
- If present, the token is used directly for authorization
- Skips the email/code verification flow entirely
- Provides seamless authentication experience

Email/Code Authentication

Fallback authentication method when no auth token is provided.

- Used when `--auth-token` parameter is not present
- User enters their email address
- Verification code is sent to the email
- User enters the code to complete authentication
- Ensures users can always authenticate even without the launcher

Implementation Note: The game should check for the `--auth-token` parameter on startup. If it exists, use it for authorization. If it does not exist, fall back to the email/code flow.

Geofencing (Radar SDK)

Location verification SDK for Unity games. Verify user location for compliance with gaming regulations.

Full Documentation
Radar Unity SDK Guide

[View Documentation](#)

```
using UnityEngine;
```

9. Synchronous Event Testing Note

The Unity SDK supports entry into both asynchronous tournaments and synchronous events. Unlike tournaments, synchronous events are live game sessions with defined start and end times and therefore cannot remain open indefinitely for general QA testing. For this reason, an open Tournament ID is provided for repeatable testing of authentication, paid-game entry, and leaderboard functionality. Testing synchronous event entry requires an active event created for a specific test session and coordination with the game implementation so that users can join the event

through the SDK while it is open. The absence of a permanently open Event ID in this guide does not indicate a limitation of the SDK's event-entry functionality.