


```
(1),t;return e[0]==Symbol.for(`react.memo_cache_sentinel`)?(t=(0,H.jsx)(gn,{children:
(0,H.jsx)(eI,{}})),e[0]=t):t=e[0],t}(0,y.createRoot)
(document.getElementById(`root`)).render((0,H.jsx)(b.StrictMode,{children:(0,H.jsx)
(tI,{}})}));export{s as n,u as r,E as t};
\ No newline at end of file
diff --git a/dist/assets/index-wuX8m6tD.js b/dist/assets/index-wuX8m6tD.js
new file mode 100644
index 0000000..55f9ebf
--- /dev/null
+++ b/dist/assets/index-wuX8m6tD.js
@@ -0,0 +1,202 @@
+var
e=Object.create,t=Object.defineProperty,n=Object.getOwnPropertyDescriptor,r=Object.getOwn
e((t={exports:{}}).exports,t),t.exports),c=(e,n)=>{let r={};for(var i in e)t(r,i,
{get:e[i],enumerable:!0});return n||t(r,Symbol.toStringTag,
{value:`Module`}),r},l=(e,i,o,s)=>{if(i&&typeof i==`object`||typeof
i==`function`)for(var c=r(i),l=0,u=c.length,d;l<u;l++)d=c[l],!a.call(e,d)&&d!
==o&&t(e,d,{get:(e=>i[e]).bind(null,d),enumerable:!(s=n(i,d))||s.enumerable});return
e},u=(n,r,a)=>(a=n==null?{}:e(i(n)),l(r)||!n||!n.__esModule?t(a,`default`,
{value:n,enumerable:!0}):a,n),d=e=>a.call(e,`module.exports`)?
e[`module.exports`]:l(t({},`__esModule`,{value:!0}),e);(function(){let
e=document.createElement(`link`).relList;if(e&&e.supports&&e.supports(`modulepreload`))re
e of document.querySelectorAll(`link[rel="modulepreload"]`))n(e);new
MutationObserver(e=>{for(let t of e)if(t.type===`childList`)for(let e of
t.addedNodes)e.tagName===`LINK`&&e.rel===`modulepreload`&&n(e)}).observe(document,
{childList:!0,subtree:!0});function t(e){let t={};return
e.integrity&&(t.integrity=e.integrity),e.referrerPolicy&&(t.referrerPolicy=e.referrerPoli
credentials`?t.credentials=`include`:e.crossOrigin===`anonymous`?
t.credentials=`omit`:t.credentials=`same-origin`,t}function n(e){if(e.ep)return;e.ep=!
0;let n=t(e);fetch(e.href,n)}})();var f=s((e=>{var
t=Symbol.for(`react.transitional.element`),n=Symbol.for(`react.portal`),r=Symbol.for(`rea
m(e){return typeof e!=`object`||!e?null:(e=p&&e[p]||e[`@@iterator`],typeof
e==`function`?e:null)}var h={isMounted:function(){return!
1},enqueueForceUpdate:function(){}},enqueueReplaceState:function()
{},enqueueSetState:function(){}},g=Object.assign,_={};function v(e,t,n)
{this.props=e,this.context=t,this.refs=_,this.updater=n||h}
v.prototype.isReactComponent={},v.prototype.setState=function(e,t){if(typeof e!
=`object`&&typeof e!=`function`&&e!=null)throw Error(`takes an object of state
variables to update or a function which returns an object of state
variables.`);this.updater.enqueueSetState(this,e,t,`setState`)},v.prototype.forceUpdate=f
{this.updater.enqueueForceUpdate(this,e,`forceUpdate`)};function y(){}
y.prototype=v.prototype;function b(e,t,n)
{this.props=e,this.context=t,this.refs=_,this.updater=n||h}var x=b.prototype=new
y;x.constructor=b,g(x,v.prototype),x.isPureReactComponent=!0;var
S=Array.isArray;function C(){}var
w={H:null,A:null,T:null,S:null},T=Object.prototype.hasOwnProperty;function E(e,n,r)
{var i=r.ref;return{$$typeof:t,type:e,key:n,ref:i===void 0?null:i,props:r}}function
D(e,t){return E(e.type,t,e.props)}function O(e){return typeof e==`object`&&!e&&e.$
```



```

e=b.useContext(Me),{asename:t,navigator:n}=b.useContext(Re),{matches:r}
=b.useContext(U),{pathname:i}=Je(),a=JSON.stringify(xe(r)),o=b.useRef(!1);return
Xe(()=>{o.current=!0}),b.useCallback((r,s={})=>{if(A(o.current,Ye),!
o.current)return;if(typeof r==`number`){n.go(r);return}let
c=Se(r,JSON.parse(a),i,s.relative===`path`);e==null&&t!=`/
`&&(c.pathname=c.pathname===`/?t:Ce([t,c.pathname])),(s.replace?n.replace:n.push)
(c,s.state,s)},[t,n,a,i,e])}b.createContext(null);function $e(){let{matches:e}
=b.useContext(U),t=e[e.length-1];return t?t.params:{}}function et(e,{relative:t}={})
{let{matches:n}=b.useContext(U),{pathname:r}=Je(),i=JSON.stringify(xe(n));return
b.useMemo(()=>Se(e,JSON.parse(i),r,t===`path`),[e,i,r,t])}function tt(e,t){return
nt(e,t)}function nt(e,t,n,r,i){k(qe()),`useRoutes() may be used only in the context of
a <Router> component.`);let{navigator:a}=b.useContext(Re),{matches:o}
=b.useContext(U),s=o[o.length-1],c=s?s.params:{},l=s?s.pathname:`/`,u=s?
s.pathnameBase:`/`,d=s&&s.route;{let e=d&&d.path||``;xt(l,!d||e.endsWith(`*`))||
e.endsWith(`*?`),`You rendered descendant <Routes> (or called \`useRoutes()\`) at
"${l}" (under <Route path="${e}">) but the parent route path has no trailing "*". This
means if you navigate deeper, the parent won't match anymore and therefore the child
routes will never render.

```

+

```

+Please change the parent <Route path="${e}"> to <Route path="${e===`/?
*`:`${e}/*`">.`)}let f=Je(),p;if(t){let e=typeof t==`string`?F(t):t;k(u===`/\`||
e.pathname?.startsWith(u),`When overriding the location using \`<Routes location>\` or
\`useRoutes(routes, location)\`, the location pathname must begin with the portion of
the URL pathname that was matched by all parent routes. The current pathname base is
"${u}" but pathname "${e.pathname}" was given in the \`location\` prop.`),p=e}else
p=f;let m=p.pathname||`/\`,h=m;if(u!=`/\`){let e=u.replace(/\//,``).split(`/`);h=`/
`+m.replace(/\//,``).split(`/`.slice(e.length).join(`/`)}let g=z(e,
{pathname:h});A(d||g!=null,`No routes matched location
"${p.pathname}${p.search}${p.hash}" `),A(g==null||g[g.length-1].route.element!=void
0||g[g.length-1].route.Component!=void 0||g[g.length-1].route.lazy!=void 0,`Matched
leaf route at location "${p.pathname}${p.search}${p.hash}" does not have an element or
Component. This means it will render an <Outlet /> with a null value by default
resulting in an "empty" page.`);let _=lt(g&&g.map(e=>Object.assign({},e,
{params:Object.assign({},c,e.params),pathname:Ce([u,a.encodeLocation?
a.encodeLocation(e.pathname.replace(/\?/g,`%3F`).replace(/#/
g,`%23`)).pathname:e.pathname}],pathnameBase:e.pathnameBase===`/?
u:Ce([u,a.encodeLocation?a.encodeLocation(e.pathnameBase.replace(/\?/
g,`%3F`).replace(/#/g,`%23`)).pathname:e.pathnameBase]))),o,n,r,i);return t&&_?
b.createElement(ze.Provider,{value:{location:{pathname:`/
`,search:``,hash:``,state:null,key:`default`,...p},navigationType:`POP`}},_):_}
function rt(){let e=vt(),t=Oe(e)?`${e.status} ${e.statusText}`:e instanceof Error?
e.message:JSON.stringify(e),n=e instanceof Error?e.stack:null,r=`rgba(200,200,200,
0.5)`,i={padding:`0.5rem`,backgroundColor:r},a={padding:`2px
4px`,backgroundColor:r},o=null;return console.error(`Error handled by React Router
default
ErrorBoundary:`,e),o=b.createElement(b.Fragment,null,b.createElement(`p`,null,`Hey
developer 🙌`),b.createElement(`p`,null,`You can provide a way better UX than this
when your app throws errors by providing your own`,b.createElement(`code`,

```



```
(`button`,{className:`flex w-full items-center justify-between p-4 text-xs font-bold uppercase tracking-wider transition-colors hover:bg-slate-50 dark:hover:bg-slate-800/50`,style:{background:0e2`#f8fafc`:`#101328`,color:Pe.textMuted}},onClick:
()=>P(t=>({...t,[e.id]:!t[e.id]})),children:[(0,W.jsx)(`div`,{className:`flex items-center gap-2`,children:[(0,W.jsx)(e.icon,{size:14,className:`opacity-50`}), (0,W.jsx)(`span`,{children:[e.label,` `,(0,W.jsx)(`span`,{className:`ml-1 opacity-50`,children:[`(`,e.count,`)`]})]})]})],N[e.id]? (0,W.jsx)(tr,{size:14}):
(0,W.jsx)($n,{size:14})]})],N[e.id]&&(0,W.jsx)(`div`,{className:`p-3 bg-white dark:bg-transparent`,children:[e.id===`sharedDocument`&&(0,W.jsx)(`div`,{className:`space-y-2`,children:rt.length>0?rt.map(e=>{let t=LP(e.attachment?.url||``);return(0,W.jsx)(`button`,{type:`button`,onClick:()=>dt(e.attachment,t),className:`flex w-full items-center gap-2 rounded-xl borderless-shadow bg-slate-50/50 p-2.5 text-left text-[11px] font-medium transition-colors dark:bg-slate-800/30`,title:`Preview`,children:
[(0,W.jsx)(`div`,{className:`h-6 w-6 rounded bg-white flex items-center justify-center shadow-xs dark:bg-slate-700`,children:(0,W.jsx)(Pr,{size:12,className:`opacity-30`})}), (0,W.jsx)(`span`,{className:`truncate flex-1`,children:e.attachment?.name||`File`})]})],e.id)): (0,W.jsx)(`p`,{className:`text-[10px] text-slate-400 italic text-center py-2`,children:`No documents shared`})]),e.id===`sharedMedia`&&(0,W.jsx)(`div`,{className:`grid grid-cols-3 gap-1.5`,children:nt.length>0?nt.slice(0,6).map(e=>{let t=LP(e.attachment?.url||``);return(0,W.jsx)(`button`,{type:`button`,onClick:
()=>dt(e.attachment,t),className:`relative aspect-square overflow-hidden rounded-lg`,title:`View`,children:IP(e)?(0,W.jsx)(W.Fragment,{children:[(0,W.jsx)(`video`,{src:t,muted:!0,playsInline:!0,preload:`metadata`,className:`h-full w-full object-cover`}), (0,W.jsx)(`div`,{className:`pointer-events-none absolute inset-0 flex items-center justify-center bg-black/25`,children:(0,W.jsx)(`div`,{className:`rounded-full bg-black/40 px-2 py-0.5 text-[10px] font-bold text-white`,children:`Play`})})]})}): (0,W.jsx)(`img`,{src:t,alt:``,className:`h-full w-full object-cover transition-transform hover:scale-110`})],e.id)): (0,W.jsx)(`p`,{className:`col-span-3 text-[10px] text-slate-400 italic text-center py-2`,children:`No media shared`})]),e.id===`sharedPost`&&(0,W.jsx)(`div`,{className:`space-y-2`,children:it.length>0?it.map(e=>(0,W.jsx)(`div`,{style:{background:0e2`#f1f5f9`:`rgba(255,255,255,0.03)`},children:(0,W.jsx)(`p`,{className:`line-clamp-2 leading-relaxed opacity-80`,children:e.message})}),e.id)): (0,W.jsx)(`p`,{className:`text-[10px] text-slate-400 italic text-center py-2`,children:`No posts shared`})]})]})]})],e.id)))]})]: (0,W.jsx)(`div`,{className:`flex h-full flex-col items-center justify-center text-slate-400 text-xs italic`,children:`Details will appear here`})]})]})]})]})}var Vte=`${window.location.protocol===`https:`?`wss:`:`ws:`}://${window.location.host}/ws`,GP=[{urls:`stun:stun.l.google.com:19302`}],Hte=[`😊`,`😁`,`😂`,`🤔`,`😄`,`😍`,`😎`,`🤝`,`👍`,`👎`,`🙏`,`👏`,`🎉`,`🔥`,`💯`,`✅`,`⚡`,`💡`,`📝`,`📎`,`🧠`,`🚀`,`❤️`,`✨`];function Ute(){let[e]=En(),t=Ze(),[n,r]=(0,b.useState)(``),[i,a]=(0,b.useState)(null),[o,s]=(0,b.useState)([]),[c,l]=(0,b.useState)(!1),[u,d]=(0,b.useState)(!1),[f,p]=(0,b.useState)(!0),[m,h]=(0,b.useState)(!1),[g,_]=(0,b.useState)(`00:00:00`),[v,y]=(0,b.useState)(``),[x,S]=(0,b.useState)([]),[C,w]=(0,b.useState)((()=>typeof window>`u`?!0:window.innerWidth>=1024),[T,E]=(0,b.useState)(0),[D,O]=(0,b.useState)(!1),[k,A]=(0,b.useState)(`offline`),[j,M]=(0,b.useState)(`new`),[N,P]=(0,b.useState)(`new`),[F,I]=(0,b.useState)(0),[R,z]=(0,b.useState)(!1),[ee,B]=(0,b.useState)(!1),[te,V]=(0,b.useState)(null),
```



```
[[]).length===0?(0,W.jsx)(`div`,{className:`text-sm text-slate-500`,children:`No notes yet.`}):null,(f?.notes||[]).map(e=>(0,W.jsx)(`div`,{className:`rounded-lg borderless-shadow p-3`,children:[(0,W.jsx)(`p`,{className:`text-sm text-slate-900`,children:e.note}), (0,W.jsx)(`p`,{className:`mt-1 text-xs text-slate-500`,children:KP(e.created_at)}))]},e.id))]])),(0,W.jsx)(`div`,{className:`mt-5`,children:[(0,W.jsx)(`p`,{className:`text-xs uppercase tracking-widest text-slate-500`,children:`Reminders`}), (0,W.jsx)(`div`,{className:`mt-2 space-y-2`,children:[(f?.reminders||[]).length===0?(0,W.jsx)(`div`,{className:`text-sm text-slate-500`,children:`No reminders yet.`}):null,(f?.reminders||[]).map(e=>(0,W.jsx)(`div`,{className:`rounded-lg borderless-shadow p-3`,children:(0,W.jsx)(`div`,{className:`flex items-center justify-between gap-2`,children:[(0,W.jsx)(`p`,{className:`text-sm font-medium`,children:e.message}), (0,W.jsx)(`p`,{className:`text-xs text-slate-500`,children:KP(e.remind_at)}))]},e.id))]]))]])): (0,W.jsx)(`div`,{className:`rounded-xl borderless-shadow p-6 text-sm text-slate-500`,children:`Select a lead to view details, notes, and reminders.`)}})]))}}function JP(e){let t=(0,S.c)(12),{title:n,items:r}=e,i;t[0]===n?i=t[1]:(i=(0,W.jsx)(`h4`,{className:`font-medium mb-2`,children:n}),t[0]=n,t[1]=i);let a;t[2]===r.length?a=t[3]:(a=r.length===0?(0,W.jsx)(`div`,{className:`text-[#5A5A5A]`,children:`No data yet.`}):null,t[2]=r.length,t[3]=a);let o;t[4]===r?o=t[5]:(o=r.map(Gte),t[4]=r,t[5]=o);let s;t[6]!==a||t[7]!==o?(s=(0,W.jsx)(`div`,{className:`space-y-2 text-sm`,children:[a,o]}),t[6]=a,t[7]=o,t[8]=s):s=t[8];let c;return t[9]!==i||t[10]!==s?(c=(0,W.jsx)(`div`,{className:`bg-[#F9FBFD] rounded-lg p-3`,children:[i,s]}),t[9]=i,t[10]=s,t[11]=c):c=t[11],c}function Gte(e){return(0,W.jsx)(`div`,{className:`grid grid-cols-[72px_1fr_32px] items-center gap-2`,children:[(0,W.jsx)(`span`,{children:e.month}), (0,W.jsx)(`div`,{className:`h-2 bg-blue-100 rounded`,children:(0,W.jsx)(`div`,{className:`h-2 bg-[#0A66C2] rounded`,style:{width:`${Math.min(100,e.count*10)}%`}})), (0,W.jsx)(`span`,{children:e.count})]}],e.month)}function Kte(){let e=(0,S.c)(82),[t,n]=(0,b.useState)(`home`),{dashboard:r,subscription:i,isEnterprise:a,loading:o,error:s}=sy(),c;e[0]===r?.totals?c=e[1]:(c=r?.totals||{},e[0]=r?.totals,e[1]=c);let l=c,u=`block p-3 rounded-md cursor-pointer font-medium${t===`home`?`bg-[#F4F9FF] text-[#0A66C2]`:`hover:bg-gray-50 neo-panel cyberpunk-card`}`,d;e[2]===Symbol.for(`react.memo_cache_sentinel`)?(d=()=>n(`home`),e[2]=d):d=e[2];let f;e[3]===u?f=e[4]:(f=(0,W.jsx)(vn,{to:`/owner`,className:u,onClick:d,children:` Dashboard Home`}),e[3]=u,e[4]=f);let p=`block p-3 rounded-md cursor-pointer font-medium${t===`requests`?`bg-[#F4F9FF] text-[#0A66C2]`:`hover:bg-gray-50 neo-panel cyberpunk-card`}`,m;e[5]===Symbol.for(`react.memo_cache_sentinel`)?(m=()=>n(`requests`),e[5]=m):m=e[5];let h;e[6]===p?h=e[7]:(h=(0,W.jsx)(vn,{to:`/owner?tab=requests`,className:p,onClick:m,children:` Buyer Requests`}),e[6]=p,e[7]=h);let g=`block p-3 rounded-md cursor-pointer font-medium${t===`chats`?`bg-[#F4F9FF] text-[#0A66C2]`:`hover:bg-gray-50 neo-panel cyberpunk-card`}`,_;e[8]===Symbol.for(`react.memo_cache_sentinel`)?(_=()=>n(`chats`),e[8]=_):_=e[8];let v;e[9]===g?v=e[10]:(v=(0,W.jsx)(vn,{to:`/owner?tab=chats`,className:g,onClick:_,children:` Chats`}),e[9]=g,e[10]=v);let y=`block p-3 rounded-md cursor-pointer font-medium${t===`network`?`bg-[#F4F9FF] text-[#0A66C2]`:`hover:bg-gray-50 neo-panel cyberpunk-card`}`,x;e[11]===Symbol.for(`react.memo_cache_sentinel`)?(x=()=>n(`network`),e[11]=x):x=e[11];let C;e[12]===y?C=e[13]:(C=(0,W.jsx)(vn,{to:`/`
```

```
owner?tab=network`,className:y,onClick:x,children:`🏢 Partner
Network`)),e[12]=y,e[13]=C);let w=`block p-3 rounded-md cursor-pointer font-
medium${t===`leads`?`bg-[#F4F9FF] text-[#0A66C2]`:`hover:bg-gray-50 neo-panel
cyberpunk-card`}}`,T;e[14]===Symbol.for(`react.memo_cache_sentinel`)?
(T=()=>>n(`leads`),e[14]=T):T=e[14];let E;e[15]===w?E=e[16]:(E=(0,W.jsx)(vn,{to:`/
owner?tab=leads`,className:w,onClick:T,children:`📌 Leads
(CRM)`})),e[15]=w,e[16]=E);let D=`block p-3 rounded-md cursor-pointer font-
medium${t===`members`?`bg-[#F4F9FF] text-[#0A66C2]`:`hover:bg-gray-50 neo-panel
cyberpunk-card`}}`,0;e[17]===Symbol.for(`react.memo_cache_sentinel`)?
(0=()=>>n(`members`),e[17]=0):0=e[17];let k;e[18]===D?k=e[19]:(k=(0,W.jsx)(vn,{to:`/
owner?tab=members`,className:D,onClick:0,children:`👤 Member
Management`})),e[18]=D,e[19]=k);let A=`block p-3 rounded-md cursor-pointer font-
medium${t===`contracts`?`bg-[#F4F9FF] text-[#0A66C2]`:`hover:bg-gray-50 neo-panel
cyberpunk-card`}}`,j;e[20]===Symbol.for(`react.memo_cache_sentinel`)?
(j=()=>>n(`contracts`),e[20]=j):j=e[20];let M;e[21]===A?M=e[22]:(M=(0,W.jsx)(vn,{to:`/
owner?tab=contracts`,className:A,onClick:j,children:`📄 Contracts
Vault`})),e[21]=A,e[22]=M);let N=`block p-3 rounded-md cursor-pointer font-
medium${t===`insights`?`bg-[#F4F9FF] text-[#0A66C2]`:`hover:bg-gray-50 neo-panel
cyberpunk-card`}}`,P;e[23]===Symbol.for(`react.memo_cache_sentinel`)?
(P=()=>>n(`insights`),e[23]=P):P=e[23];let F;e[24]===N?F=e[25]:(F=(0,W.jsx)(vn,{to:`/
owner?tab=insights`,className:N,onClick:P,children:`📊 Insights &
Analytics`})),e[24]=N,e[25]=F);let I=`block p-3 rounded-md cursor-pointer font-
medium${t===`subscription`?`bg-[#F4F9FF] text-[#0A66C2]`:`hover:bg-gray-50 neo-panel
cyberpunk-card`}}`,R;e[26]===Symbol.for(`react.memo_cache_sentinel`)?
(R=()=>>n(`subscription`),e[26]=R):R=e[26];let z;e[27]===I?z=e[28]:(z=(0,W.jsx)(vn,
{to:`/owner?tab=subscription`,className:I,onClick:R,children:`📄
Subscription`})),e[27]=I,e[28]=z);let
ee;e[29]===Symbol.for(`react.memo_cache_sentinel`)?(ee=(0,W.jsx)(vn,{to:`/
login`,className:`block p-3 rounded-md cursor-pointer font-medium hover:bg-red-50
text-red-600`,children:`🚪 Logout`})),e[29]=ee):ee=e[29];let B;e[30]!==C||e[31]!==E||
e[32]!==k||e[33]!==M||e[34]!==F||e[35]!==z||e[36]!==f||e[37]!==h||e[38]!==v?
(B=(0,W.jsx)(`aside`,{className:`lg:col-span-1`,children:(0,W.jsxs)(`div`,
{className:`bg-white neo-panel cyberpunk-card rounded-xl shadow-md p-4 space-y-2
sticky top-20`,children:
[f,h,v,C,E,k,M,F,z,ee]}))}),e[30]=C,e[31]=E,e[32]=k,e[33]=M,e[34]=F,e[35]=z,e[36]=f,e[37]=
te;e[40]===o?te=e[41]:(te=o?(0,W.jsx)(`div`,{className:`bg-white rounded-xl
p-4`,children:`Loading dashboard metrics...`}):null,e[40]=o,e[41]=te);let V;e[42]===s?
V=e[43]:(V=s?(0,W.jsx)(`div`,{className:`bg-red-50 text-red-600 rounded-xl
p-4`,children:s}):null,e[42]=s,e[43]=V);let ne;e[44]!==t||e[45]!==a||e[46]!==i?.plan||
e[47]!==l?(ne=t===`home`&&(0,W.jsxs)(`div`,{children:[(0,W.jsxs)(`div`,
{className:`grid grid-cols-1 md:grid-cols-4 gap-4 mb-6`,children:[(0,W.jsxs)(`div`,
{className:`p-4 bg-white neo-panel cyberpunk-card rounded-xl shadow-md`,children:
[(0,W.jsx)(`div`,{className:`text-sm text-[#5A5A5A]`,children:`Buyer Requests`}),
(0,W.jsx)(`div`,{className:`font-semibold text-xl`,children:l.buyer_requests??0})]})),
(0,W.jsxs)(`div`,{className:`p-4 bg-white neo-panel cyberpunk-card rounded-xl shadow-
md`,children:[(0,W.jsx)(`div`,{className:`text-sm text-[#5A5A5A]`,children:`Active
Chats`}),
(0,W.jsx)(`div`,{className:`font-semibold text-xl`,children:l.chats??0})]})),
(0,W.jsxs)(`div`,{className:`p-4 bg-white neo-panel cyberpunk-card rounded-xl shadow-
```



```
[te,V,ne,re,ie,ae,oe,se,ce]]),e[69]=te,e[70]=V,e[71]=ne,e[72]=re,e[73]=ie,e[74]=ae,e[75]=
ue;return e[79]!==B||e[80]!==le?(ue=(0,W.jsx)`div`,{className:`min-h-screen bg-
slate-50 text-slate-900 transition-colors duration-500 dark:bg-[#020617] dark:text-
slate-100`,children:(0,W.jsx)`div`,{className:`max-w-full px-6 py-6 grid grid-cols-1
lg:grid-cols-6 gap-6`,children:[B,le]}})),e[79]=B,e[80]=le,e[81]=ue):ue=e[81],ue}
function qte(){let[e,t]=(0,b.useState)`requests`,
{dashboard:n,subscription:r,isEnterprise:i,loading:a,error:o}=sy(),s=n?.totals||{ },
[c,l]=(0,b.useState)``,`[u,d]=(0,b.useState)``,`[f,p]=(0,b.useState)(!1),
[m,h]=(0,b.useState)``;async function g(){let e=G();if(!e){h`Please login to use AI
suggestions.`};return p(!0),h``};try{let t=c.trim()||`Draft a short, professional
reply for a textile sourcing conversation. Ask for missing MOQ, price range, and lead
time if needed.`,n=await K(`/assistant/ask`,{method:`POST`,token:e,body:
{question:t}});d(String(n?.matched_answer||n?.answer||``).trim()),c.trim()||l(t)}
catch(e){h(e.message||`Unable to generate suggestion`)}}finally{p(!1)}}async function
_(){if(u)try{await navigator.clipboard.writeText(u),h`Copied to clipboard.`}}
catch{h`Copy failed.`}}return(0,W.jsx)`div`,{className:`min-h-screen bg-slate-50
text-slate-900 transition-colors duration-500 dark:bg-[#020617] dark:text-
slate-100`,children:(0,W.jsx)`div`,{className:`max-w-6xl mx-auto p-6 grid grid-
cols-1 lg:grid-cols-4 gap-6`,children:[(0,W.jsx)`aside`,{className:`lg:col-
span-1`,children:[(0,W.jsx)`div`,{className:`bg-white neo-panel cyberpunk-card
rounded-xl shadow-md p-4 space-y-3 sticky top-20`,children:[(0,W.jsx)(vn,{to:`/agent?
tab=requests`,className:`block font-semibold text-[#0A66C2] cursor-pointer`,children:`
📋 My Requests`}), (0,W.jsx)`div`,{className:`text-sm text-[#5A5A5A]`,children:
`Assigned: `,s.open_buyer_requests??0}})]}), (0,W.jsx)`div`,{className:`bg-white
neo-panel cyberpunk-card rounded-xl shadow-md p-4 mt-4 sticky top-56`,children:
[(0,W.jsx)(vn,{to:`/agent?tab=chats`,className:`block font-semibold text-[#0A66C2]
cursor-pointer mb-3`,children:`💬 My Chats`}), (0,W.jsx)`div`,{className:`text-sm
text-[#5A5A5A] mt-2`,children:[`Active conversations: `,s.chats??0]}]}]), (0,W.jsx)
`div`,{className:`bg-white neo-panel cyberpunk-card rounded-xl shadow-md p-4
mt-4`,children:[(0,W.jsx)(vn,{to:`/agent?tab=factories`,className:`block font-semibold
text-[#0A66C2] cursor-pointer mb-3`,children:`🏭 Connected Factories`}), (0,W.jsx)
`div`,{className:`text-sm text-[#5A5A5A]`,children:[s.partner_network??0,`
connected`]}]}]), (0,W.jsx)`div`,{className:`bg-white neo-panel cyberpunk-card
rounded-xl shadow-md p-4 mt-4`,children:[(0,W.jsx)`h3`,{className:`font-semibold
mb-2`,children:`Plan`}), (0,W.jsx)`div`,{className:`text-sm text-[#5A5A5A]`,children:
[r?.plan||`free`,` plan`]}]), (0,W.jsx)`div`,{className:`text-sm text-
[#5A5A5A]`,children:i?`Enterprise analytics on`:`Free analytics view`}})]}), (0,W.jsx)
(vn,{to:`/login`,className:`block w-full mt-4 px-3 py-2 text-center bg-red-50 text-
red-600 rounded-md font-medium hover:bg-red-100`,children:`Logout`}})]}), (0,W.jsx)
`main`,{className:`lg:col-span-3 space-y-4`,children:[a?(0,W.jsx)`div`,
{className:`bg-white rounded-xl p-4`,children:`Loading agent metrics...`}):null,o?
(0,W.jsx)`div`,{className:`bg-red-50 text-red-600 rounded-xl p-4`,children:o}):null,
(0,W.jsx)`div`,{className:`bg-white neo-panel cyberpunk-card rounded-xl shadow-md
p-4`,children:[(0,W.jsx)`div`,{className:`flex items-center justify-between mb-3
borderless-divider-b pb-3`,children:[(0,W.jsx)`h3`,{className:`font-
semibold`,children:`Agent Activity`}), (0,W.jsx)`div`,{className:`flex
gap-2`,children:[(0,W.jsx)`button`,{onClick:()=>t`requests`,className:`px-3 py-1
rounded${e===`requests`?`bg-[#0A66C2] text-white`:`borderless-shadow bg-white/70 text-
```



```
e[0]===Symbol.for(`react.memo_cache_sentinel`)?(t=(0,W.jsx)(hn,{children:(0,W.jsx)
(Mae,{}})),e[0]=t):t=e[0],t}(0,y.createRoot)
(document.getElementById(`root`)).render((0,W.jsx)(b.StrictMode,{children:(0,W.jsx)
(Pae,{}})));export{s as n,u as r,E as t};
\ No newline at end of file
diff --git a/dist/assets/pdf-B0LLGcij.js b/dist/assets/pdf-BHmssKmw.js
similarity index 99%
rename from dist/assets/pdf-B0LLGcij.js
rename to dist/assets/pdf-BHmssKmw.js
index 336ec9b..6d7702e 100644
--- a/dist/assets/pdf-B0LLGcij.js
+++ b/dist/assets/pdf-BHmssKmw.js
@@ -1,4 +1,4 @@
-import {t as e} from "../index-Dh3sptT3.js";var t={};t.d=(e,n)=>{for(var r in
n)t.o(n,r)&&!t.o(e,r)&&Object.defineProperty(e,r,{enumerable:!
0,get:n[r]})},t.o=(e,t)=>Object.prototype.hasOwnProperty.call(e,t);var n=typeof
process=="object"&&process+" "==="[object process]"&&!process.versions.nw&&!
(process.versions.electron&&process.type&&process.type!
=="browser"),r=[.001,0,0,.001,0,0],i=1.35;.35/i;var
a={ANY:1,DISPLAY:2,PRINT:4,SAVE:8,ANNOTATIONS_FORMS:16,ANNOTATIONS_STORAGE:32,ANNOTATIONS
x(e){Number.isInteger(e)&&(b=e)}function S(){return b}function C(e)
{b>=g.INFO&&console.info(`Info: ${e}`)}function w(e)
{b>=g.WARNING&&console.warn(`Warning: ${e}`)}function T(e){throw Error(e)}function
E(e,t){e||T(t)}function D(e){switch(e?.protocol)
{case`http:`:case`https:`:case`ftp:`:case`mailto:`:case`tel:`:return!0;default:return!
1}}function ee(e,t=null,n=null){if(!e)return null;if(n&&typeof
e=="string"&&(n.addDefaultProtocol&&e.startsWith(`www.`)&&e.match(/\./
g)?.length>=2&&(e=`http://${e}`),n.tryConvertEncoding))try{e=de(e)}catch{}let r=t?
URL.parse(e,t):URL.parse(e);return D(r)?r:null}function te(e,t,n=!1){let
r=URL.parse(e);return r?(r.hash=t,r.href):n&&ee(e,`http://example.com`)?e.split(`#`,1)
[0]+`${t?`#${t}`:``}`:``}}function O(e){return e.substring(e.lastIndexOf(`/`)+1)}
function k(e,t,n,r=!1){return Object.defineProperty(e,t,{value:n,enumerable:!
r,configurable:!0,writable:!1}),n}var A=function(){function e(e,t)
{this.message=e,this.name=t}return e.prototype=Error(),e.constructor=e,e(),j=class
extends A{constructor(e,t){super(e,`PasswordException`),this.code=t}},M=class extends
A{constructor(e,t){super(e,`UnknownErrorException`),this.details=t}},ne=class extends
A{constructor(e){super(e,`InvalidPDFException`)}},re=class extends
A{constructor(e,t,n)
{super(e,`ResponseException`),this.status=t,this.missing=n}},ie=class extends
A{constructor(e){super(e,`FormatError`)}},N=class extends A{constructor(e)
{super(e,`AbortException`)}};function ae(e){(typeof e!="object"||e?.length===void
0)&&T(`Invalid argument for bytesToString`);let t=e.length,n=8192;if(t<n)return
String.fromCharCode.apply(null,e);let r=[];for(let i=0;i<t;i+=n){let
a=Math.min(i+n,t),o=e.subarray(i,a);r.push(String.fromCharCode.apply(null,o))}return
r.join(``)}function oe(e){typeof e!="string"&&T(`Invalid argument for
stringToBytes`);let t=e.length,n=new Uint8Array(t);for(let r=0;r<t;+
+r)n[r]=e.charCodeAt(r)&255;return n}function se(e){return
String.fromCharCode(e>>24&255,e>>16&255,e>>8&255,e&255)}function ce(){let e=new
```



```

required`,t)}};Zr=class extends Xr{constructor(e){let t=e.renderForms||
e.data.hasOwnCanvas||!e.data.hasAppearance&&!e.data.fieldValue;super(e,
{isRenderable:t})}setPropertyOnSiblings(e,t,n,r){let i=this.annotationStorage;for(let
a of
this._getElementsByName(e.name,e.id))a.domElement&&(a.domElement[t]=n),i.setValue(a.id,
{[r]:n})}render(){let
e=this.annotationStorage,t=this.data.id;this.container.classList.add(`textWidgetAnnotation`);
n=null;if(this.renderForms){let r=e.getValue(t,
{value:this.data.fieldValue}),i=r.value||``,a=e.getValue(t,
{charLimit:this.data.maxLen}).charLimit;a&&i.length>a&&(i=i.slice(0,a));let
o=r.formattedValue||this.data.textContent?.join(
`)|`)|null;o&&this.data.comb&&(o=o.replaceAll(/\s+/g,``));let
s={userValue:i,formattedValue:o,lastCommittedValue:null,commitKey:1,focused:!
1};this.data.multiLine?(n=document.createElement(`textarea`),n.textContent=o??
i,this.data.doNotScroll&&(n.style.overflowY=`hidden`)):
(n=document.createElement(`input`),n.type=this.data.password?
`password`:`text`,n.setAttribute(`value`,o??
i),this.data.doNotScroll&&(n.style.overflowX=`hidden`)),this.data.hasOwnCanvas&&(n.hidden
=0),wr.add(n),this.contentElement=n,n.setAttribute(`data-element-
id`,t),n.disabled=this.data.readOnly,n.name=this.data.fieldName,n.tabIndex=0;let{datetime
=this.data,d=!
l&&this.enableScripting;c&&(n.title=c),this._setRequired(n,this.data.required),a&&(n.maxL
{value:r.target.value}),this.setPropertyOnSiblings(n,`value`,r.target.value,`value`),s.foc
t=this.data.defaultFieldValue??``;n.value=s.userValue=t,s.formattedValue=null});let
f=e=>{let{formattedValue:t}=s;t!
=null&&(e.target.value=t),e.target.scrollLeft=0};if(this.enableScripting&&this.hasJSActio
{n.addEventListener(`focus`,e=>{if(s.focused)return;let{target:t}
=e;if(d&&(t.type=l,u&&(t.step=u)),s.userValue){let e=s.userValue;if(d)if(l===`time`)
{let n=new
Date(e);t.value=[n.getHours(),n.getMinutes(),n.getSeconds()].map(e=>e.toString()).padStart
else t.value=new Date(e-Gr).toISOString().split(l===`date`?`T`:`.`)[0];else
t.value=e}s.lastCommittedValue=t.value,s.commitKey=1,this.data.actions?.Focus||
(s.focused=!
0)}),n.addEventListener(`updatefromsandbox`,n=>{this.showElementAndHideCanvas(n.target),t
{s.userValue=n.detail.value??``,d||e.setValue(t,
{value:s.userValue.toString()}),n.target.value=s.userValue},formattedValue(n)
{let{formattedValue:r}=n.detail;s.formattedValue=r,r!=null&&n.target!
==document.activeElement&&(n.target.value=r);let
i={formattedValue:r};d&&(i.value=r),e.setValue(t,i)},selRange(e)
{e.target.setSelectionRange(...e.detail.selRange)},charLimit:n=>{let{charLimit:r}
=n.detail,{target:i}=n;if(r===0){i.removeAttribute(`maxLength`);return}
i.setAttribute(`maxLength`,r);let a=s.userValue;!a||a.length<=r||
(a=a.slice(0,r),i.value=s.userValue=a,e.setValue(t,
{value:a})),this.linkService.eventBus?.dispatch(`dispatcheventinsandbox`,
{source:this,detail:{id:t,name:`Keystroke`,value:a,willCommit:!
0,commitKey:1,selStart:i.selectionStart,selEnd:i.selectionEnd}})})),n.addEventListen
n=-1;if(e.key===`Escape`?n=0:e.key===`Enter`&&!this.data.multiLine?
n=2:e.key===`Tab`&&(s.commitKey=3),n===-1)return;let{value:r}

```

```
=e.target;s.lastCommittedValue!
==r&&(s.lastCommittedValue=r,s.userValue=r,this.linkService.eventBus?.dispatch(`dispatche
{source:this,detail:{id:t,name:`Keystroke`,value:r,willCommit:!
0,commitKey:n,selStart:e.target.selectionStart,selEnd:e.target.selectionEnd}}));let
r=f;f=null,n.addEventListener(`blur`,e=>{if(!s.focused||!
e.relatedTarget)return;this.data.actions?.Blur||(s.focused=!1);let{target:n}=e,
{value:i}=n;if(d){if(i&&l===`time`){let e=i.split(`:`).map(e=>parseInt(e,10));i=new
Date(2e3,0,1,e[0],e[1],e[2]||0).valueOf(),n.step=``}else i.includes(`T`)||(i=`${i}
T00:00`),i=new Date(i).valueOf();n.type=`text`}s.userValue=i,s.lastCommittedValue!
==i&&this.linkService.eventBus?.dispatch(`dispatcheventinsandbox`,{source:this,detail:
{id:t,name:`Keystroke`,value:i,willCommit:!
0,commitKey:s.commitKey,selStart:e.target.selectionStart,selEnd:e.target.selectionEnd}}),
=e,{value:i,selectionStart:a,selectionEnd:o}=r,c=a,l=o;switch(e.inputType)
{case`deleteWordBackward`:{let e=i.substring(0,a).match(/w*[^w]*$/);e&&(c-
=e[0].length);break}case`deleteWordForward`:{let e=i.substring(a).match(/
^[^w]*w*/);e&&(l+=e[0].length);break}case`deleteContentBackward`:a===o&&-
c;break;case`deleteContentForward`:a===o&&(l+=1);break}
e.preventDefault(),this.linkService.eventBus?.dispatch(`dispatcheventinsandbox`,
{source:this,detail:{id:t,name:`Keystroke`,value:i,change:n||``,willCommit:!
1,selStart:c,selEnd:l}})),this._setEventListeners(n,s,[`focus`,`Focus`],
[`blur`,`Blur`],[`mousedown`,`Mouse Down`],[`mouseenter`,`Mouse Enter`],
[`mouseleave`,`Mouse Exit`],[`mouseup`,`Mouse Up`]],e=>e.target.value)}
if(f&&n.addEventListener(`blur`,f),this.data.comb){let e=(this.data.rect[2]-
this.data.rect[0])/a;n.classList.add(`comb`),n.style.letterSpacing=`calc(${e}px *
var(--total-scale-factor) - 1ch)`}}else
n=document.createElement(`div`),n.textContent=this.data.fieldValue,n.style.verticalAlign=
cell`,this.data.hasOwnCanvas&&(n.hidden=!0);return
this._setTextStyle(n),this._setBackgroundColor(n),this._setDefaultPropertiesFromJS(n),thi
extends Xr{constructor(e){super(e,{isRenderable:!!e.data.hasOwnCanvas})}},$r=class
extends Xr{constructor(e){super(e,{isRenderable:e.renderForms})}render(){let
e=this.annotationStorage,t=this.data,n=t.id,r=e.getValue(n,
{value:t.exportValue===t.fieldValue}).value;typeof r==`string`&&(r=r!
==`Off`,e.setValue(n,
{value:r})),this.container.classList.add(`buttonWidgetAnnotation`,`checkBox`);let
i=document.createElement(`input`);return Wr.add(i),i.setAttribute(`data-element-
id`,n),i.disabled=t.readOnly,this._setRequired(i,this.data.required),i.type=`checkbox`,i.
0),i.setAttribute(`exportValue`,t.exportValue),i.tabIndex=0,i.addEventListener(`change`,r
=r.target;for(let r of this._getElementsByName(i,n)){let
n=a&&r.exportValue===t.exportValue;r.domElement&&(r.domElement.checked=n),e.setValue(r.id
{value:n})}e.setValue(n,{value:a})),i.addEventListener(`resetform`,e=>{let
n=t.defaultFieldValue||
`Off`;e.target.checked=n===t.exportValue}),this.enableScripting&&this.hasJSActions&&(i.ad
{t.target.checked=t.detail.value!==`Off`,e.setValue(n,
{value:t.target.checked}}),t})),this._setEventListeners(i,null,
[[`change`,`Validate`],[`change`,`Action`],[`focus`,`Focus`],[`blur`,`Blur`],
[`mousedown`,`Mouse Down`],[`mouseenter`,`Mouse Enter`],[`mouseleave`,`Mouse Exit`],
[`mouseup`,`Mouse
Up`]],e=>e.target.checked)),this._setBackgroundColor(i),this._setDefaultPropertiesFromJS(
```

```

extends Xr{constructor(e){super(e,{isRenderable:e.renderForms})}render()
{this.container.classList.add(`buttonWidgetAnnotation`,`radioButton`);let
e=this.annotationStorage,t=this.data,n=t.id,r=e.getValue(n,
{value:t.fieldValue===t.buttonValue}).value;if(typeof r==`string`&&(r=r!
==t.buttonValue,e.setValue(n,{value:r})),r)for(let r of
this._getElementsByName(t.fieldName,n))e.setValue(r.id,{value:!1});let
i=document.createElement(`input`);if(Wr.add(i),i.setAttribute(`data-element-
id`,n),i.disabled=t.readOnly,this._setRequired(i,this.data.required),i.type=`radio`,i.name=
0),i.tabIndex=0,i.addEventListener(`change`,t=>{let{name:r,checked:i}=t.target;for(let
t of this._getElementsByName(r,n))e.setValue(t.id,{value:!1});e.setValue(n,
{value:i})}),i.addEventListener(`resetform`,e=>{let
n=t.defaultFieldValue;e.target.checked=n!
=null&&n===t.buttonValue}),this.enableScripting&&this.hasJSActions){let
r=t.buttonValue;i.addEventListener(`updatefromsandbox`,t=>{this._dispatchEventFromSandbox(
i,r===t.detail.value;for(let r of this._getElementsByName(t.target.name)){let
t=i&&r.id===n;r.domElement&&(r.domElement.checked=t),e.setValue(r.id,
{value:t})}}},t)),this._setEventListeners(i,null,[[`change`,`Validate`],
[`change`,`Action`],[`focus`,`Focus`],[`blur`,`Blur`],[`mousedown`,`Mouse Down`],
[`mouseenter`,`Mouse Enter`],[`mouseleave`,`Mouse Exit`],[`mouseup`,`Mouse
Up`]],e=>e.target.checked)}return
this._setBackgroundcolor(i),this._setDefaultPropertiesFromJS(i),this.container.append(i),
extends Jr{constructor(e){super(e,{ignoreBorder:e.data.hasAppearance})}render(){let
e=super.render();e.classList.add(`buttonWidgetAnnotation`,`pushButton`);let
t=e.lastChild;return
this.enableScripting&&this.hasJSActions&&t&&(this._setDefaultPropertiesFromJS(t),t.addEvent
extends Xr{constructor(e){super(e,{isRenderable:e.renderForms})}render()
{this.container.classList.add(`choiceWidgetAnnotation`);let
e=this.annotationStorage,t=this.data.id,n=e.getValue(t,
{value:this.data.fieldValue}),r=document.createElement(`select`);Wr.add(r),r.setAttribute(
`data-element-id`,t),r.disabled=this.data.readOnly,this._setRequired(r,this.data.required),r.name=this.
data.id,this.data.combo&&this.data.options.length>0;this.data.combo||
(r.size=this.data.options.length,this.data.multiSelect&&(r.multiple=!
0)),r.addEventListener(`resetform`,e=>{let t=this.data.defaultFieldValue;for(let e of
r.options)e.selected=e.value===t});for(let e of this.data.options){let
t=document.createElement(`option`);t.textContent=e.displayValue,t.value=e.exportValue,n.v
0),i=!1),r.append(t)}let a=null;if(i){let e=document.createElement(`option`);e.value=
`,e.setAttribute(`hidden`,!0),e.setAttribute(`selected`,!
0),r.prepend(e),a=(=>{e.remove(),r.removeEventListener(`input`,a),a=null},r.addEventList
let o=e=>{let t=e.`value`:`textContent`,{options:n,multiple:i}=r;return i?
Array.prototype.filter.call(n,e=>e.selected).map(e=>e[t]):n.selectedIndex===-1?
null:n[n.selectedIndex][t]},s=o(!1),c=e=>{let t=e.target.options;return
Array.prototype.map.call(t,e=>({displayValue:e.textContent,exportValue:e.value}))};return
this.enableScripting&&this.hasJSActions?
(r.addEventListener(`updatefromsandbox`,n=>{this._dispatchEventFromSandbox({value(n)
{a?();let i=n.detail.value,c=new Set(Array.isArray(i)?i:[i]);for(let e of
r.options)e.selected=c.has(e.value);e.setValue(t,{value:o(!0)}),s=o(!
1)},multipleSelection(e){r.multiple=!0},remove(n){let

```



```
i=r.options,a=n.detail.remove;i[a].selected=!
1,r.remove(a),i.length>0&&Array.prototype.findIndex.call(i,e=>e.selected)===-1&&(i[0].sel
0),e.setValue(t,{value:o(!0),items:c(n)}),s=o(!1)},clear(n){for(;r.length!
==0;)r.remove(0);e.setValue(t,{value:null,items:[]}),s=o(!1)},insert(n)
{let{index:i,displayValue:a,exportValue:l}
=n.detail.insert,u=r.children[i],d=document.createElement(`option`);d.textContent=a,d.val
u.before(d):r.append(d),e.setValue(t,{value:o(!0),items:c(n)}),s=o(!1)},items(n)
{let{items:i}=n.detail;for(;r.length!==0;)r.remove(0);for(let e of i)
{let{displayValue:t,exportValue:n}
=e,i=document.createElement(`option`);i.textContent=t,i.value=n,r.append(i)}
r.options.length>0&&(r.options[0].selected=!0),e.setValue(t,{value:o(!
0),items:c(n)}),s=o(!1)},indices(n){let r=new Set(n.detail.indices);for(let e of
n.target.options)e.selected=r.has(e.index);e.setValue(t,{value:o(!0)}),s=o(!
1)},editable(e){e.target.disabled=!
e.detail.editable}},n)),r.addEventListener(`input`,n=>{let r=o(!0),i=o(!
1);e.setValue(t,
{value:r}),n.preventDefault(),this.linkService.eventBus?.dispatch(`dispatcheventinsandbox
{source:this,detail:{id:t,name:`Keystroke`,value:s,change:i,changeEx:r,willCommit:!
1,commitKey:1,keyDown:!1}})),this._setEventListeners(r,null,[`focus`,`Focus`,`
blur`,`Blur`,`mousedown`,`Mouse Down`,`mouseenter`,`Mouse Enter`,`
mouseleave`,`Mouse Exit`,`mouseup`,`Mouse Up`,`input`,`Action`,`
input`,`Validate`],e=>e.target.value)):r.addEventListener(`input`,function(n)
{e.setValue(t,{value:o(!
0)}})),this.data.combo&&this._setTextStyle(r),this._setBackgroundColor(r),this._setDefault
extends Q{constructor(e){let{data:t,elements:n,parent:r}=e,i=!!
r._commentManager;if(super(e,{isRenderable:!
i&&Q._hasPopupData(t)}),this.elements=n,i&&Q._hasPopupData(t)){let
e=this.popup=this.#e();for(let t of n)t.popup=e}else this.popup=null}#e(){return new
ii({container:this.container,color:this.data.color,titleObj:this.data.titleObj,modificati
this.data.creationDate,contentsObj:this.data.contentsObj,richText:this.data.richText,rect
null,parent:this.parent,elements:this.elements,open:this.data.open,commentManager:this.pa
render(){let{container:e}=this;e.classList.add(`popupAnnotation`),e.role=`comment`;let
t=this.popup=this.#e(),n=[];for(let e of
this.elements)e.popup=t,e.container.ariaHasPopup=`dialog`,n.push(e.data.id),e.addHighligh
this.container.setAttribute(`aria-controls`,n.map(e=>`${ge}${e}
`).join`,`)),this.container}},ii=class{#e=null;#t=this.#P.bind(this);#n=this.#R.bind(thi
1;#p=null;#m=null;#h=null;#g=null;#_=null;#v=null;#y=null;#b=null;#x=null;#S=null;#C=!
1;#w=null;#T=null;constructor({container:e,color:t,elements:n,titleObj:r,modificationDate
{this.#o=e,this.#x=r,this.#s=a,this.#b=o,this.#u=s,this.#a=t,this.#y=c,this.#d=l,this.#l=
(this.#E(),this.#o.hidden=!0,u&&this.#I())}#E(){if(this.#m)return;this.#m=new
AbortController;let{signal:e}=this.#m;for(let t of
this.trigger)t.addEventListener(`click`,this.#i,
{signal:e}),t.addEventListener(`pointerenter`,this.#r,
{signal:e}),t.addEventListener(`pointerleave`,this.#n,
{signal:e}),t.classList.add(`popupTriggerArea`);for(let t of
this.#l)t.container?.addEventListener(`keydown`,this.#t,{signal:e})}#D(){let
e=this.#l.find(e=>e.hasCommentButton);e&&(this.#_=e._normalizePoint(e.commentButtonPositi
renderCommentButton(){if(this.#g){this.#g.parentNode|
```



```
this.#w.container.after(this.#g);return}if(this.#_||this.#D(),!
this.#_)return;let{signal:e}=this.#m=new
AbortController,t=this.#w.hasOwnCommentButton,n=()=>{this.#e.toggleCommentPopup(this,!
0,void 0,!t)},r=()=>{this.#e.toggleCommentPopup(this,!1,!0,!
t)},i=()=>{this.#e.toggleCommentPopup(this,!1,!1)};if(t)
{this.#g=this.#w.container;for(let t of
this.trigger)t.ariaHasPopup=`dialog`,t.ariaControls=`commentPopup`,t.addEventListener(`ke
{signal:e}),t.addEventListener(`click`,n,
{signal:e}),t.addEventListener(`pointerenter`,r,
{signal:e}),t.addEventListener(`pointerleave`,i,
{signal:e}),t.classList.add(`popupTriggerArea`)}else{let
t=this.#g=document.createElement(`button`);t.className=`annotationCommentButton`;let
a=this.#w.container;t.style.zIndex=a.style.zIndex+1,t.tabIndex=0,t.ariaHasPopup=`dialog`,
l10n-id`,`pdfjs-show-comment-
button`),this.#k(),this.#O(),t.addEventListener(`keydown`,this.#t,
{signal:e}),t.addEventListener(`click`,n,
{signal:e}),t.addEventListener(`pointerenter`,r,
{signal:e}),t.addEventListener(`pointerleave`,i,{signal:e}),a.after(t)}}#O()
{if(this.#w.extraPopupElement&&!this.#w.editor)return;this.#g||
this.renderCommentButton();let[e,t]=this.#_,{style:n}
=this.#g;n.left=`calc(${e}%)`,n.top=`calc(${t}% - var(--comment-button-dim))`#k()
{this.#w.extraPopupElement||(this.#g||
this.renderCommentButton(),this.#g.style.backgroundColor=this.commentButtonColor||``)
get commentButtonColor(){let{color:e,opacity:t}=this.#w.commentData;return e?
this.#u._commentManager.makeCommentColor(e,t):null}focusCommentButton()
{setTimeout( ()=>{this.#g?.focus()},0)}getData()
{let{richText:e,color:t,opacity:n,creationDate:r,modificationDate:i}
=this.#w.commentData;return{contentsObj:
{str:this.comment},richText:e,color:t,opacity:n,creationDate:r,modificationDate:i}}get
elementBeforePopup(){return this.#g}get comment(){return this.#T||
=this.#w.commentText,this.#T}set comment(e){e!
==this.comment&&(this.#w.commentText=this.#T=e)}focus(){this.#w.container?.focus()}get
parentBoundingClientRect(){return this.#w.layer.getBoundingClientRect()}
setCommentButtonStates({selected:e,hasPopup:t})
{this.#g&&(this.#g.classList.toggle(`selected`,e),this.#g.ariaExpanded=t)}
setSelectedCommentButton(e){this.#g.classList.toggle(`selected`,e)}get
commentPopupPosition(){if(this.#v)return this.#v;let{x:e,y:t,height:n}
=this.#g.getBoundingClientRect(),{x:r,y:i,width:a,height:o}
=this.#w.layer.getBoundingClientRect();return[(e-r)/a,(t+n-i)/o]}set
commentPopupPosition(e){this.#v=e}hasDefaultPopupPosition(){return this.#v===null}get
commentButtonPosition(){return this.#_}get commentButtonWidth(){return
this.#g.getBoundingClientRect().width/this.parentBoundingClientRect.width}
editComment(e){let[t,n]=this.#v||
this.commentButtonPosition.map(e=>e/100),r=this.parentBoundingClientRect,
{x:i,y:a,width:o,height:s}=r;this.#e.showDialog(null,this,i+t*o,a+n*s,
{...e,parentDimensions:r})}render(){if(this.#p)return;let
e=this.#p=document.createElement(`div`);if(e.className=`popup`,this.#a){let
t=e.style.outlineColor=F.makeHexColor(...this.#a);e.style.backgroundColor=`color-
```

```
mix(in srgb, ${t} 30%, white)`}}let
t=document.createElement(`span`);if(t.className=`header`,this.#x?.str){let
e=document.createElement(`span`);e.className=`title`,t.append(e),
{dir:e.dir,str:e.textContent}=this.#x;if(e.append(t),this.#c){let
e=document.createElement(`time`);e.className=`popupDate`,e.setAttribute(`data-l10n-
id`,`pdfjs-annotation-date-time-string`),e.setAttribute(`data-l10n-
args`,JSON.stringify({dateObj:this.#c.valueOf()})),e.dateTime=this.#c.toISOString(),t.app
Xe({html:this.#A||
this.#s.str,dir:this.#s?.dir,className:`popupContent`,e),this.#o.append(e)}get#A()
{let e=this.#b,t=this.#s;return e?.str&&(t?.str||t.str===e.str)&&this.#b.html||null}
get#j(){return this.#A?.attributes?.style?.fontSize||0}get#M(){return
this.#A?.attributes?.style?.color||null}#N(e){let t=[],n={str:e,html:
{name:`div`,attributes:{dir:`auto`},children:[{name:`p`,children:t}]}},r={style:
{color:this.#M,fontSize:this.#j?`calc(${this.#j}px * var(--total-scale-
factor))`:``}};for(let n of e.split(`
`))t.push({name:`span`,value:n,attributes:r});return n}#P(e){e.altKey||
e.shiftKey||e.ctrlKey||e.metaKey||(e.key===`Enter`||
e.key===`Escape`&&this.#f)&&this.#I()}updateEdited({rect:e,popup:t,deleted:n})
{if(this.#e){n?(this.remove(),this.#T=null):t&&(t.deleted?this.remove():
(this.#k(),this.#T=t.text)),e&&(this.#_=null,this.#D(),this.#O());return}if(n||
t?.deleted){this.remove();return}this.#E(),this.#S||
={contentsObj:this.#s,richText:this.#b},e&&(this.#h=null),t&&t.text&&(this.#b=this.#N(t.t
resetEdited(){this.#S&&({contentsObj:this.#s,richText:this.#b}
=this.#S,this.#S=null,this.#p?.remove(),this.#p=null,this.#h=null)}remove()
{if(this.#m?.abort(),this.#m=null,this.#p?.remove(),this.#p=null,this.#C=!1,this.#f=!
1,this.#g?.remove(),this.#g=null,this.trigger)for(let e of
this.trigger)e.classList.remove(`popupTriggerArea`)}#F(){if(this.#h!
==null)return;let{page:{view:e},viewport:{rawDims:
{pageWidth:t,pageHeight:n,pageX:r,pageY:i}}}=this.#u,a=!this.#d,o=a?
this.#d:this.#y;for(let e of this.#l){if(!o||F.intersect(e.data.rect,o)!=null)
{o=e.data.rect,a=!0;break}let s=F.normalizeRect([o[0],e[3]-o[1]+e[1],o[2],e[3]-
o[3]+e[1]]),c=a?o[2]-o[0]+5:0,l=s[0]+c,u=s[1];this.#h=[100*(l-r)/t,100*(u-i)/
n];let{style:d}=this.#o;d.left=`${this.#h[0]}%`,d.top=`${this.#h[1]}%`}#I()
{if(this.#e){this.#e.toggleCommentPopup(this,!1);return}this.#f=!this.#f,this.#f?
(this.#L(),this.#o.addEventListener(`click`,this.#i),this.#o.addEventListener(`keydown`,t
(this.#R(),this.#o.removeEventListener(`click`,this.#i),this.#o.removeEventListener(`keyd
#L(){this.#p||this.render(),this.isVisible?this.#f&&this.#o.classList.add(`focused`):
(this.#F(),this.#o.hidden=!1,this.#o.style.zIndex=parseInt(this.#o.style.zIndex)+1e3)}
#R(){this.#o.classList.remove(`focused`),!(this.#f||!
this.isVisible)&&(this.#o.hidden=!
0,this.#o.style.zIndex=parseInt(this.#o.style.zIndex)-1e3)}forceHide()
{this.#C=this.isVisible,this.#C&&(this.#o.hidden=!0)}maybeShow(){this.#e||
(this.#E(),this.#C&&(this.#p||this.#L(),this.#C=!1,this.#o.hidden=!1))}get isVisible()
{return this.#e?!1:this.#o.hidden===!1}},ai=class extends Q{constructor(e){super(e,
{isRenderable:!0,ignoreBorder:!
0}),this.textContent=e.data.textContent,this.textPosition=e.data.textPosition,this.annota
render(){if(this.container.classList.add(`freeTextAnnotation`),this.textContent){let
e=this.contentElement=document.createElement(`div`);e.classList.add(`annotationTextCon
```

```

t of this.textContent){let
n=document.createElement(`span`);n.textContent=t,e.append(n)}this.container.append(e)}
return!this.data.popupRef&&this.hasPopupData&&(this.hasOwnCommentButton=!
0,this._createPopup()),this._editOnDoubleClick(),this.container}},oi=class extends
Q{#e=null;constructor(e){super(e,{isRenderable:!0,ignoreBorder:!0})}render()
{this.container.classList.add(`lineAnnotation`);let{data:e,width:t,height:n}
=this,r=this.svgFactory.create(t,n,!
0),i=this.#e=this.svgFactory.createElement(`svg:line`);return
i.setAttribute(`x1`,e.rect[2]-e.lineCoordinates[0]),i.setAttribute(`y1`,e.rect[3]-
e.lineCoordinates[1]),i.setAttribute(`x2`,e.rect[2]-
e.lineCoordinates[2]),i.setAttribute(`y2`,e.rect[3]-
e.lineCoordinates[3]),i.setAttribute(`stroke-width`,e.borderStyle.width||
1),i.setAttribute(`stroke`,`transparent`),i.setAttribute(`fill`,`transparent`),r.append(i)
e.popupRef&&this.hasPopupData&&(this.hasOwnCommentButton=!
0,this._createPopup()),this.container}getElementsToTriggerPopup(){return this.#e}
addHighlightArea(){this.container.classList.add(`highlightArea`)},si=class extends
Q{#e=null;constructor(e){super(e,{isRenderable:!0,ignoreBorder:!0})}render()
{this.container.classList.add(`squareAnnotation`);let{data:e,width:t,height:n}
=this,r=this.svgFactory.create(t,n,!
0),i=e.borderStyle.width,a=this.#e=this.svgFactory.createElement(`svg:rect`);return
a.setAttribute(`x`,i/2),a.setAttribute(`y`,i/2),a.setAttribute(`width`,t-
i),a.setAttribute(`height`,n-i),a.setAttribute(`stroke-width`,i||
1),a.setAttribute(`stroke`,`transparent`),a.setAttribute(`fill`,`transparent`),r.append(a)
e.popupRef&&this.hasPopupData&&(this.hasOwnCommentButton=!
0,this._createPopup()),this.container}getElementsToTriggerPopup(){return this.#e}
addHighlightArea(){this.container.classList.add(`highlightArea`)},ci=class extends
Q{#e=null;constructor(e){super(e,{isRenderable:!0,ignoreBorder:!0})}render()
{this.container.classList.add(`circleAnnotation`);let{data:e,width:t,height:n}
=this,r=this.svgFactory.create(t,n,!
0),i=e.borderStyle.width,a=this.#e=this.svgFactory.createElement(`svg:ellipse`);return
a.setAttribute(`cx`,t/2),a.setAttribute(`cy`,n/2),a.setAttribute(`rx`,t/2-
i/2),a.setAttribute(`ry`,n/2-i/2),a.setAttribute(`stroke-width`,i||
1),a.setAttribute(`stroke`,`transparent`),a.setAttribute(`fill`,`transparent`),r.append(a)
e.popupRef&&this.hasPopupData&&(this.hasOwnCommentButton=!
0,this._createPopup()),this.container}getElementsToTriggerPopup(){return this.#e}
addHighlightArea(){this.container.classList.add(`highlightArea`)},li=class extends
Q{#e=null;constructor(e){super(e,{isRenderable:!0,ignoreBorder:!
0}),this.containerClassName=`polylineAnnotation`,this.svgElementName=`svg:polyline`}
render(){this.container.classList.add(this.containerClassName);let{data:
{rect:e,vertices:t,borderStyle:n,popupRef:r},width:i,height:a}=this;if(!t)return
this.container;let o=this.svgFactory.create(i,a,!0),s=[];for(let
n=0,r=t.length;n<r;n+=2){let r=t[n]-e[0],i=e[3]-t[n+1];s.push(`${r},${i}`)}s=s.join(
`);let c=this.#e=this.svgFactory.createElement(this.svgElementName);return
c.setAttribute(`points`,s),c.setAttribute(`stroke-width`,n.width||
1),c.setAttribute(`stroke`,`transparent`),c.setAttribute(`fill`,`transparent`),o.append(c)
r&&this.hasPopupData&&(this.hasOwnCommentButton=!
0,this._createPopup()),this.container}getElementsToTriggerPopup(){return this.#e}
addHighlightArea(){this.container.classList.add(`highlightArea`)},ui=class extends

```

```

    li{constructor(e)
    {super(e),this.containerClassName=`polygonAnnotation`,this.svgElementName=`svg:polygon`}}
    extends Q{constructor(e){super(e,{isRenderable:!0,ignoreBorder:!0})}render(){return
    this.container.classList.add(`caretAnnotation`),!
    this.data.popupRef&&this.hasPopupData&&(this.hasOwnCommentButton=!
    0,this._createPopup()),this.container}},fi=class extends
    Q{#e=null;#t=[];constructor(e){super(e,{isRenderable:!0,ignoreBorder:!
    0}),this.containerClassName=`inkAnnotation`,this.svgElementName=`svg:polyline`,this.annot
    c.HIGHLIGHT:c.INK}#n(e,t){switch(e){case 90:return{transform:`rotate(90) translate(${
    t[0]},${t[1]}) scale(1,-1)`,width:t[3]-t[1],height:t[2]-t[0]};case
    180:return{transform:`rotate(180) translate(${t[2]},${t[1]}) scale(1,-1)`,width:t[2]-
    t[0],height:t[3]-t[1]};case 270:return{transform:`rotate(270) translate(${t[2]},
    ${t[3]}) scale(1,-1)`,width:t[3]-t[1],height:t[2]-
    t[0]};default:return{transform:`translate(${t[0]},${t[3]}) scale(1,-1)`,width:t[2]-
    t[0],height:t[3]-t[1]}}}render()
    {this.container.classList.add(this.containerClassName);let{data:
    {rect:e,rotation:t,inkLists:n,borderStyle:r,popupRef:i}}=this,
    {transform:a,width:o,height:s}=this.#n(t,e),c=this.svgFactory.create(o,s,!
    0),l=this.#e=this.svgFactory.createElement(`svg:g`);c.append(l),l.setAttribute(`stroke-
    width`,r.width||1),l.setAttribute(`stroke-linecap`,`round`),l.setAttribute(`stroke-
    linejoin`,`round`),l.setAttribute(`stroke-
    miterlimit`,10),l.setAttribute(`stroke`,`transparent`),l.setAttribute(`fill`,`transparent
    e=0,t=n.length;e<t;e++){let
    t=this.svgFactory.createElement(this.svgElementName);this.#t.push(t),t.setAttribute(`poin
    return!i&&this.hasPopupData&&(this.hasOwnCommentButton=!
    0,this._createPopup()),this.container.append(c),this._editOnDoubleClick(),this.container}
    updateEdited(e){super.updateEdited(e);let{thickness:t,points:n,rect:r}
    =e,i=this.#e;if(t>=0&&i.setAttribute(`stroke-width`,t||1),n)for(let
    e=0,t=this.#t.length;e<t;e++)this.#t[e].setAttribute(`points`,n[e].join`,`));if(r)
    {let{transform:e,width:t,height:n}
    =this.#n(this.data.rotation,r);i.parentElement.setAttribute(`viewBox`,`0 0 ${t} ${n}
    `),i.setAttribute(`transform`,e)}}getElementsToTriggerPopup(){return this.#t}
    addHighlightArea(){this.container.classList.add(`highlightArea`)},pi=class extends
    Q{constructor(e){super(e,{isRenderable:!0,ignoreBorder:!0,createQuadrilaterals:!
    0}),this.annotationEditorType=c.HIGHLIGHT}render(){let{data:
    {overlaidText:e,popupRef:t}}=this;if(!
    t&&this.hasPopupData&&(this.hasOwnCommentButton=!
    0,this._createPopup()),this.container.classList.add(`highlightAnnotation`),this._editOnDo
    {let
    t=document.createElement(`mark`);t.classList.add(`overlaidText`),t.textContent=e,this.con
    return this.container}},mi=class extends Q{constructor(e){super(e,{isRenderable:!
    0,ignoreBorder:!0,createQuadrilaterals:!0})}render(){let{data:
    {overlaidText:e,popupRef:t}}=this;if(!
    t&&this.hasPopupData&&(this.hasOwnCommentButton=!
    0,this._createPopup()),this.container.classList.add(`underlineAnnotation`),e){let
    t=document.createElement(`u`);t.classList.add(`overlaidText`),t.textContent=e,this.contai
    return this.container}},hi=class extends Q{constructor(e){super(e,{isRenderable:!
    0,ignoreBorder:!0,createQuadrilaterals:!0})}render(){let{data:

```

```

{overlaidText:e,popupRef:t}}=this;if(!
t&&this.hasPopupData&&(this.hasOwnCommentButton=!
0,this._createPopup()),this.container.classList.add(`squigglyAnnotation`),e){let
t=document.createElement(`u`);t.classList.add(`overlaidText`),t.textContent=e,this.contai
return this.container}},gi=class extends Q{constructor(e){super(e,{isRenderable:!
0,ignoreBorder:!0,createQuadrilaterals:!0})}render(){let{data:
{overlaidText:e,popupRef:t}}=this;if(!
t&&this.hasPopupData&&(this.hasOwnCommentButton=!
0,this._createPopup()),this.container.classList.add(`strikeoutAnnotation`),e){let
t=document.createElement(`s`);t.classList.add(`overlaidText`),t.textContent=e,this.contai
return this.container}},_i=class extends Q{constructor(e){super(e,{isRenderable:!
0,ignoreBorder:!0}),this.annotationEditorType=c.STAMP}render(){return
this.container.classList.add(`stampAnnotation`),this.container.setAttribute(`role`,`img`)
this.data.popupRef&&this.hasPopupData&&(this.hasOwnCommentButton=!
0,this._createPopup()),this._editOnDoubleClick(),this.container}},vi=class extends
Q{#e=null;constructor(e){super(e,{isRenderable:!0});let{file:t}
=this.data;this.filename=t.filename,this.content=t.content,this.linkService.eventBus?.dis
{source:this,...t}}render()
{this.container.classList.add(`fileAttachmentAnnotation`);let{container:e,data:t}
=this,n;t.hasAppearance||t.fillAlpha===0?n=document.createElement(`div`):
(n=document.createElement(`img`),n.src=`${this.imageResourcesPath}annotation-`${/
paperclip/i.test(t.name)?
`paperclip`:`pushpin`.svg`,t.fillAlpha&&t.fillAlpha<1&&(n.style=`filter:
opacity(${Math.round(t.fillAlpha*100)}%)`)),n.addEventListener(`dblclick`,this.#t.bind(t
=P.platform;return e.addEventListener(`keydown`,e=>{e.key===`Enter`&&(r?
e.metaKey:e.ctrlKey)&&this.#t()}),!t.popupRef&&this.hasPopupData?
(this.hasOwnCommentButton=!
0,this._createPopup()):n.classList.add(`popupTriggerArea`),e.append(n),e}
getElementsToTriggerPopup(){return this.#e}addHighlightArea()
{this.container.classList.add(`highlightArea`)}#t()
{this.downloadManager?.openOrDownloadData(this.content,this.filename)}},yi=class
e{#e=null;#t=null;#n=null;#r=new Map;#i=null;#a=null;#o=[];#s=!
1;constructor({div:e,accessibilityManager:t,annotationCanvasMap:n,annotationEditorUIManag
{this.div=e,this.#e=t,this.#t=n,this.#i=o||null,this.#a=c||null,this.#n=l||new
ht,this.page=i,this.viewport=a,this.zIndex=0,this._annotationEditorUIManager=r,this._comm
null}hasEditableAnnotations(){return this.#r.size>0}async render(e){let{annotations:t}
=e,n=this.div;Re(n,this.viewport);let r=new
Map,i=[],a={data:null,layer:n,linkService:this.#a,downloadManager:e.downloadManager,image
``,renderForms:e.renderForms!===1,svgFactory:new
Hr,annotationStorage:this.#n,enableComment:e.enableComment===!
0,enableScripting:e.enableScripting===!
0,hasJSActions:e.hasJSActions,fieldObjects:e.fieldObjects,parent:this,elements:null};for(
e of t){if(e.noHTML)continue;let t=e.annotationType===m.POPUP;if(t){let
t=r.get(e.id);if(!t)continue;if(!this._commentManager){i.push(e);continue}
a.elements=t}else if(e.rect[2]===e.rect[0]||
e.rect[3]===e.rect[1])continue;a.data=e;let n=Kr.create(a);if(!
n.isRenderable)continue;t||
(this.#o.push(n),e.popupRef&&r.getOrInsertComputed(e.popupRef,ve).push(n));let

```



```
o=n.render();e.hidden&&(o.style.visibility=`hidden`),n._isEditable&&(this.#r.set(n.data.i
await this.#c());for(let e of i){let t=a.elements=r.get(e.id);a.data=e;let
n=Kr.create(a);if(!n.isRenderable)continue;let
i=n.render();n.contentElement.id=`${ge}${e.id}
`,e.hidden&&(i.style.visibility=`hidden`),t.at(-1).container.after(i)}this.#l())
async#c(){if(this.#o.length===0)return;this.div.replaceChildren();let e=[];if(!
this.#s){this.#s=!0;for(let{contentElement:t,data:{id:n}}of this.#o){let
r=t.id=`${ge}${n}`;e.push(this.#i?.getAriaAttributes(r).then(e=>{if(e)for(let[n,r]of
e)t.setAttribute(n,r)}))}}this.#o.sort(({data:{rect:[e,t,n,r]}},{data:{rect:
[i,a,o,s]}})=>{if(e===n&&t===r)return 1;if(i===o&&a===s)return-1;let
c=r,l=t,u=(t+r)/2,d=s,f=a,p=(a+s)/2;return u>d&&p<=l?-1:p>=c&&u<=f?1:(e+n)/2-
(i+o)/2});let t=document.createDocumentFragment();for(let e of
this.#o)t.append(e.container),this._commentManager?(e.extraPopupElement?.popup||
e.popup)?.renderCommentButton():e.extraPopupElement&&t.append(e.extraPopupElement.render(
Promise.all(e),this.#e)for(let e of
this.#o)this.#e.addPointerInTextLayer(e.contentElement,!1)}async addLinkAnnotations(t)
{let n={data:null,layer:this.div,linkService:this.#a,svgFactory:new
Hr,parent:this};for(let r of t){r.borderStyle||=e._defaultBorderStyle,n.data=r;let
t=Kr.create(n);t.isRenderable&&(t.render(),t.contentElement.id=`${ge}${r.id}
`,this.#o.push(t))}await this.#c()}update({viewport:e}){let
t=this.div;this.viewport=e,Re(t,{rotation:e.rotation}),this.#l(),t.hidden=!1}#l(){if(!
this.#t)return;let e=this.div;for(let[t,n]of this.#t){let r=e.querySelector(`[data-
annotation-id="${t}"`);if(!
r)continue;n.className=`annotationContent`;let{firstChild:i}=r;i?
i.nodeName===`CANVAS`?i.replaceWith(n):i.classList.contains(`annotationContent`)?
i.after(n):i.before(n):r.append(n);let a=this.#r.get(t);a&&(a._hasNoCanvas?
(this._annotationEditorUIManager?.setMissingCanvas(t,r.id,n),a._hasNoCanvas=!
1):a.canvas=n)}this.#t.clear()}getEditableAnnotations(){return
Array.from(this.#r.values())}getEditableAnnotation(e){return this.#r.get(e)}
addFakeAnnotation(e){let{div:t}=this,{id:n,rotation:r}=e,i=new qr({data:
{id:n,rect:e.getPDFRect(),rotation:r},editor:e,layer:t,parent:this,enableComment:!!
this._commentManager,linkService:this.#a,annotationStorage:this.#n});return
i.render(),i.contentElement.id=`${ge}${n}`,i.createOrUpdatePopup(),this.#o.push(i),i}
removeAnnotation(e){let
t=this.#o.findIndex(t=>t.data.id===e);if(t<0)return;let[n]=this.#o.splice(t,1);this.#e?.r
updateFakeAnnotations(e){if(e.length!==0){for(let t of
e)t.updateFakeAnnotationElement(this);this.#c()}}togglePointerEvents(e=!1)
{this.div.classList.toggle(`disabled`,!e)}static get _defaultBorderStyle(){return
k(this,`_defaultBorderStyle`,Object.freeze({width:1,rawWidth:1,style:h.SOLID,dashArray:
[3],horizontalCornerRadius:0,verticalCornerRadius:0})))},bi=/\r\n?|\n/g,xi=class e
extends U{#e=``;#t=`${this.id}-editor`;#n=null;#r;_colorPicker=null;static
_freeTextDefaultContent=``;static _internalPadding=0;static _defaultColor=null;static
_defaultFontSize=10;static get _keyboardManager(){let
t=e.prototype,n=e=>e.isEmpty(),r=st.TRANSLATE_SMALL,i=st.TRANSLATE_BIG;return
k(this,`_keyboardManager`,new
at([[[`ctrl+s`,`mac+meta+s`,`ctrl+p`,`mac+meta+p`],t.commitOrRemove,{bubbles:!0}],
[[`ctrl+Enter`,`mac+meta+Enter`,`Escape`,`mac+Escape`],t.commitOrRemove],
[[`ArrowLeft`,`mac+ArrowLeft`],t._translateEmpty,{args:[-r,0],checker:n}],
```



```

[[`ctrl+ArrowLeft`, `mac+shift+ArrowLeft`, t._translateEmpty, {args: [-i, 0], checker: n}],
[[`ArrowRight`, `mac+ArrowRight`, t._translateEmpty, {args: [r, 0], checker: n}],
[[`ctrl+ArrowRight`, `mac+shift+ArrowRight`, t._translateEmpty, {args: [i, 0], checker: n}],
[[`ArrowUp`, `mac+ArrowUp`, t._translateEmpty, {args: [0, -r], checker: n}],
[[`ctrl+ArrowUp`, `mac+shift+ArrowUp`, t._translateEmpty, {args: [0, -i], checker: n}],
[[`ArrowDown`, `mac+ArrowDown`, t._translateEmpty, {args: [0, r], checker: n}],
[[`ctrl+ArrowDown`, `mac+shift+ArrowDown`, t._translateEmpty, {args:
[0, i], checker: n}]]))}static _type=`freetext`;static
_editorType=c.FREETEXT;constructor(t)
{super({...t, name:`freeTextEditor`}), this.color=t.color||e._defaultColor||
U._defaultLineColor, this.#r=t.fontSize||e._defaultFontSize, this.annotationElementId||
this._uiManager.a11yAlert(`pdfjs-editor-freetext-added-alert`), this.canAddComment=!1}
static initialize(e, t){U.initialize(e, t);let
n=getComputedStyle(document.documentElement);this._internalPadding=parseFloat(n.getProper
freetext-padding`))}static updateDefaultParams(t, n){switch(t){case
l.FREETEXT_SIZE:e._defaultFontSize=n;break;case
l.FREETEXT_COLOR:e._defaultColor=n;break}}updateParams(e, t){switch(e){case
l.FREETEXT_SIZE:this.#i(t);break;case l.FREETEXT_COLOR:this.#a(t);break}}static get
defaultPropertiesToUpdate(){return[[l.FREETEXT_SIZE, e._defaultFontSize],
[l.FREETEXT_COLOR, e._defaultColor||U._defaultLineColor]]}get propertiesToUpdate()
{return[[l.FREETEXT_SIZE, this.#r], [l.FREETEXT_COLOR, this.color]]}get toolbarButtons()
{return this._colorPicker||=new Lr(this), [[`colorPicker`, this._colorPicker]]}get
colorType(){return l.FREETEXT_COLOR}#i(e){let
t=e=>{this.editorDiv.style.fontSize=`calc(${e}px * var(--total-scale-
factor))`, this.translate(0, -(e-
this.#r)*this.parentScale), this.#r=e, this.#s()}, n=this.#r;this.addCommands({cmd:t.bind(th
0, type:l.FREETEXT_SIZE, overwriteIfSameType:!0, keepUndo:!0})}onUpdatedColor()
{this.editorDiv.style.color=this.color, this._colorPicker?.update(this.color), super.onUpda
#a(e){let
t=e=>{this.color=e, this.onUpdatedColor(), n=this.color;this.addCommands({cmd:t.bind(this,
0, type:l.FREETEXT_COLOR, overwriteIfSameType:!0, keepUndo:!0})}_translateEmpty(e, t)
{this._uiManager.translateSelectedEditors(e, t, !0)}getInitialTranslation(){let
t=this.parentScale;return[-e._internalPadding*t, -(e._internalPadding+this.#r)*t]}
rebuild(){this.parent&&(super.rebuild(), this.div!==null&&(this.isAttachedToDOM||
this.parent.add(this)))}enableEditMode(){if(!super.enableEditMode())return!
1;this.overlayDiv.classList.remove(`enabled`), this.editorDiv.contentEditable=!
0, this._isDraggable=!1, this.div.removeAttribute(`aria-activedescendant`), this.#n=new
AbortController;let e=this._uiManager.combinedSignal(this.#n);return
this.editorDiv.addEventListener(`keydown`, this.editorDivKeydown.bind(this),
{signal:e}), this.editorDiv.addEventListener(`focus`, this.editorDivFocus.bind(this),
{signal:e}), this.editorDiv.addEventListener(`blur`, this.editorDivBlur.bind(this),
{signal:e}), this.editorDiv.addEventListener(`input`, this.editorDivInput.bind(this),
{signal:e}), this.editorDiv.addEventListener(`paste`, this.editorDivPaste.bind(this),
{signal:e}), !0}disableEditMode(){return super.disableEditMode()}
(this.overlayDiv.classList.add(`enabled`), this.editorDiv.contentEditable=!
1, this.div.setAttribute(`aria-activedescendant`, this.#t), this._isDraggable=!
0, this.#n?.abort(), this.#n=null, this.div.focus({preventScroll:!0}), this.isEditing=!
1, this.parent.div.classList.add(`freetextEditing`), !0):!1}focusin(e)

```

```

{this._focusEventsAllowed&&(super.focusin(e),e.target!
==this.editorDiv&&this.editorDiv.focus())}onceAdded(e){this.width||
(this.enableEditMode(),e&&this.editorDiv.focus(),this._initialOptions?.isCentered&&this.c
isEmpty()){return!this.editorDiv||this.editorDiv.innerText.trim()===``}remove()
{this.isEditing=!1,this.parent&&(this.parent.setEditingState(!
0),this.parent.div.classList.add(`freetextEditing`)),super.remove()}#o(){let
t=[];this.editorDiv.normalize();let n=null;for(let r of
this.editorDiv.childNodes)n?.nodeType===Node.TEXT_NODE&&r.nodeName===`BR`||
(t.push(e.#c(r)),n=r);return t.join(`
`)}#s()
{let[e,t]=this.parentDimensions,n;if(this.isAttachedToDOM)n=this.div.getBoundingClientRectRec
=this,r=t.style.display,i=t.classList.contains(`hidden`);t.classList.remove(`hidden`),t.s
this.rotation%180==this.parentRotation%180?(this.width=n.width/e,this.height=n.height/
t):(this.width=n.height/e,this.height=n.width/t),this.fixAndSetPosition()}commit()
{if(!this.isInEditMode())return;super.commit(),this.disableEditMode();let
e=this.#e,t=this.#e=this.#o().trimEnd();if(e===t)return;let n=e=>{if(this.#e=e,!e)
{this.remove();return}
this.#l(),this._uiManager.rebuild(this),this.#s()};this.addCommands({cmd:
(=>{n(t)},undo:(>{n(e)},mustExec:!1}),this.#s()})shouldGetKeyboardEvents(){return
this.isInEditMode()}enterInEditMode(){this.enableEditMode(),this.editorDiv.focus()}
keydown(e)
{e.target===this.div&&e.key===`Enter`&&(this.enterInEditMode(),e.preventDefault())}
editorDivKeyDown(t){e._keyboardManager.exec(this,t)}editorDivFocus(e){this.isEditing=!
0}editorDivBlur(e){this.isEditing=!1}editorDivInput(e)
{this.parent.div.classList.toggle(`freetextEditing`,this.isEmpty())}disableEditing()
{this.editorDiv.setAttribute(`role`,`comment`),this.editorDiv.removeAttribute(`aria-
multiline`)}enableEditing()
{this.editorDiv.setAttribute(`role`,`textbox`),this.editorDiv.setAttribute(`aria-
multiline`,!0)}get canChangeContent(){return!0}render(){if(this.div)return
this.div;let e,t;(this._isCopy||
this.annotationElementId)&&(e=this.x,t=this.y),super.render(),this.editorDiv=document.cre
l10n-id`,`pdfjs-free-text2`),this.editorDiv.setAttribute(`data-l10n-attrs`,`default-
content`),this.enableEditing(),this.editorDiv.contentEditable=!0;let{style:n}
=this.editorDiv;if(n.fontSize=`calc(${this.#r}px * var(--total-scale-
factor))`,n.color=this.color,this.div.append(this.editorDiv),this.overlayDiv=document.cre
this.annotationElementId){let[n,r]=this.parentDimensions;if(this.annotationElementId)
{let{position:i}=this._initialData,[a,o]=this.getInitialTranslation();
[a,o]=this.pageTranslationToScreen(a,o);let[s,c]=this.pageDimensions,
[l,u]=this.pageTranslation,d,f;switch(this.rotation){case 0:d=e+(i[0]-l)/
s,f=t+this.height-(i[1]-u)/c;break;case 90:d=e+(i[0]-l)/s,f=t-(i[1]-u)/c,[a,o]=[o,-
a];break;case 180:d=e-this.width+(i[0]-l)/s,f=t-(i[1]-u)/c,[a,o]=[-a,-o];break;case
270:d=e+(i[0]-l-this.height*c)/s,f=t+(i[1]-u-this.width*s)/c,[a,o]=[-o,a];break}
this.setAt(d*n,f*r,a,o)}else this._moveAfterPaste(e,t);this.#l(),this._isDraggable=!
0,this.editorDiv.contentEditable=!1}else this._isDraggable=!
1,this.editorDiv.contentEditable=!0;return this.div}static#c(e)
{return(e.nodeType===Node.TEXT_NODE?e.nodeValue:e.innerText).replaceAll(bi,``)}
editorDivPaste(t){let n=t.clipboardData||window.clipboardData,{types:r}
=n;if(r.length===1&&r[0]===`text/plain`)return;t.preventDefault();let

```

```
i=e.#d(n.getData(`text`)||``).replaceAll(bi,`
diff --git a/dist/assets/rtf.js-C5r0_hLw.js b/dist/assets/rtf.js-DNQckrPX.js
similarity index 99%
rename from dist/assets/rtf.js-C5r0_hLw.js
rename to dist/assets/rtf.js-DNQckrPX.js
index 32ca120..e17d011 100644
--- a/dist/assets/rtf.js-C5r0_hLw.js
+++ b/dist/assets/rtf.js-DNQckrPX.js
@@ -1,4 +1,4 @@
-import{n as e,r as t}from"./index-Dh3sptT3.js";var
n=e((e,t)=>{(function(n,r){typeof e==`object`&&typeof t==`object`?
t.exports=r():typeof define==`function`&&define.amd?define([],r):typeof e==`object`?
e.EMFJS=r():n.EMFJS=r()})(e,()=>(()=>{var e={"./src/emfjs/Bitmap.ts":
((e,t,n)=>{n.r(t),n.d(t,{BitmapInfo:()=>o,DIBitmap:()=>s});var r=n(`./src/emfjs/
Helper.ts`),i=function(){function e(e,t)
{t&&e.skip(4),this.width=e.readUint16(),this.height=e.readUint16(),this.planes=e.readUint16()
return e.prototype.colors=function(){return this.bitcount<=8?1<<this.bitcount:0},e}
(),a=function(){function e(e,t)
{t&&e.skip(4),this.width=e.readInt32(),this.height=e.readInt32(),this.planes=e.readUint16()
return e.prototype.colors=function(){return this.clrused===0?this.bitcount>8?
0:1<<this.bitcount:this.clrused<256?this.clrused:256},e}(),o=function(){function
e(e,t){this._usergb=t;var
n=e.readUint32();if(this._infosize=n,n===r.Helper.GDI.BITMAPCOREHEADER_SIZE)this._header=
i(e,!1),this._infosize+=this._header.colors()*(t?3:2);else{this._header=new a(e,!
1);var o=this._header.compression===r.Helper.GDI.BitmapCompression.BI_BITFIELDS?
3:0;n<=r.Helper.GDI.BITMAPINFOHEADER_SIZE+o*4&&(this._infosize=r.Helper.GDI.BITMAPINFOHEA
4:2)}}return e.prototype.getWidth=function(){return
this._header.width},e.prototype.getHeight=function(){return
Math.abs(this._header.height)},e.prototype.infosize=function(){return
this._infosize},e.prototype.header=function(){return this._header},e}(),s=function()
{function e(e,t){this._reader=e,this._offset=e.pos,this._location=t,this._info=new
o(e,!0)}return e.prototype.getWidth=function(){return
this._info.getWidth()},e.prototype.getHeight=function(){return
this._info.getHeight()},e.prototype.totalSize=function(){return
this._location.header.size+this._location.data.size},e.prototype.makeBitmapFileHeader=fun
{var e=new ArrayBuffer(14),t=new Uint8Array(e);return
t[0]=66,t[1]=77,r.Helper._writeUint32Val(t,2,this.totalSize()+14),r.Helper._writeUint32Va
{var e=this._reader.pos;this._reader.seek(this._offset);var t=`image/
bmp`,n=this._info.header(),i;if(n instanceof a&&n.compression!
=null)switch(n.compression){case r.Helper.GDI.BitmapCompression.BI_JPEG:t=`data:image/
jpeg`;break;case r.Helper.GDI.BitmapCompression.BI_PNG:t=`data:image/
png`;break;default:i=this.makeBitmapFileHeader();break}else
i=this.makeBitmapFileHeader();this._reader.seek(this._location.header.offset),i==null?
i=this._reader.readBinary(this._location.header.size):i+=this._reader.readBinary(this._lo
o=`data:`+t+`;base64,`+btoa(i);return this._reader.seek(e,o},e}()),"./src/emfjs/
Blob.ts":((e,t,n)=>{n.r(t),n.d(t,{Blob:()=>i});var r=n(`./src/emfjs/
Helper.ts`),i=function(){function e(t,n){t instanceof e?
(this.blob=t.blob,this.data=t.data,this.pos=n||t.pos):(this.blob=t,this.data=new
```



```
a.Helper.GDI.RecordType.META_SETPIXEL:case a.Helper.GDI.RecordType.META_PATBLT:case  
a.Helper.GDI.RecordType.META_PIE:case a.Helper.GDI.RecordType.META_STRETCHBLT:case  
a.Helper.GDI.RecordType.META_INVERTREGION:case  
a.Helper.GDI.RecordType.META_PAINTREGION:case a.Helper.GDI.RecordType.META_ARC:case  
a.Helper.GDI.RecordType.META_CHORD:case a.Helper.GDI.RecordType.META_BITBLT:case  
a.Helper.GDI.RecordType.META_SETDIBTODEV:default:var at='UNKNOWN';for(var ot in  
a.Helper.GDI.RecordType)if(a.Helper.GDI.RecordType[ot]===u){at=ot;break}  
a.Helper.log(`[WMF] `+at+` record (0x`${u.toString(16)}`) at offset  
0x`${l.toString(16)}` with `${t*2}` bytes`);break}l+=t*2},d=this;main_loop:for(;!  
n;)switch(u()){case`break-main_loop`:break main_loop;if(!n)throw new  
a.WMFJSError(`Could not read all records`)}return e.prototype.play=function(e){for(var  
t=this._records.length,n=0;n<t;n++)this._records[n](e)},e({}))},t={};function n(r){var  
i=t[r];if(i!==void 0)return i.exports;var a=t[r]={exports:{}};return e[r]  
(a,a.exports,n),a.exports}n.d=(e,t)=>{for(var r in t)n.o(t,r)&&!  
n.o(e,r)&&Object.defineProperty(e,r,{enumerable:!  
0,get:t[r]})),n.o=e,t=>Object.prototype.hasOwnProperty.call(e,t),n.r=e=>{typeof  
Symbol<`u`&&Symbol.toStringTag&&Object.defineProperty(e,Symbol.toStringTag,  
{value:`Module`})),Object.defineProperty(e,`__esModule`,{value:!0})});var  
r={};return((()=>{n.r(r),n.d(r,{Error:(()=>t.WMFJSError,Renderer:  
(()=>e.Renderer,loggingEnabled:(()=>t.loggingEnabled)});var e=n(`./src/wmfjs/  
Renderer.ts`),t=n(`./src/wmfjs/Helper.ts`)))((),r))()),i=t(e)((e,t)=>{(function(i,a)  
{typeof e==`object`&&typeof t==`object`?t.exports=a(n(),r()):typeof  
define==`function`&&define.amd?define([`.EMFJS.bundle.js`,`./  
WMFJS.bundle.js`],a):typeof e==`object`?  
.RTFJS=a(n(),r():).RTFJS=a(i.EMFJS,i.WMFJS)})(e,(e,t)=>((()=>{var n={`./node_modules/  
codpage/cptable.js`:}(e=>{var t={version:`1.15.0`};t[37]=(function(){for(var e=`\0  
\v\f\r\b
```



```
+++ b/dist/index.html
```

```
@@ -9,8 +9,8 @@
```

```
        content="default-src 'self'; script-src 'self'; worker-src 'self'  
blob:; frame-src 'self' blob: data: https://view.officeapps.live.com; style-src 'self'  
'unsafe-inline' https://fonts.googleapis.com; font-src 'self' data: https://  
fonts.gstatic.com; img-src 'self' data: blob: http://localhost:4000  
http://127.0.0.1:4000 https://api.dicebear.com; connect-src 'self' http://  
localhost:4000 http://127.0.0.1:4000 ws://localhost:4000 ws://127.0.0.1:4000 ws://  
localhost:5173 ws://127.0.0.1:5173 ws: wss;";
```

```
    />
```

```
    <title>GarTexHub</title>
```

```
-    <script type="module" crossorigin src="./assets/index-Dh3sptT3.js"></
```

```
script>
```

```
-    <link rel="stylesheet" crossorigin href="./assets/index-BbIwTAn3.css">
```

```
+    <script type="module" crossorigin src="./assets/index-wuX8m6tD.js"></
```

```
script>
```

```
+    <link rel="stylesheet" crossorigin href="./assets/index-DWNhX5VN.css">
```

```
</head>
```

```
<body>
```

```
    <div id="root"></div>
```

```
diff --git a/package-lock.json b/package-lock.json
```

```
index 7dceabc..948d276 100644
```

```
--- a/package-lock.json
```

```
+++ b/package-lock.json
```

```
@@ -9,6 +9,7 @@
```

```
    "version": "0.0.0",
```

```
    "dependencies": {
```

```
      "@fortawesome/fontawesome-free": "^7.2.0",
```

```
+      "@opensearch-project/opensearch": "^2.13.0",
```

```
      "@prisma/client": "^6.15.0",
```

```
      "@simplewebauthn/browser": "^13.3.0",
```

```
      "@simplewebauthn/server": "^13.3.0",
```

```
@@ -19,9 +20,12 @@
```

```
      "cors": "^2.8.6",
```

```
      "express": "^5.2.1",
```

```
      "framer-motion": "^12.36.0",
```

```
+      "googleapis": "^133.0.0",
```

```
      "jsonwebtoken": "^9.0.3",
```

```
+      "leaflet": "^1.9.4",
```

```
      "lucide-react": "^0.575.0",
```

```
      "multer": "^2.1.0",
```

```
+      "nodemailer": "^6.10.1",
```

```
      "pdfjs-dist": "^5.5.207",
```

```
      "prismjs": "^1.30.0",
```

```
      "react": "^19.2.0",
```

```
@@ -899,6 +903,24 @@
```

```
      "url": "https://github.com/sponsors/Brooooooklyn"
```

```
    }
```

```
    },
+   "node_modules/@opensearch-project/opensearch": {
+     "version": "2.13.0",
+     "resolved": "https://registry.npmjs.org/@opensearch-project/
opensearch/-/opensearch-2.13.0.tgz",
+     "integrity": "sha512-Bu3jJ7pKzumbMMeefu7/
npAwAvFu5W9S1bBow1ulhluqUpqc7QoXe0KidDrMy7Dy3BQrkI6lLR3cWL4lQTZ0Fw==",
+     "license": "Apache-2.0",
+     "dependencies": {
+       "aws4": "^1.11.0",
+       "debug": "^4.3.1",
+       "hpagent": "^1.2.0",
+       "json11": "^2.0.0",
+       "ms": "^2.1.3",
+       "secure-json-parse": "^2.4.0"
+     },
+     "engines": {
+       "node": ">=10",
+       "yarn": "^1.22.10"
+     }
+   },
+   "node_modules/@oxc-project/runtime": {
+     "version": "0.114.0",
+     "license": "MIT",
@@ -1932,6 +1954,15 @@
+     "node": ">=0.8"
+   }
+ },
+   "node_modules/agent-base": {
+     "version": "7.1.4",
+     "resolved": "https://registry.npmjs.org/agent-base/-/agent-
base-7.1.4.tgz",
+     "integrity": "sha512-MnA+YT8fwfJPgBx3m60MNqakm30X0kyIoH1y6huTQvC0PwZG7ki8NacLBcrPbNoo8vEZy7Jpuk7+jM0+CUovTQ=="
+     "license": "MIT",
+     "engines": {
+       "node": ">= 14"
+     }
+   },
+   "node_modules/ajv": {
+     "version": "6.12.6",
+     "dev": true,
@@ -1994,6 +2025,12 @@
+     "version": "0.4.0",
+     "license": "MIT"
+   },
+   "node_modules/aws4": {
+     "version": "1.13.2",
```

```
+     "resolved": "https://registry.npmjs.org/aws4/-/aws4-1.13.2.tgz",
+     "integrity": "sha512-lHe62zvbTB5eEABUVi/
AwVh0ZKY9rMMDhmm+eeyuuUQbQ3+J+f0NVQ0Zyj+DdrvD4BY33uYniyRJ4UJIaSKAfw==",
+     "license": "MIT"
+   },
+   "node_modules/axios": {
+     "version": "1.13.6",
+     "license": "MIT",
@@ -2024,6 +2061,26 @@
+     "dev": true,
+     "license": "MIT"
+   },
+   "node_modules/base64-js": {
+     "version": "1.5.1",
+     "resolved": "https://registry.npmjs.org/base64-js/-/base64-
js-1.5.1.tgz",
+     "integrity": "sha512-
AKpaYlHn8t4SVb0HCy+b5+KKgvR4vrsD8vbvrbiQJps7fKDTkjkDry6ji0rUJjC0kzbNePLwzxq8iypo41qewA==",
+     "funding": [
+       {
+         "type": "github",
+         "url": "https://github.com/sponsors/feross"
+       },
+       {
+         "type": "patreon",
+         "url": "https://www.patreon.com/feross"
+       },
+       {
+         "type": "consulting",
+         "url": "https://feross.org/support"
+       }
+     ],
+     "license": "MIT"
+   },
+   "node_modules/baseline-browser-mapping": {
+     "version": "2.10.0",
+     "dev": true,
@@ -2042,6 +2099,15 @@
+     "bcrypt": "bin/bcrypt"
+   },
+   "node_modules/bignumber.js": {
+     "version": "9.3.1",
+     "resolved": "https://registry.npmjs.org/bignumber.js/-/
bignumber.js-9.3.1.tgz",
+     "integrity": "sha512-
Ko0uX15oIUS7wJ3Rb30Fs6SKvbLmPBAKdlm7q9+ak9bbIeFf0MwuBsQV6z7+X768/
cHsfg+WlysDWJcmthjsjQ==",
```

```
+     "license": "MIT",
+     "engines": {
+       "node": "*"
+     }
+   },
+   "node_modules/bluebird": {
+     "version": "3.7.2",
+     "license": "MIT"
@@ -3604,6 +3670,36 @@
+     "url": "https://github.com/sponsors/ljharb"
+   }
+ },
+ "node_modules/gaxios": {
+   "version": "6.7.1",
+   "resolved": "https://registry.npmjs.org/gaxios/-/gaxios-6.7.1.tgz",
+   "integrity": "sha512-LD0DD4TMXx7XXdpwxAVRAIAuB0bzxv0s+YwFonY46k126qzQHT9ygyoa9tncm0iQmmDrik65UYsEkv3lbfqQ3yQ=="
+   "license": "Apache-2.0",
+   "dependencies": {
+     "extend": "^3.0.2",
+     "https-proxy-agent": "^7.0.1",
+     "is-stream": "^2.0.0",
+     "node-fetch": "^2.6.9",
+     "uuid": "^9.0.1"
+   },
+   "engines": {
+     "node": ">=14"
+   }
+ },
+ "node_modules/gcp-metadata": {
+   "version": "6.1.1",
+   "resolved": "https://registry.npmjs.org/gcp-metadata/-/gcp-metadata-6.1.1.tgz",
+   "integrity": "sha512-a4tiq7E0/5fTjxPAaH4jppjkSv/uCaU2p5KC6HVGrvl0cDjA8iBZv4vv1gyzlmK0ZUKqwp0yQMKzZQe3lTit77A==",
+   "license": "Apache-2.0",
+   "dependencies": {
+     "gaxios": "^6.1.1",
+     "google-logging-utils": "^0.0.2",
+     "json-bigint": "^1.0.0"
+   },
+   "engines": {
+     "node": ">=14"
+   }
+ },
+ "node_modules/gensync": {
+   "version": "1.0.0-beta.2",
+   "dev": true,
```



```
+   },
+   "node_modules/googleapis-common": {
+     "version": "7.2.0",
+     "resolved": "https://registry.npmjs.org/googleapis-common/-/
googleapis-common-7.2.0.tgz",
+     "integrity": "sha512-/
fhDZEJZv0V3X5jmD+fKxMqma5q2Q9nZNSF3kn1F18tpxmA86BcTxAGBQdM0N89Z3bEaIs+HVznSmFJEAmMTjA==",
+     "license": "Apache-2.0",
+     "dependencies": {
+       "extend": "^3.0.2",
+       "gaxios": "^6.0.3",
+       "google-auth-library": "^9.7.0",
+       "qs": "^6.7.0",
+       "url-template": "^2.0.8",
+       "uuid": "^9.0.0"
+     },
+     "engines": {
+       "node": ">=14.0.0"
+     }
+   },
+   "node_modules/gopd": {
+     "version": "1.2.0",
+     "license": "MIT",
@@ -3787,6 +3939,19 @@
+     "version": "4.2.11",
+     "license": "ISC"
+   },
+   "node_modules/gtoken": {
+     "version": "7.1.0",
+     "resolved": "https://registry.npmjs.org/gtoken/-/gtoken-7.1.0.tgz",
+     "integrity": "sha512-
pCCeWri+TKpMlxAQ0bHDQ56KawURgyAf6jtIY046fJ5tIv3zDe/
LEIubckA08fj6JnAxLdmWkUfNyulQ2iKdEw==",
+     "license": "MIT",
+     "dependencies": {
+       "gaxios": "^6.0.0",
+       "jws": "^4.0.0"
+     },
+     "engines": {
+       "node": ">=14.0.0"
+     }
+   },
+   "node_modules/has-flag": {
+     "version": "4.0.0",
+     "license": "MIT",
@@ -3985,6 +4150,15 @@
+     "hermes-estree": "0.25.1"
+   }
}
```



```
+     "license": "MIT",
+     "engines": {
+       "node": ">=8"
+     },
+     "funding": {
+       "url": "https://github.com/sponsors/sindresorhus"
+     }
+   },
+   "node_modules/isarray": {
+     "version": "1.0.0",
+     "license": "MIT"
@@ -4240,6 +4439,15 @@
+     "node": ">=6"
+   }
+ },
+ "node_modules/json-bigint": {
+   "version": "1.0.0",
+   "resolved": "https://registry.npmjs.org/json-bigint/-/json-bigint-1.0.0.tgz",
+   "integrity": "sha512-SiPv/8VpZuWbvLSMtTDU8hEfrZWg/mH/nV/
b4o0CYbSxu1UIQPLdWK0CIyLQX+VIP05vrLX3i8qtqFyhdPSUSQ==",
+   "license": "MIT",
+   "dependencies": {
+     "bignumber.js": "^9.0.0"
+   }
+ },
+ "node_modules/json-buffer": {
+   "version": "3.0.1",
+   "dev": true,
@@ -4261,6 +4469,15 @@
+   "license": "ISC",
+   "optional": true
+ },
+ "node_modules/json11": {
+   "version": "2.0.2",
+   "resolved": "https://registry.npmjs.org/json11/-/json11-2.0.2.tgz",
+   "integrity": "sha512-
H1rd50UPYmP6sqLuLbFVm75g16o0oZrVfxrsY0EEys22klz8mRoWLX9KAED0S0R9Q34rcxsyC8oDveGrCz5uLQ=="
+   "license": "MIT",
+   "bin": {
+     "json11": "dist/cli.mjs"
+   }
+ },
+ "node_modules/json5": {
+   "version": "2.2.3",
+   "dev": true,
@@ -4335,6 +4552,12 @@
+   "json-buffer": "3.0.1"
```

```

    }
  },
  +   "node_modules/leaflet": {
  +     "version": "1.9.4",
  +     "resolved": "https://registry.npmjs.org/leaflet/-/leaflet-1.9.4.tgz",
  +     "integrity": "sha512-
nxS1ynzJ0m0lHp+iL3FyWqK89GtNL8U8rvlM0sQdTTssxZwCXh8N2NB3GDQOL+YR3XnWyZAxwQixURb+FA74PA==",
  +     "license": "BSD-2-Clause"
  +   },
    "node_modules/levn": {
      "version": "0.4.1",
      "dev": true,
@@ -5654,6 +5877,26 @@
      "node": ">= 0.6"
    }
  },
  +   "node_modules/node-fetch": {
  +     "version": "2.7.0",
  +     "resolved": "https://registry.npmjs.org/node-fetch/-/node-
fetch-2.7.0.tgz",
  +     "integrity": "sha512-c4FRfUm/
dbcWZ7U+1wq0AwCyFL+3nt2bEw05wfxSz+DwPwsitgmSgYmy2dQdwyKC1694ELPqMs/YzUSNozLt8A==",
  +     "license": "MIT",
  +     "dependencies": {
  +       "whatwg-url": "^5.0.0"
  +     },
  +     "engines": {
  +       "node": "4.x || >=6.0.0"
  +     },
  +     "peerDependencies": {
  +       "encoding": "^0.1.0"
  +     },
  +     "peerDependenciesMeta": {
  +       "encoding": {
  +         "optional": true
  +       }
  +     }
  +   },
    "node_modules/node-fetch-native": {
      "version": "1.6.7",
      "devOptional": true,
@@ -5673,6 +5916,15 @@
      "dev": true,
      "license": "MIT"
    },
  +   "node_modules/nodemailer": {
  +     "version": "6.10.1",
  +     "resolved": "https://registry.npmjs.org/nodemailer/-/

```

```
nodemailer-6.10.1.tgz,  
+   "integrity": "sha512-  
Z+iLaBGVaSjbIzQ4pX6XV41HrooLsQ10ZWPUehGmuantvzWoDVbnmsdUc0IDM1t+yPor5pDhVlDESg0MEGxhHA=="  
+   "license": "MIT-0",  
+   "engines": {  
+     "node": ">=6.0.0"  
+   }  
+ },  
  "node_modules/normalize-url": {  
    "version": "6.1.0",  
    "dev": true,  
@@ -6549,6 +6801,12 @@  
    "version": "0.27.0",  
    "license": "MIT"  
  },  
+  "node_modules/secure-json-parse": {  
+    "version": "2.7.0",  
+    "resolved": "https://registry.npmjs.org/secure-json-parse/-/secure-  
json-parse-2.7.0.tgz",  
+    "integrity": "sha512-6aU+Rwsezw7VR8/  
nyvKTx8QpWH9FrcYiXXlqC4z5d5XQBDRqtbfsRjnwGyqbi3gddNtWHuEk90ANUotL26qKUw==",  
+    "license": "BSD-3-Clause"  
+  },  
  "node_modules/semver": {  
    "version": "6.3.1",  
    "dev": true,  
@@ -6922,6 +7180,12 @@  
    "node": ">=0.6"  
  }  
},  
+  "node_modules/tr46": {  
+    "version": "0.0.3",  
+    "resolved": "https://registry.npmjs.org/tr46/-/tr46-0.0.3.tgz",  
+    "integrity": "sha512-N3WMSuqV66lT30CrXNbEjx4GEwlow3v6rr4mCcv6prnfwHs01rkgyFdjPNBYd9br7LpXV1+Emh01fHnq2Gdgrw=="  
+    "license": "MIT"  
+  },  
  "node_modules/tree-kill": {  
    "version": "1.2.2",  
    "license": "MIT",  
@@ -7178,10 +7442,29 @@  
    "punycode": "^2.1.0"  
  }  
},  
+  "node_modules/url-template": {  
+    "version": "2.0.8",  
+    "resolved": "https://registry.npmjs.org/url-template/-/url-  
template-2.0.8.tgz",
```

```
+       "integrity": "sha512-XdVKMF4SJ0nP/
07XIPB0JwAEuT9lDIYnNsK8yGVe43y0AWoKeJNdv3ZNWn7ksJ6KqQFj006ox/VEitLnaVNufw==",
+       "license": "BSD"
+     },
+     "node_modules/util-deprecate": {
+       "version": "1.0.2",
+       "license": "MIT"
+     },
+     "node_modules/uuid": {
+       "version": "9.0.1",
+       "resolved": "https://registry.npmjs.org/uuid/-/uuid-9.0.1.tgz",
+       "integrity": "sha512-b+leJ0lsR9K8HJpow90k3fiW0WSIcIzXodvv0rQjVo0VNpwMpxf1wZNpt4y9h10odCNrqnyYp10BzRktckBe3sA=="
+       "funding": [
+         "https://github.com/sponsors/broofa",
+         "https://github.com/sponsors/ctavan"
+       ],
+       "license": "MIT",
+       "bin": {
+         "uuid": "dist/bin/uuid"
+       }
+     },
+     "node_modules/vary": {
+       "version": "1.1.2",
+       "license": "MIT",
+       "@@ -7349,10 +7632,26 @@
+       "url": "https://github.com/sponsors/wooorm"
+     },
+     "node_modules/webidl-conversions": {
+       "version": "3.0.1",
+       "resolved": "https://registry.npmjs.org/webidl-conversions/-/webidl-
conversions-3.0.1.tgz",
+       "integrity": "sha512-2JAn3z8AR6rjK8Sm8orRC0h/bcl/
DqL7tRPdGZ4I1CjdF+EaMLmYxBHyXuKL849eucPFhvBoxMsflfOb8kxaeQ==",
+       "license": "BSD-2-Clause"
+     },
+     "node_modules/webodf": {
+       "version": "0.5.10",
+       "license": "AGPL-3.0"
+     },
+     "node_modules/whatwg-url": {
+       "version": "5.0.0",
+       "resolved": "https://registry.npmjs.org/whatwg-url/-/whatwg-
url-5.0.0.tgz",
+       "integrity": "sha512-saE57nupxk6v3HY35+jzBwYa0rKSy0XR8JSxZPwgLr7ys0IBzhGviA1/
TUGJLmSVqs8pb9AnvICXEu0HLprYTw==",
```

```
+   "license": "MIT",
+   "dependencies": {
+     "tr46": "~0.0.3",
+     "webidl-conversions": "^3.0.0"
+   }
+ },
+   "node_modules/which": {
+     "version": "2.0.2",
+     "dev": true,
```

diff --git a/package.json b/package.json

index a9da87d..3f4caec 100644

--- a/package.json

+++ b/package.json

@@ -19,6 +19,7 @@

```
    },
    "dependencies": {
      "@fortawesome/fontawesome-free": "^7.2.0",
+     "@opensearch-project/opensearch": "^2.13.0",
      "@prisma/client": "^6.15.0",
      "@simplewebauthn/browser": "^13.3.0",
      "@simplewebauthn/server": "^13.3.0",
```

@@ -29,9 +30,12 @@

```
      "cors": "^2.8.6",
      "express": "^5.2.1",
      "framer-motion": "^12.36.0",
+     "googleapis": "^133.0.0",
      "jsonwebtoken": "^9.0.3",
+     "leaflet": "^1.9.4",
      "lucide-react": "^0.575.0",
      "multer": "^2.1.0",
+     "nodemailer": "^6.10.1",
      "pdfjs-dist": "^5.5.207",
      "prismjs": "^1.30.0",
      "react": "^19.2.0",
```

diff --git a/server/controllers/crmController.js b/server/controllers/crmController.js

index 88832e2..86357fa 100644

--- a/server/controllers/crmController.js

+++ b/server/controllers/crmController.js

@@ -1,9 +1,28 @@

```
-import { getCrmProfileSummary } from '../services/crmService.js'
+import { getCrmProfileSummary, getCrmRelationshipTimeline } from '../services/crmService.js'
```

```
import { handleControllerError } from '../utils/permissions.js'
```

```
export async function crmProfileSummary(req, res) {
  try {
```

```
-    const result = await getCrmProfileSummary(req.user, req.params.targetId)
```



```

+     const result = await getCrmProfileSummary(req.user, req.params.targetId,
{
+         match_id: req.query?.match_id,
+         from: req.query?.from,
+         to: req.query?.to,
+     })
+     if (result?.error === 'forbidden') return res.status(403).json({ error:
'Forbidden' })
+     if (result?.error) return res.status(404).json({ error: result.error })
+     return res.json(result)
+ } catch (error) {
+     return handleControllerError(res, error)
+ }
+}
+
+export async function crmRelationshipTimeline(req, res) {
+ try {
+     const result = await getCrmRelationshipTimeline(req.user,
req.params.counterpartyId, {
+         match_id: req.query?.match_id,
+         from: req.query?.from,
+         to: req.query?.to,
+     })
+     if (result?.error === 'forbidden') return res.status(403).json({ error:
'Forbidden' })
+     if (result?.error) return res.status(404).json({ error: result.error })
+     return res.json(result)

```

diff --git a/server/controllers/eventController.js b/server/controllers/eventController.js

index 26db390..3798772 100644

--- a/server/controllers/eventController.js

+++ b/server/controllers/eventController.js

@@ -1,4 +1,5 @@

import { trackEvent } from '../services/analyticsService.js'

+import { extractClientId, locateIp } from '../services/geoService.js'

import { sanitizeString } from '../utils/validators.js'

function sanitizeMetadata(meta) {

@@ -12,6 +13,15 @@ function sanitizeMetadata(meta) {

if (typeof value === 'string') out[safeKey] = sanitizeString(value, 240)

else if (typeof value === 'number' && Number.isFinite(value))

out[safeKey] = value

else if (typeof value === 'boolean') out[safeKey] = value

+ else if (Array.isArray(value)) {

+ const cleaned = value

+ .filter((item) => typeof item === 'string')

+ .map((item) => sanitizeString(item, 120))

+ .map((item) => String(item || '').trim())

```

+         .filter(Boolean)
+         .slice(0, 25)
+         if (cleaned.length) out[safeKey] = cleaned
+     }
+ }

    return out

@@ -50,16 +60,26 @@ export async function postEvent(req, res) {
    const entityId = sanitizeString(String(req.body?.entity_id ||
req.body?.entityId || ''), 160)
    const clientId = sanitizeString(String(req.body?.client_id ||
req.body?.clientId || ''), 120)
    const metadata = sanitizeMetadata(req.body?.metadata)
-   const country = sanitizeString(
+   let country = sanitizeString(
        String(req.body?.country || metadata.country || countryFromHeaders(req)
|| ''),
        60,
    )

+   let geo = null
+   if (!country) {
+       const ip = extractClientIp(req)
+       geo = await locateIp(ip)
+       if (geo?.country) country = sanitizeString(geo.country, 60)
+   }
+
    const enrichedMeta = {
        ...metadata,
        ...(entityType ? { entity_type: entityType } : {}),
        ...(clientId ? { client_id: clientId } : {}),
        ...(country ? { country } : {}),
+       ...(geo?.city ? { city: sanitizeString(geo.city, 80) } : {}),
+       ...(geo?.lat ? { lat: geo.lat } : {}),
+       ...(geo?.lng ? { lng: geo.lng } : {}),
        // Keep these short to avoid logging sensitive data.
        user_agent: sanitizeString(String(req.headers['user-agent'] || ''),
180),
    }

diff --git a/server/controllers/geoController.js b/server/controllers/
geoController.js
new file mode 100644
index 00000000..d9aa105
--- /dev/null
+++ b/server/controllers/geoController.js
@@ -0,0 +1,16 @@
+import { extractClientIp, locateIp, searchGeo } from '../services/
geoService.js'

```

```

+import { sanitizeString } from '../utils/validators.js'
+
+export async function geoLocate(req, res) {
+  const ip = extractClientIp(req)
+  const geo = await locateIp(ip)
+  if (!geo) return res.json({ ok: false, geo: null })
+  return res.json({ ok: true, geo })
+}
+
+export async function geoSearch(req, res) {
+  const query = sanitizeString(String(req.query?.q || ''), 200)
+  if (!query) return res.json({ ok: true, items: [] })
+  const items = await searchGeo(query)
+  return res.json({ ok: true, items })
+}

```

diff --git a/server/controllers/integrationController.js b/server/controllers/integrationController.js

index 9e78a9b..1fd5e6f 100644

--- a/server/controllers/integrationController.js

+++ b/server/controllers/integrationController.js

@@ -1,4 +1,6 @@

import { getIntegrationStatus, runIntegrationAction } from '../services/integrationStatusService.js'

+import { getOpenSearchStatus } from '../services/openSearchService.js'

+import { getEmailDeliveryStatus } from '../services/emailService.js'

export async function integrationStatusController(req, res) {

const status = await getIntegrationStatus()

@@ -11,3 +13,13 @@ export async function integrationActionController(req, res) {

const result = await runIntegrationAction(action, payload)

return res.json(result)

}

+

+export async function integrationOpenSearchStatusController(req, res) {

+ const status = await getOpenSearchStatus()

+ return res.json(status)

+

+

+export async function integrationEmailStatusController(req, res) {

+ const status = await getEmailDeliveryStatus()

+ return res.json(status)

+

diff --git a/server/controllers/messageController.js b/server/controllers/messageController.js

index 1027ba4..7519267 100644

--- a/server/controllers/messageController.js

+++ b/server/controllers/messageController.js

```

    @@ -20,7 +20,18 @@ export async function sendMessage(req, res) {
        if (!allowed) return res.status(403).json({ error: 'Only connected friends
can message in this thread' })

        try {
            -    const msg = await postMessage(req.params.matchId, req.user.id,
req.body?.message || '', req.body?.type || 'text')
            +    const msg = await postMessage(
            +        req.params.matchId,
            +        req.user.id,
            +        req.body?.message || '',
            +        req.body?.type || 'text',
            +        null,
            +        {
            +            source_type: req.body?.source_type,
            +            source_id: req.body?.source_id,
            +            source_label: req.body?.source_label,
            +        },
            +    )
            let botReply = null
            try {
                const result = await maybeGenerateBotReply({ match_id:
req.params.matchId, sender_id: req.user.id, message: req.body?.message || '' })
            @@ -102,6 +113,10 @@ export async function uploadMessageAttachment(req, res)
{
                url: publicUrl,
                mime_type: mime,
                size: file.size,
            +    }, {
            +        source_type: req.body?.source_type,
            +        source_id: req.body?.source_id,
            +        source_label: req.body?.source_label,
            })

            let botReply = null
diff --git a/server/controllers/productController.js b/server/controllers/
productController.js
index 49270d1..c48737e 100644
--- a/server/controllers/productController.js
+++ b/server/controllers/productController.js
@@ -10,11 +10,13 @@ import {
} from '../services/searchAccessService.js'
import { readJson } from '../utils/jsonStore.js'
import { listMyProductViews, recordView } from '../services/
productViewService.js'
+import { extractClientId, locateIp } from '../services/geoService.js'
import { findUserById } from '../services/userService.js'
import { handleControllerError } from '../utils/permissions.js'

```

```

import { ensureEntitlement } from '../services/entitlementService.js'
import { getActiveBoostMap } from '../services/boostService.js'
import { getOrderCertificationMap } from '../services/
orderCertificationService.js'

+import { isOpenSearchConfigured, searchOpenSearch } from '../services/
openSearchService.js'

function parseNumber(value) {
  if (value === undefined || value === null) return null
@@ -265,6 +267,12 @@ export async function searchProducts(req, res) {
  if (priorityOnly) {
    await ensureEntitlement(req.user, 'priority_search_ranking', 'Premium
plan required for priority search filter.')
  }
+
+  const estimateOnly = String(req.query.estimateOnly || '').toLowerCase()
=== 'true'
+  const cursor = Number.isFinite(Number(req.query.cursor)) ? Math.max(0,
Math.floor(Number(req.query.cursor))) : 0
+  const limitRaw = Number.isFinite(Number(req.query.limit)) ?
Math.floor(Number(req.query.limit)) : 50
+  const limit = estimateOnly ? 0 : Math.min(50, Math.max(1, limitRaw))
+
  const advancedFilters = extractUsedAdvancedFilters(req.query)
  const quotaPreview = advancedFilters.length > 0
    ? await getQuotaSnapshot(req.user.id, 'products_search', plan)
@@ -280,27 +288,27 @@ export async function searchProducts(req, res) {
  }
  }

-  const quotaUse = advancedFilters.length > 0
-    ? await consumeQuota(req.user.id, 'products_search', plan)
-    : { allowed: true, quota: { action: 'products_search', plan, unlimited:
true } }
+  if (advancedFilters.length > 0 && !quotaUse.allowed) {
+    return res.status(429).json(buildLimitError({
+      code: 'limit_reached',
+      message: 'Daily product search limit reached',
+      quota: quotaUse.quota,
+    }))
+  }
+  let quotaUse = { allowed: true, quota: { action: 'products_search', plan,
unlimited: true } }
+  if (advancedFilters.length > 0) {
+    if (quotaPreview && quotaPreview.remaining <= 0) {
+      return res.status(429).json(buildLimitError({
+        code: 'limit_reached',
+        message: 'Daily product search limit reached',
+        quota: quotaPreview,

```

```

+     })))
+   }
+   quotaUse = estimateOnly
+   ? { allowed: true, quota: quotaPreview }
+   : await consumeQuota(req.user.id, 'products_search', plan)
+   if (!quotaUse.allowed) {
+     return res.status(429).json(buildLimitError({
+       code: 'limit_reached',
+       message: 'Daily product search limit reached',
+       quota: quotaUse.quota,
+     })))
+   }
+ }

-   const all = await listProducts({})
-   const [users, messages, boostMap, orderCertMap] = await Promise.all([
-     readJson('users.json'),
-     readJson('messages.json'),
-     getActiveBoostMap('feed'),
-     getOrderCertificationMap(),
-   ])
-   const usersById = new Map(users.map((u) => [u.id, u]))
-   const responseTimeByOwner = buildResponseTimeByOwner(messages, users)
-
-   const q = String(req.query.q || '').trim()
-   const searchTokens = buildSearchTokens(q)
-   const wantedIndustry = String(req.query.industry ||
'').trim().toLowerCase()
@@ -309,6 +317,7 @@ export async function searchProducts(req, res) {
  const verifiedOnly = req.query.verifiedOnly === 'true'
  const moqRange = String(req.query.moqRange || '').trim()
  const priceRange = String(req.query.priceRange || '').trim()
+ const wantedCategories = parseList(req.query.category)
  const wantedCertificationsRaw = String(req.query.certifications ||
'').trim()
  const wantedCertifications = wantedCertificationsRaw
    ? wantedCertificationsRaw.split(',').map((c) =>
c.trim().toLowerCase()).filter(Boolean)
@@ -317,17 +326,17 @@ export async function searchProducts(req, res) {
  const capacityMin = parseNumber(req.query.capacityMin)
  const gsmMin = parseNumber(req.query.gsmMin)
  const gsmMax = parseNumber(req.query.gsmMax)
- const wantedFabricType = String(req.query.fabricType ||
'').trim().toLowerCase()
+ const wantedFabricTypes = parseList(req.query.fabricType)
  const wantedSizeRange = String(req.query.sizeRange ||
'').trim().toLowerCase()
- const wantedColorPantone = String(req.query.colorPantone ||

```



```

    '').trim().toLowerCase()
        - const wantedCustomization = String(req.query.customization ||
    '').trim().toLowerCase()
        + const wantedColorPantone = parseList(req.query.colorPantone)
        + const wantedCustomization = parseList(req.query.customization)
        const sampleAvailable = req.query.sampleAvailable === 'true'
        const sampleLeadTimeMax = parseNumber(req.query.sampleLeadTime)
        - const wantedPaymentTerms = String(req.query.paymentTerms ||
    '').trim().toLowerCase()
        - const wantedDocumentReady = String(req.query.documentReady ||
    '').trim().toLowerCase()
        + const wantedPaymentTerms = parseList(req.query.paymentTerms)
        + const wantedDocumentReady = parseList(req.query.documentReady)
        const wantedAuditDate = String(req.query.auditDate ||
    '').trim().toLowerCase()
        - const wantedLanguage = String(req.query.languageSupport ||
    '').trim().toLowerCase()
        - const wantedIncoterms = String(req.query.incoterms ||
    '').trim().toLowerCase()
        + const wantedLanguage = parseList(req.query.languageSupport)
        + const wantedIncoterms = parseList(req.query.incoterms)
        const processes = parseList(req.query.processes)
        const yearsInBusinessMin = parseNumber(req.query.yearsInBusinessMin)
        const responseTimeMax = parseNumber(req.query.responseTimeMax)
    @@ -341,6 +350,85 @@ export async function searchProducts(req, res) {
        const locationLng = parseCoordinate(req.query.locationLng)
        const distanceFilterActive = distanceKm !== null && locationLat !== null
    && locationLng !== null

        + const openSearchReady = await isOpenSearchConfigured()
        + const openSearchResult = openSearchReady
        +   ? await searchOpenSearch({
        +     index: 'products',
        +     query: q,
        +     cursor,
        +     limit,
        +     estimateOnly,
        +     filters: {
        +       industry: wantedIndustry,
        +       country: wantedCountry,
        +       orgType: wantedOrgType,
        +       verifiedOnly,
        +       category: wantedCategories,
        +       moqRange,
        +       priceRange,
        +       leadTimeMax,
        +       gsmMin,
        +       gsmMax,

```



```

+         action: 'products_search',
+         plan,
+         quota: quotaUse.quota,
+     )),
+ })
+ }
+
+ const all = await listProducts({})
+ const [users, messages, boostMap, orderCertMap] = await Promise.all([
+   readJson('users.json'),
+   readJson('messages.json'),
+   getActiveBoostMap('feed'),
+   getOrderCertificationMap(),
+ ])
+ const usersById = new Map(users.map((u) => [u.id, u]))
+ const responseTimeByOwner = buildResponseTimeByOwner(messages, users)
+
+ const results = all
+   .map((p) => {
+     const company = usersById.get(p.company_id) || null
@@ -390,13 +478,21 @@ export async function searchProducts(req, res) {
+   })
+   .filter((p) => {
+     if (openSearchIdSet) {
+       if (!openSearchIdSet.has(String(p.id))) return false
+       if (priorityOnly && !p.priority_active) return false
+       return true
+     }
+     if (priorityOnly && !p.priority_active) return false
+     if (searchTokens.length) {
+       const searchText = normalizeSearchText(`${p.title} ${p.category}
+ ${p.material} ${p.description} ${p.color_pantone || ''} ${p.size_range || ''}`)
+       const hit = searchTokens.every((token) =>
+ searchText.includes(token))
+       if (!hit) return false
+     }
+     if (req.query.category && String(p.category).toLowerCase() !==
+ String(req.query.category).toLowerCase()) return false
+     if (wantedCategories.length > 0) {
+       const categoryValue = String(p.category || '').toLowerCase()
+       if (!wantedCategories.includes(categoryValue)) return false
+     }
+     if (wantedIndustry) {
+       const productIndustry = String(p.industry || '').toLowerCase()
+       const authorIndustry = String(p.author?.industry ||
+ '').toLowerCase()
@@ -426,10 +522,22 @@ export async function searchProducts(req, res) {

```

```

        const hit = wantedCertifications.some((c) =>
authorCerts.includes(c))
            if (!hit) return false
        }
        - if (wantedFabricType && !String(p.material ||
''.toLowerCase().includes(wantedFabricType)) return false
        + if (wantedFabricTypes.length > 0) {
        +     const material = String(p.material || '').toLowerCase()
        +     const hit = wantedFabricTypes.some((fabric) =>
material.includes(fabric))
        +     if (!hit) return false
        +     }
            if (wantedSizeRange && !String(p.size_range ||
''.toLowerCase().includes(wantedSizeRange)) return false
        - if (wantedColorPantone && !String(p.color_pantone ||
''.toLowerCase().includes(wantedColorPantone)) return false
        - if (wantedCustomization && !String(p.customization_capabilities ||
''.toLowerCase().includes(wantedCustomization)) return false
        + if (wantedColorPantone.length > 0) {
        +     const color = String(p.color_pantone || '').toLowerCase()
        +     const hit = wantedColorPantone.some((code) => color.includes(code))
        +     if (!hit) return false
        +     }
        + if (wantedCustomization.length > 0) {
        +     const customization = String(p.customization_capabilities ||
''.toLowerCase())
        +     const hit = wantedCustomization.some((entry) =>
customization.includes(entry))
        +     if (!hit) return false
        +     }
            if (sampleAvailable) {
                const available = String(p.sample_available || '').toLowerCase()
                if (!(available === 'true' || available === 'yes' ||
p.sample_lead_time_days)) return false
                @@ -438,11 +546,27 @@ export async function searchProducts(req, res) {
                    const sampleLead = parseNumber(p.sample_lead_time_days || '')
                    if (sampleLead === null || sampleLead > sampleLeadTimeMax) return
false
                }
        - if (wantedPaymentTerms && String(p.author?.payment_terms ||
''.toLowerCase()) !== wantedPaymentTerms) return false
        - if (wantedDocumentReady && String(p.author?.document_ready ||
''.toLowerCase()) !== wantedDocumentReady) return false
        + if (wantedPaymentTerms.length > 0) {
        +     const payment = String(p.author?.payment_terms || '').toLowerCase()
        +     const hit = wantedPaymentTerms.some((term) =>
payment.includes(term))
        +     if (!hit) return false

```

```

+     }
+     if (wantedDocumentReady.length > 0) {
+         const doc = String(p.author?.document_ready || '').toLowerCase()
+         const hit = wantedDocumentReady.some((term) => doc.includes(term))
+         if (!hit) return false
+     }
+     if (wantedAuditDate && String(p.author?.audit_date ||
''.toLowerCase() !== wantedAuditDate) return false
-     if (wantedLanguage && String(p.author?.language_support ||
''.toLowerCase() !== wantedLanguage) return false
-     if (wantedIncoterms && String(p.author?.incoterms || '').toLowerCase()
!== wantedIncoterms) return false
+     if (wantedLanguage.length > 0) {
+         const lang = String(p.author?.language_support || '').toLowerCase()
+         const hit = wantedLanguage.some((term) => lang.includes(term))
+         if (!hit) return false
+     }
+     if (wantedIncoterms.length > 0) {
+         const incoterm = String(p.author?.incoterms || '').toLowerCase()
+         const hit = wantedIncoterms.some((term) => incoterm.includes(term))
+         if (!hit) return false
+     }
+     if (processes.length > 0) {
+         const authorProcesses = Array.isArray(p.author?.main_processes)
+             ? p.author.main_processes.map((proc) =>
String(proc).toLowerCase())
@@ -494,12 +618,43 @@ export async function searchProducts(req, res) {
    return 0
  })

-   const facets = sortedResults.reduce((acc, row) => {
+   const orderedResults = (() => {
+     if (!openSearchIdSet) return sortedResults
+     const byId = new Map(sortedResults.map((row) => [String(row.id), row]))
+     return openSearchIds.map((id) => byId.get(String(id))).filter(Boolean)
+   })()
+
+   const totalMatched = engine === 'opensearch' ?
Number(openSearchResult?.total || 0) : orderedResults.length
+   const pagedItems = engine === 'opensearch'
+     ? orderedResults
+     : orderedResults.slice(cursor, cursor + limit)
+   const nextCursor = estimateOnly
+     ? null
+     : (engine === 'opensearch'
+       ? (cursor + openSearchIds.length < totalMatched ? cursor +
openSearchIds.length : null)
+       : (cursor + pagedItems.length < totalMatched ? cursor +

```

```

pagedItems.length : null))
+
+   const facets = orderedResults.reduce((acc, row) => {
+     const category = String(row.category || 'Other')
+     const country = String(row.author?.country || 'Unknown')
+     acc.categories[category] = (acc.categories[category] || 0) + 1
+     acc.countries[country] = (acc.countries[country] || 0) + 1
+     acc.verified[row.author?.verified ? 'verified' : 'unverified'] += 1
+     const material = String(row.material || '').trim()
+     if (material) acc.fabricType[material] = (acc.fabricType[material] || 0)
+ 1
+     const certifications = Array.isArray(row.author?.certifications) ?
row.author.certifications : []
+     certifications.forEach((cert) => {
+       const key = String(cert || 'Other')
+       acc.certifications[key] = (acc.certifications[key] || 0) + 1
+     })
+     const incoterm = String(row.author?.incoterms || '').trim()
+     if (incoterm) acc.incoterms[incoterm] = (acc.incoterms[incoterm] || 0) +
1
+     const payment = String(row.author?.payment_terms || '').trim()
+     if (payment) acc.paymentTerms[payment] = (acc.paymentTerms[payment] ||
0) + 1
+     const documentReady = String(row.author?.document_ready || '').trim()
+     if (documentReady) acc.documentReady[documentReady] =
(acc.documentReady[documentReady] || 0) + 1
+     const language = String(row.author?.language_support || '').trim()
+     if (language) acc.languageSupport[language] =
(acc.languageSupport[language] || 0) + 1
+     const processesList = Array.isArray(row.author?.main_processes) ?
row.author.main_processes : []
+     processesList.forEach((proc) => {
+       const key = String(proc || 'Other')
@@ -529,17 +684,34 @@ export async function searchProducts(req, res) {
+       years_in_business: {},
+       team_seats: {},
+       handles_multiple_factories: {},
+       fabricType: {},
+       certifications: {},
+       incoterms: {},
+       paymentTerms: {},
+       documentReady: {},
+       languageSupport: {},
+     })
+
+     const cappedFacets = {
+       ...facets,
+       category: facets.categories || facets.category || {},

```



```

        processes: topFacetEntries(facets.processes, 8),
        export_ports: topFacetEntries(facets.export_ports, 8),
    }

    +   const resolvedFacets = openSearchResult?.facets
    +   ? { ...openSearchResult.facets, category:
openSearchResult.facets.category || openSearchResult.facets.categories || {} }
    +   : cappedFacets
    +
    return res.json({
    -   items: sortedResults,
    -   facets: cappedFacets,
    +   engine,
    +   cursor,
    +   limit,
    +   total: totalMatched,
    +   next_cursor: nextCursor,
    +   items: pagedItems,
    +   facets: resolvedFacets,
    +   ...(openSearchResult?.error_code ? { error_code:
openSearchResult.error_code } : {}),
        ...buildSearchAccessPayload({
            action: 'products_search',
            plan,
@@ -565,7 +737,9 @@ export async function deleteProduct(req, res) {
    }

    export async function recordProductView(req, res) {
    -   const result = await recordView(req.user.id, req.params.productId, {
windowMinutes: 10 })
    +   const ip = extractClientIp(req)
    +   const geo = ip ? await locateIp(ip) : null
    +   const result = await recordView(req.user.id, req.params.productId, {
windowMinutes: 10, geo })
        if (result === 'not_found') return res.status(404).json({ error: 'Product
not found' })
        return res.status(201).json(result)
    }

diff --git a/server/controllers/requirementController.js b/server/
controllers/requirementController.js
index 8b0a598..5cc85b8 100644
--- a/server/controllers/requirementController.js
+++ b/server/controllers/requirementController.js
@@ -13,6 +13,7 @@ import { handleControllerError } from '../utils/
permissions.js'
    import { ensureEntitlement } from '../services/entitlementService.js'
    import { generateMatchesForRequirement, listMatchesForRequirement } from
'../services/matchingService.js'

```

```

import { getOrderCertificationMap } from '../services/
orderCertificationService.js'

+import { isOpenSearchConfigured, searchOpenSearch } from '../services/
openSearchService.js'

function redactRequirementForBuyer(requirement) {
  return {
@@ -352,6 +353,12 @@ export async function searchRequirements(req, res) {
    if (priorityOnly) {
      await ensureEntitlement(req.user, 'buyer_request_priority_access',
'Premium plan required for priority buyer requests.')
    }
+
+  const estimateOnly = String(req.query.estimateOnly || '').toLowerCase()
=== 'true'
+  const cursor = Number.isFinite(Number(req.query.cursor)) ? Math.max(0,
Math.floor(Number(req.query.cursor))) : 0
+  const limitRaw = Number.isFinite(Number(req.query.limit)) ?
Math.floor(Number(req.query.limit)) : 50
+  const limit = estimateOnly ? 0 : Math.min(50, Math.max(1, limitRaw))
+
    const advancedFilters = extractUsedAdvancedFilters(req.query)
    const quotaPreview = advancedFilters.length > 0
      ? await getQuotaSnapshot(req.user.id, 'requirements_search', plan)
@@ -367,26 +374,27 @@ export async function searchRequirements(req, res) {
    }))
  }

-  const quotaUse = advancedFilters.length > 0
-    ? await consumeQuota(req.user.id, 'requirements_search', plan)
-    : { allowed: true, quota: { action: 'requirements_search', plan,
unlimited: true } }
-  if (advancedFilters.length > 0 && !quotaUse.allowed) {
-    return res.status(429).json(buildLimitError({
-      code: 'limit_reached',
-      message: 'Daily requirement search limit reached',
-      quota: quotaUse.quota,
-    })))
+  let quotaUse = { allowed: true, quota: { action: 'requirements_search',
plan, unlimited: true } }
+  if (advancedFilters.length > 0) {
+    if (quotaPreview && quotaPreview.remaining <= 0) {
+      return res.status(429).json(buildLimitError({
+        code: 'limit_reached',
+        message: 'Daily requirement search limit reached',
+        quota: quotaPreview,
+      })))
+    }
  }

```

```

+     quotaUse = estimateOnly
+     ? { allowed: true, quota: quotaPreview }
+     : await consumeQuota(req.user.id, 'requirements_search', plan)
+   if (!quotaUse.allowed) {
+     return res.status(429).json(buildLimitError({
+       code: 'limit_reached',
+       message: 'Daily requirement search limit reached',
+       quota: quotaUse.quota,
+     })))
+   }
+ }
+ }

-   const all = await listRequirements({})
-   const [users, messages, orderCertMap] = await Promise.all([
-     readJson('users.json'),
-     readJson('messages.json'),
-     getOrderCertificationMap(),
-   ])
-   const usersById = new Map(users.map((u) => [u.id, u]))
-   const responseTimeByOwner = buildResponseTimeByOwner(messages, users)
-
-   const q = String(req.query.q || '').trim()
-   const searchTokens = buildSearchTokens(q)
-   const wantedIndustry = String(req.query.industry ||
-   '').trim().toLowerCase()
-   @@ -395,15 +403,16 @@ export async function searchRequirements(req, res) {
-   const verifiedOnly = req.query.verifiedOnly === 'true'
-   const moqRange = String(req.query.moqRange || '').trim()
-   const priceRange = String(req.query.priceRange || '').trim()
-   -   const wantedIncoterms = String(req.query.incoterms ||
-   -   '').trim().toLowerCase()
-   -   const wantedPaymentTerms = String(req.query.paymentTerms ||
-   -   '').trim().toLowerCase()
-   -   const wantedDocumentReady = String(req.query.documentReady ||
-   -   '').trim().toLowerCase()
-   +   const wantedCategories = parseList(req.query.category)
-   +   const wantedIncoterms = parseList(req.query.incoterms)
-   +   const wantedPaymentTerms = parseList(req.query.paymentTerms)
-   +   const wantedDocumentReady = parseList(req.query.documentReady)
-   const wantedAuditDate = String(req.query.auditDate ||
-   '').trim().toLowerCase()
-   -   const wantedLanguage = String(req.query.languageSupport ||
-   -   '').trim().toLowerCase()
-   -   const wantedFabricType = String(req.query.fabricType ||
-   -   '').trim().toLowerCase()
-   +   const wantedLanguage = parseList(req.query.languageSupport)
-   +   const wantedFabricTypes = parseList(req.query.fabricType)
-   const wantedSizeRange = String(req.query.sizeRange ||

```

```

    '').trim().toLowerCase()
        - const wantedColorPantone = String(req.query.colorPantone ||
    '').trim().toLowerCase()
        - const wantedCustomization = String(req.query.customization ||
    '').trim().toLowerCase()
        + const wantedColorPantone = parseList(req.query.colorPantone)
        + const wantedCustomization = parseList(req.query.customization)
        const sampleAvailable = req.query.sampleAvailable === 'true'
        const sampleLeadTimeMax = parseNumber(req.query.sampleLeadTime)
        const wantedCertificationsRaw = String(req.query.certifications ||
    '').trim()
    @@ -427,6 +436,84 @@ export async function searchRequirements(req, res) {
        const locationLng = parseCoordinate(req.query.locationLng)
        const distanceFilterActive = distanceKm !== null && locationLat !== null
&& locationLng !== null

        + const openSearchReady = await isOpenSearchConfigured()
        + const openSearchResult = openSearchReady
        +   ? await searchOpenSearch({
        +     index: 'requirements',
        +     query: q,
        +     cursor,
        +     limit,
        +     estimateOnly,
        +     filters: {
        +       industry: wantedIndustry,
        +       country: wantedCountry,
        +       orgType: wantedOrgType,
        +       verifiedOnly,
        +       category: wantedCategories,
        +       moqRange,
        +       priceRange,
        +       leadTimeMax,
        +       gsmMin,
        +       gsmMax,
        +       capacityMin,
        +       yearsInBusinessMin,
        +       responseTimeMax,
        +       teamSeatsMin,
        +       ...(handlesMultipleFactoriesFilter === null ? {} : {
handlesMultipleFactories: handlesMultipleFactoriesFilter })),
        +       fabricType: wantedFabricTypes,
        +       certifications: wantedCertifications,
        +       incoterms: wantedIncoterms,
        +       paymentTerms: wantedPaymentTerms,
        +       documentReady: wantedDocumentReady,
        +       languageSupport: wantedLanguage,
        +       processes,

```



```

+   const usersById = new Map(users.map((u) => [u.id, u]))
+   const responseTimeByOwner = buildResponseTimeByOwner(messages, users)
+
    const viewerPremium = plan === 'premium'
    const viewerRole = String(req.user?.role || '').toLowerCase()
    const enforcePriorityAccess = !viewerPremium && ['factory',
'buying_house', 'agent'].includes(viewerRole)
    @@ -470,13 +557,21 @@ export async function searchRequirements(req, res) {
    })
    .filter((r) => (enforcePriorityAccess ? !r.priority_active : true))
    .filter((r) => {
+      if (openSearchIdSet) {
+        if (!openSearchIdSet.has(String(r.id))) return false
+        if (priorityOnly && !r.priority_active) return false
+        return true
+      }
      if (priorityOnly && !r.priority_active) return false
      if (searchTokens.length) {
        const searchText = normalizeSearchText(`${r.category} ${r.product}
${r.material} ${r.custom_description} ${r.title} ${r.color_pantone || ''}
${r.size_range || ''}`)
        const hit = searchTokens.every((token) =>
searchText.includes(token))
        if (!hit) return false
      }
-      if (req.query.category && String(r.category).toLowerCase() !==
String(req.query.category).toLowerCase()) return false
+      if (wantedCategories.length > 0) {
+        const categoryValue = String(r.category || r.product ||
'').toLowerCase()
+        if (!wantedCategories.includes(categoryValue)) return false
+      }
      if (wantedIndustry) {
        const reqIndustry = String(r.industry || '').toLowerCase()
        const buyerIndustry = String(r.author?.industry || '').toLowerCase()
    @@ -487,7 +582,11 @@ export async function searchRequirements(req, res) {
      if (verifiedOnly && !r.author?.verified) return false
      if (moqRange && !matchesMoqRange(moqRange, r.moq || r.quantity))
return false
      if (priceRange && !rangesOverlap(priceRange, r.price_range || ''))
return false
-      if (wantedIncoterms && String(r.incoterms || '').toLowerCase() !==
wantedIncoterms) return false
+      if (wantedIncoterms.length > 0) {
+        const incoterm = String(r.incoterms || '').toLowerCase()
+        const hit = wantedIncoterms.some((term) => incoterm.includes(term))
+        if (!hit) return false
+      }

```



```

        if (wantedCertifications.length > 0) {
            const required = Array.isArray(r.certifications_required) ?
r.certifications_required.map((c) => String(c).toLowerCase()) : []
            const hit = wantedCertifications.some((c) => required.includes(c))
@@ -507,14 +606,38 @@ export async function searchRequirements(req, res) {
            const cap = parseNumber(r.capacity_min || '')
            if (cap === null || cap < capacityMin) return false
        }
        - if (wantedPaymentTerms && String(r.payment_terms || '').toLowerCase()
!= wantedPaymentTerms) return false
        - if (wantedDocumentReady && String(r.document_ready ||
'').toLowerCase() != wantedDocumentReady) return false
        + if (wantedPaymentTerms.length > 0) {
        +     const payment = String(r.payment_terms || '').toLowerCase()
        +     const hit = wantedPaymentTerms.some((term) =>
payment.includes(term))
        +     if (!hit) return false
        + }
        + if (wantedDocumentReady.length > 0) {
        +     const doc = String(r.document_ready || '').toLowerCase()
        +     const hit = wantedDocumentReady.some((term) => doc.includes(term))
        +     if (!hit) return false
        + }
            if (wantedAuditDate && String(r.audit_date || '').toLowerCase() !=
wantedAuditDate) return false
        - if (wantedLanguage && String(r.language_support || '').toLowerCase() !
== wantedLanguage) return false
        - if (wantedFabricType && !String(r.material ||
'').toLowerCase().includes(wantedFabricType)) return false
        + if (wantedLanguage.length > 0) {
        +     const lang = String(r.language_support || '').toLowerCase()
        +     const hit = wantedLanguage.some((term) => lang.includes(term))
        +     if (!hit) return false
        + }
        + if (wantedFabricTypes.length > 0) {
        +     const material = String(r.material || '').toLowerCase()
        +     const hit = wantedFabricTypes.some((fabric) =>
material.includes(fabric))
        +     if (!hit) return false
        + }
            if (wantedSizeRange && !String(r.size_range ||
'').toLowerCase().includes(wantedSizeRange)) return false
        - if (wantedColorPantone && !String(r.color_pantone ||
'').toLowerCase().includes(wantedColorPantone)) return false
        - if (wantedCustomization && !String(r.customization_capabilities ||
'').toLowerCase().includes(wantedCustomization)) return false
        + if (wantedColorPantone.length > 0) {
        +     const color = String(r.color_pantone || '').toLowerCase()

```

```

+         const hit = wantedColorPantone.some((code) => color.includes(code))
+         if (!hit) return false
+     }
+     if (wantedCustomization.length > 0) {
+         const customization = String(r.customization_capabilities ||
''.toLowerCase())
+         const hit = wantedCustomization.some((entry) =>
customization.includes(entry))
+         if (!hit) return false
+     }
+     if (sampleAvailable) {
+         const available = String(r.sample_available || '').toLowerCase()
+         if (!(available === 'true' || available === 'yes' ||
r.sample_lead_time_days || r.sample_timeline)) return false
+     }
+     @@ -582,12 +705,45 @@ export async function searchRequirements(req, res) {
+     return row
+ })

-   const facets = results.reduce((acc, row) => {
+   const orderedResults = (() => {
+     if (!openSearchIdSet) return items
+     const byId = new Map(items.map((row) => [String(row.id), row]))
+     return openSearchIds.map((id) => byId.get(String(id))).filter(Boolean)
+   })()
+
+   const totalMatched = engine === 'opensearch' ?
Number(openSearchResult?.total || 0) : orderedResults.length
+   const pagedItems = engine === 'opensearch'
+     ? orderedResults
+     : orderedResults.slice(cursor, cursor + limit)
+   const nextCursor = estimateOnly
+     ? null
+     : (engine === 'opensearch'
+       ? (cursor + openSearchIds.length < totalMatched ? cursor +
openSearchIds.length : null)
+       : (cursor + pagedItems.length < totalMatched ? cursor +
pagedItems.length : null))
+
+   const facets = orderedResults.reduce((acc, row) => {
+     const category = String(row.category || 'Other')
+     const country = String(row.author?.country || 'Unknown')
+     acc.categories[category] = (acc.categories[category] || 0) + 1
+     acc.countries[country] = (acc.countries[country] || 0) + 1
+     acc.verified[row.author?.verified ? 'verified' : 'unverified'] += 1
+     const fabric = String(row.material || '').trim()
+     if (fabric) acc.fabricType[fabric] = (acc.fabricType[fabric] || 0) + 1
+     const certifications = Array.isArray(row.certifications) ?
row.certifications : []

```

```

+   certifications.forEach((cert) => {
+       const key = String(cert || 'Other')
+       acc.certifications[key] = (acc.certifications[key] || 0) + 1
+   })
+   const incoterm = String(row.incoterms || row.shipping_terms ||
'').trim()
+   if (incoterm) acc.incoterms[incoterm] = (acc.incoterms[incoterm] || 0) +
1
+   const payment = String(row.payment_terms || '').trim()
+   if (payment) acc.paymentTerms[payment] = (acc.paymentTerms[payment] ||
0) + 1
+   const documentReady = String(row.document_ready || '').trim()
+   if (documentReady) acc.documentReady[documentReady] =
(acc.documentReady[documentReady] || 0) + 1
+   const language = String(row.language_support || '').trim()
+   if (language) acc.languageSupport[language] =
(acc.languageSupport[language] || 0) + 1
+   const customization = String(row.customization_capabilities ||
'').trim()
+   if (customization) acc.customization[customization] =
(acc.customization[customization] || 0) + 1
      const processesList = Array.isArray(row.author?.main_processes) ?
row.author.main_processes : []
      processesList.forEach((proc) => {
        const key = String(proc || 'Other')
@@ -617,17 +773,35 @@ export async function searchRequirements(req, res) {
        years_in_business: {},
        team_seats: {},
        handles_multiple_factories: {},
+       fabricType: {},
+       certifications: {},
+       incoterms: {},
+       paymentTerms: {},
+       documentReady: {},
+       languageSupport: {},
+       customization: {},
      })

      const cappedFacets = {
        ...facets,
+       category: facets.categories || facets.category || {},
        processes: topFacetEntries(facets.processes, 8),
        export_ports: topFacetEntries(facets.export_ports, 8),
      }

+   const resolvedFacets = openSearchResult?.facets
+   ? { ...openSearchResult.facets, category:
openSearchResult.facets.category || openSearchResult.facets.categories || {} }

```

```

+       : cappedFacets
+
+       return res.json({
-       items,
-       facets: cappedFacets,
+       engine,
+       cursor,
+       limit,
+       total: totalMatched,
+       next_cursor: nextCursor,
+       items: pagedItems,
+       facets: resolvedFacets,
+       ...(openSearchResult?.error_code ? { error_code:
openSearchResult.error_code } : {}),
+       ...buildSearchAccessPayload({
+         action: 'requirements_search',
+         plan,
+
diff --git a/server/controllers/systemController.js b/server/controllers/
systemController.js
index ff101ae..09752f3 100644
--- a/server/controllers/systemController.js
+++ b/server/controllers/systemController.js
@@ -69,6 +69,20 @@ export async function systemHome(req, res) {
    return res.json({
      ok: true,
      hero: {
+        headline: 'Where global buyers, factories, and buying houses connect
with clarity',
+        subheadline: 'A focused B2B sourcing workflow platform for garments
and textiles. Post requests, showcase products, connect quickly, and move from first
contact to contract in one place.',
+        value_props: [
+          'Structured buyer request system',
+          'Factory product visibility engine',
+          'Buying house team-based workflow',
+          'AI-assisted communication + verification',
+        ],
+        trust_points: [
+          'Organization-based verification',
+          'Digital signature + PDF contract record',
+          'Audit-ready activity history',
+          'Controlled communication flow',
+        ],
      buyerRequest: null,
      verifiedFactories: {
        title: 'Verified factories',
@@ -119,6 +133,70 @@ export async function systemHome(req, res) {
        note: 'Live request locks will appear here once teams start claiming

```

```
leads.',
    },
  },
  + marketing: {
  +   sections: [
  +     {
  +       id: 'positioning',
  +       eyebrow: 'Positioning',
  +       title: 'Not just a marketplace – a sourcing workflow network',
  +       description: 'GarTexHub brings discovery, matching, communication,
verification, and deal confirmation into one structured workflow for garments and
textiles.',
  +       bullets: [
  +         'Low-noise sourcing (less spam, more relevance)',
  +         'Structured buyer requests + comparable supplier responses',
  +         'AI-assisted early communication to save time',
  +         'From first contact to PDF contract on one platform',
  +       ],
  +     },
  +     {
  +       id: 'buyers',
  +       eyebrow: 'For Buyers',
  +       title: 'Post clear requirements. Get structured replies.',
  +       description: 'Buyers can search Bangladesh-centric but global-
facing suppliers, post detailed sourcing requests, and keep every agreement
documented.',
  +       bullets: [
  +         'Structured buyer request posting',
  +         'Fast supplier comparison + clearer requirements',
  +         'Reduced irrelevant communication',
  +         'Contract history + audit-ready records',
  +       ],
  +     },
  +     {
  +       id: 'factories',
  +       eyebrow: 'For Factories',
  +       title: 'Show products + capabilities. Receive better leads.',
  +       description: 'Factories showcase products, highlight operational
capabilities, and respond faster with AI assistance – while boosting trust through
verification.',
  +       bullets: [
  +         'Product posts with specs, media, and capacity highlights',
  +         'Clearer inquiries (less back-and-forth)',
  +         'AI-assisted responses for repeated questions',
  +         'Verification + visibility signals that build trust',
  +       ],
  +     },
  +   ],
  + }
```

```

+         id: 'buying-houses',
+         eyebrow: 'For Buying Houses',
+         title: 'Team workflow, lead assignment, and coordination',
+         description: 'Buying houses run sourcing as an organization:
multiple agent logins, lead distribution, and coordinated communication across
multiple factories.',
+         bullets: [
+             'Team seats + sub-accounts',
+             'Lead assignment + internal CRM timeline',
+             'Multi-factory coordination in one inbox',
+             'Enterprise analytics (agent outcomes + conversions)',
+         ],
+     },
+     {
+         id: 'trust',
+         eyebrow: 'Trust',
+         title: 'Verified and documented by design',
+         description: 'GarTexHub increases trust with organization-based
verification, controlled communication flow, and secure contract records.',
+         bullets: [
+             'Organization-based verification',
+             'Controlled communication to reduce spam',
+             'Digital signature + PDF contract record',
+             'Activity history and audit trail',
+         ],
+     },
+ ],
+ },
+ },
+ },
    })
}

```

```
diff --git a/server/routes/adminRoutes.js b/server/routes/adminRoutes.js
```

```
index a58207a..b7403ea 100644
```

```
--- a/server/routes/adminRoutes.js
```

```
+++ b/server/routes/adminRoutes.js
```

```

@@ -31,7 +31,7 @@ import { adminCatalogOverview } from '../controllers/
adminCatalogController.js'
     import { getServerAdminStateController, serverAdminController } from
'../controllers/serverAdminController.js'
     import { getCmsStateController, cmsActionController } from '../controllers/
cmsController.js'
     import { getSecurityStateController, securityActionController } from '../
controllers/securityController.js'
     -import { integrationActionController, integrationStatusController } from
'../controllers/integrationController.js'
     +import { integrationActionController, integrationEmailStatusController,
integrationOpenSearchStatusController, integrationStatusController } from '../
controllers/integrationController.js'

```



```

import {
  approveOrderCertificationAdmin,
  attachOrderCertificationEvidenceAdmin,
  @@ -119,6 +119,8 @@ router.post('/cms/actions', requireAuth,
requireAdminSecurity, requireAdminStepU
  router.get('/security/state', requireAuth, requireAdminSecurity,
adminAuditLogger(), getSecurityStateController)
  router.post('/security/actions', requireAuth, requireAdminSecurity,
requireAdminStepUp, adminAuditLogger(), securityActionController)
  router.get('/integrations/status', requireAuth, requireAdminSecurity,
adminAuditLogger(), integrationStatusController)
  +router.get('/integrations/opensearch/status', requireAuth,
requireAdminSecurity, adminAuditLogger(), integrationOpenSearchStatusController)
  +router.get('/integrations/email/status', requireAuth, requireAdminSecurity,
adminAuditLogger(), integrationEmailStatusController)
  router.post('/integrations/actions', requireAuth, requireAdminSecurity,
requireAdminStepUp, adminAuditLogger(), integrationActionController)

  router.get('/master', requireAuth, requireAdminSecurity, adminAuditLogger(),
adminMasterOverviewController)

```

```
diff --git a/server/routes/crmRoutes.js b/server/routes/crmRoutes.js
```

```
index 0a3eb98..7d460ec 100644
```

```
--- a/server/routes/crmRoutes.js
```

```
+++ b/server/routes/crmRoutes.js
```

```
@@ -1,9 +1,10 @@
```

```

import { Router } from 'express'
import { allowRoles, requireAuth } from '../middleware/auth.js'
-import { crmProfileSummary } from '../controllers/crmController.js'
+import { crmProfileSummary, crmRelationshipTimeline } from '../controllers/
crmController.js'

```

```
const router = Router()
```

```

  router.get('/profile/:targetId', requireAuth, allowRoles('owner', 'admin',
'buyer', 'factory', 'buying_house', 'agent'), crmProfileSummary)
+router.get('/relationship/:counterpartyId', requireAuth, allowRoles('owner',
'admin', 'factory', 'buying_house', 'agent'), crmRelationshipTimeline)

```

```
export default router
```

```
diff --git a/server/routes/geoRoutes.js b/server/routes/geoRoutes.js
```

```
new file mode 100644
```

```
index 0000000..d619471
```

```
--- /dev/null
```

```
+++ b/server/routes/geoRoutes.js
```

```
@@ -0,0 +1,9 @@
```

```

+import { Router } from 'express'
+import { geoLocate, geoSearch } from '../controllers/geoController.js'
+

```

```

+const router = Router()
+
+router.get('/locate', geoLocate)
+router.get('/search', geoSearch)
+
+export default router
diff --git a/server/server.js b/server/server.js
index a470764..99aeca1 100644
--- a/server/server.js
+++ b/server/server.js
@@ -35,6 +35,7 @@ import profileRoutes from './routes/profileRoutes.js'
   import chatbotRoutes from './routes/chatbotRoutes.js'
   import walletRoutes from './routes/walletRoutes.js'
   import boostRoutes from './routes/boostRoutes.js'
+import geoRoutes from './routes/geoRoutes.js'
   import industryRoutes from './routes/industryRoutes.js'
   import paymentProofRoutes from './routes/paymentProofRoutes.js'
   import couponRoutes from './routes/couponRoutes.js'
@@ -58,6 +59,7 @@ import { consumePendingInvites, enqueuePendingInvites }
from './utils/pendingInv
   import { ensureDatabaseConnection, closeDatabaseConnection } from './utils/
db.js'
   import { revokeExpiredVerifications } from './services/
verificationService.js'
   import { enforcePartnerFreeTierLimits } from './services/
partnerNetworkService.js'
+import { runLeadReminderSweep } from './services/leadReminderService.js'

   const app = express()
   const PORT = process.env.PORT || 4000
@@ -113,6 +115,7 @@ app.use('/api/profiles', profileRoutes)
   app.use('/api/chatbot', chatbotRoutes)
   app.use('/api/wallet', walletRoutes)
   app.use('/api/boosts', boostRoutes)
+app.use('/api/geo', geoRoutes)
   app.use('/api/industry', industryRoutes)
   app.use('/api/payment-proofs', paymentProofRoutes)
   app.use('/api/coupons', couponRoutes)
@@ -315,7 +318,11 @@ async function relayChatMessage(socket, payload) {
   if (!messageText) return

   try {
     -   const created = await postMessage(matchId, socket.userId, messageText,
payload?.message_type || 'text')
     +   const created = await postMessage(matchId, socket.userId, messageText,
payload?.message_type || 'text', null, {
     +     source_type: payload?.source_type,
     +     source_id: payload?.source_id,

```

```

+     source_label: payload?.source_label,
+   })
    for (const peer of room) {
      sendWs(peer, {
        type: 'chat_message',
@@ -591,10 +598,15 @@ async function start() {
    // Verification renewals: keep badges in sync with subscription validity.
    revokeExpiredVerifications().catch((error) =>
logError('verification_expiry_check_failed', error))
    enforcePartnerFreeTierLimits().catch((error) =>
logError('partner_limit_check_failed', error))
+   runLeadReminderSweep().catch((error) =>
logError('lead_reminder_sweep_failed', error))
    setInterval(() => {
      revokeExpiredVerifications().catch((error) =>
logError('verification_expiry_check_failed', error))
      enforcePartnerFreeTierLimits().catch((error) =>
logError('partner_limit_check_failed', error))
    }, 6 * 60 * 60 * 1000)
+
+   setInterval(() => {
+     runLeadReminderSweep().catch((error) =>
logError('lead_reminder_sweep_failed', error))
+   }, 5 * 60 * 1000)
    server.listen(PORT, () => {
      logInfo(`Verification MVP API running on http://localhost:${PORT}`)
    })
diff --git a/server/services/adminActionService.js b/server/services/
adminActionService.js
index 6d91bc2..117acad 100644
--- a/server/services/adminActionService.js
+++ b/server/services/adminActionService.js
@@ -30,6 +30,7 @@ import { createKnowledgeEntry, deleteKnowledgeEntry,
updateKnowledgeEntry } from
import { recordRefund } from './refundService.js'
import { adminUpdateSupportTicket, createSupportTicket } from './
supportTicketService.js'
import { addOrderCertificationEvidence, approveOrderCertification,
revokeOrderCertification } from './orderCertificationService.js'
+import { sendEmail } from './emailService.js'

function toId(value, max = 120) {
  return sanitizeString(String(value || ''), max)
@@ -1839,6 +1840,21 @@ export async function performAdminAction(action,
payload = {}, actor) {
  return { ok: true, config }
}

```

```

+   if (name === 'email.test_send')
+     const config = await getAdminConfig()
+     const emailConfig = config?.notifications?.email || {}
+     const recipient = sanitizeString(String(payload.to || payload.recipient
|| emailConfig.test_recipient || ''), 160)
+     if (!recipient) {
+       const err = new Error('Recipient email is required')
+       err.status = 400
+       throw err
+     }
+     const subject = sanitizeString(String(payload.subject || 'GarTexHub test
email'), 200)
+     const body = sanitizeString(String(payload.message || 'This is a test
email from GarTexHub.'), 2000)
+     const result = await sendEmail({ to: recipient, subject, text: body })
+     return { ok: true, result }
+   }
+

```

```

    if (name === 'integrations.update') {
      const integrations = parseJson(payload.integrations || payload.payload)
      if (!integrations || typeof integrations !== 'object') {

```

```

diff --git a/server/services/adminConfigService.js b/server/services/
adminConfigService.js

```

```

index 0738a67..75abb81 100644

```

```

--- a/server/services/adminConfigService.js

```

```

+++ b/server/services/adminConfigService.js

```

```

@@ -42,10 +42,29 @@ const DEFAULT_CONFIG = {

```

```

    webhooks: [],
    api_keys: [],
    crm_exports: [],
+   opensearch: {
+     enabled: false,
+     url: '',
+     username: '',
+     password: '',
+     index_prefix: 'gartexhub_',
+     timeout_ms: 3000,
+     verify_tls: true,
+   },
  },
  notifications: {
    templates: [],
    monthly_summary_enabled: true,
+   email: {
+     enabled: false,
+     provider: 'smtp',
+     from_name: 'GarTexHub',
+     from_email: '',

```