USER MANUAL

CyberReady

Cybersecurity Readiness Assessment Application



Figure 1. CyberReady product identity and trade name.

Product type	Browser-based cybersecurity self-assessment application
Product code	CR-WEB-01
Trade name	CyberReady
Manual identifier	CR-UM-DRAFT-1.0
Release status	Prototype Draft 1.0

Prepared by Cody Webb

American Public University | ITCC298 D001 | Summer 2026

October 2, 2026

MANUAL CONTROL

Document Status and Intended Use

This page identifies the draft, its audience, and the limits of the prototype documentation.

STATUS	Draft user manual submitted as a Capstone Project progress report. Screens, functions, scoring bands, and specifications reflect the current prototype design and may change after implementation and testing.

Document control

Field	Current value	Control note
Document owner	Cody Webb	Maintains content and approves revisions.
Product	CyberReady / CR-WEB-01	Browser-based cybersecurity readiness assessment.
Document ID	CR-UM-DRAFT-1.0	Draft manual; not a production release.
Effective date	October 2, 2026	Course submission date.
Review trigger	Prototype change or test finding	Update affected steps, figures, specifications, and warnings.

Intended audience

- Primary users: individuals and small organizations that want a plain-language view of common cybersecurity practices.
- Secondary users: instructors, reviewers, testers, and future administrators evaluating the prototype.
- No advanced security knowledge is required; basic browser and device-navigation skills are sufficient.

Manual scope

- Explains the product purpose, composition, requirements, operating workflow, results, safety precautions, and troubleshooting.
- Does not replace a formal security audit, compliance assessment, risk acceptance process, or professional incident response.

Revision history

Version	Date	Author	Summary
Draft 1.0	Oct. 2, 2026	Cody Webb	Initial user-manual draft aligned to the Week 4 requirements.

NAVIGATION

Contents and Supporting Lists

Page references below correspond to this draft. Update them whenever content or figures change.

Contents

Document Status and Intended Use	2
Contents and Supporting Lists	3
1. Introduction	4
2. General Safety Prescriptions	5
3. Product Description and Composition	6
4. Technical Specifications	7
5. How to Use CyberReady	8
6. Understanding Results and Recommendations	9
7. Troubleshooting and Good Practices	10
8. Relation to Other Documents	11
Appendix A–B. Quick References	12
Appendix C. Checklist and Glossary	13

List of figures

- Figure 1. CyberReady product identity and trade name — page 1
- Figure 2. Prototype assessment screen and primary controls — page 6
- Figure 3. Prototype results dashboard and recommendation area — page 9

Icon key

INFO	CAUTION	CHECK	PRIORITY
Background or helpful detail	Privacy, safety, or limitation	Recommended user action	Action needing attention

Attachments included in this manual

Appendix A: Hardware Quick Reference • Appendix B: Assessment Category Guide • Appendix C: Troubleshooting Checklist and Glossary

1. Introduction

Use this section to determine whether CyberReady and this manual are appropriate for the task you want to complete.

Purpose of CyberReady

CyberReady is a browser-based application prototype that helps individuals and small organizations assess everyday cybersecurity practices. Users answer plain-language questions about passwords, multifactor authentication (MFA), software updates, backups, phishing awareness, device protection, and network security. The application converts the answers into a readiness score, category-level feedback, and prioritized improvement recommendations.

When to use this manual

- Before the assessment, to confirm device, browser, network, and information-handling requirements.
- During the assessment, to understand question choices, progress controls, and how to correct an answer.
- After the assessment, to interpret the score and turn recommendations into a practical action plan.
- During testing or review, to compare the prototype behavior with its documented design.

How to read the manual

If you need to…	Go to…
Check whether your device is supported	Section 4 or Appendix A
Understand privacy and safe-use limits	Section 2
Complete an assessment	Section 5
Interpret or act on results	Section 6

Conventions

CONTROL	Bold control names such as Start Assessment, Back, Next, and View Results refer to buttons or links displayed by the prototype.
DRAFT	The words prototype, planned, and draft identify functions or specifications that must be confirmed through implementation and testing.

2. General Safety Prescriptions

Follow these precautions before, during, and after using the prototype.

CAUTION	CyberReady is an educational self-assessment. It does not certify compliance, guarantee security, perform penetration testing, or replace qualified cybersecurity, legal, or regulatory advice.

Information and privacy safety

- Do not enter passwords, authentication codes, encryption keys, financial details, classified information, controlled unclassified information, or other sensitive data. Questions should be answered at the practice level only.
- Use the application on a trusted device and network. Avoid public or shared computers when assessment results could reveal security weaknesses.
- Close the browser or clear locally stored assessment data after use on a shared device. Protect any printed or saved report according to the sensitivity of its contents.

System and change safety

- Use a supported, fully updated operating system and browser. Do not disable browser security controls to make the prototype run.
- Validate each recommendation before implementation. Back up important data, follow organizational change-control procedures, and obtain authorization before changing managed systems.
- Never test passwords, networks, or devices that you do not own or lack permission to assess. CyberReady is not an attack or scanning tool.

Interpretation safety

- Answer honestly. “Not sure” is safer and more useful than guessing because uncertainty can identify a verification task.
- Treat the score as a directional indicator, not proof that a device or organization is secure. Reassess after major changes, incidents, or remediation work.

Physical device safety

- Follow the device manufacturer’s instructions for power, charging, ventilation, posture, screen breaks, and accessibility. Stop using damaged power equipment or an overheating device.

RESPONSE	If you suspect an active compromise, stop entering information, disconnect only when appropriate, preserve evidence, and contact the responsible security or IT support team.

3. Product Description and Composition

CyberReady organizes a short assessment into a guided workflow that ends with actionable results.

Product description

CyberReady is a lightweight web application prototype. It presents one focused question at a time, records the selected response, calculates a readiness score, groups results by security topic, and displays prioritized recommendations. The experience is designed for users with limited cybersecurity expertise and can be operated with a mouse, keyboard, or supported touch interface.




Figure 2. Prototype assessment screen and primary controls. The final interface may change after usability testing.

Product composition

Component	Function	User interaction
Welcome and notice	Explains purpose, scope, and safe-use limits.	Review notice; select Start Assessment.
Question set	Covers seven common security categories.	Choose Yes, No, or Not sure.
Progress indicator	Shows completion status.	Use to track remaining questions.
Navigation controls	Moves between questions.	Select Back or Next; revise before submission.
Scoring engine	Converts answers into a prototype readiness score.	Runs when the assessment is submitted.
Results and recommendations	Summarizes strengths, gaps, and next actions.	Review priorities; print or save only if available.

4. Technical Specifications

The prototype is designed for current browsers and ordinary consumer or small-business hardware.

End-user hardware

Resource	Minimum	Recommended
Processor	1 GHz dual-core	Modern quad-core or better
Memory (RAM)	4 GB	8 GB or more
Storage	64 GB device storage; <500 MB local browser cache	SSD with at least 1 GB free space
Display	720p display larger than 9 inches	1366 × 768 or higher
Input / network	Keyboard, mouse, or touch; stable internet	Keyboard/mouse or touch; broadband connection

Operating systems and browsers

Platform	Supported operating-system family	Compatible browser
Desktop / laptop	Current supported Windows release	Current Chrome, Edge, or Firefox
Apple computer	Current supported macOS release	Current Safari, Chrome, or Firefox
Chromebook	Current supported ChromeOS release	Current Chrome
Phone / tablet	Current supported Android, iOS, or iPadOS release	Current Chrome or Safari

Security, accessibility, and hosting notes

- Use HTTPS in production. JavaScript and first-party storage must be enabled if the deployed prototype uses local session state.
- The interface is designed for keyboard navigation, readable contrast, responsive layouts, and browser zoom; these features must be verified during accessibility testing.
- Prototype hosting target: 1 vCPU and 1 GB RAM. A future authenticated, database-backed release should use approximately 2 vCPU, 4 GB RAM, encrypted storage, access controls, logging, and tested backups.
- Development workstation target: 64-bit quad-core processor, 16 GB RAM, 256 GB SSD, and 1920 × 1080 display.

NOTE	Specific browser and operating-system versions should be recorded in the future compatibility test report because vendor support changes over time.

5. How to Use CyberReady

Complete the assessment in one sitting when possible. The prototype may not preserve progress after the browser is closed.

Before you begin

- Set aside approximately 5–10 minutes and gather general knowledge of your password, update, backup, device, and network practices.
- Confirm that the device and browser meet Section 4, and close unrelated screens if results should remain private.
- Do not gather or enter secret values. The assessment asks whether safeguards exist, not what the secret values are.

Assessment procedure

1 Open the application

Navigate to the authorized CyberReady web address. Confirm the page displays the CyberReady name and a secure connection when deployed over HTTPS.

2 Review the notice

Read the purpose, privacy, and limitation statements. Continue only if the assessment is appropriate for your environment.

3 Start the assessment

Select Start Assessment. The first category and question appear with a progress indicator.

4 Answer each question

Select Yes when the practice is consistently in place, No when it is not, or Not sure when verification is needed. Choose the answer that reflects current behavior.

5 Navigate and review

Select Next to continue and Back to revise a prior response. Check that the progress indicator advances and that the selected response remains visible.

6 Submit the assessment

At the final question, review any unanswered-item notice and select View Results or Submit Assessment. Avoid refreshing or closing the browser while results are being calculated.

7 Review and act

Read the overall score, category results, and priority recommendations. Begin with the highest-impact gaps and use Section 6 to interpret the output.

6. Understanding Results and Recommendations

Results are a prioritized learning aid. They should be combined with local policies, risk context, and professional judgment.




Figure 3. Prototype results dashboard and recommendation area. Values shown are illustrative.

Prototype score interpretation

Score band	Meaning	Recommended response
80–100: Strong	Many baseline practices are in place.	Maintain controls, verify weak categories, and reassess after changes.
60–79: Developing	Several practices are present, with meaningful gaps.	Address priority recommendations and assign owners and target dates.
0–59: Priority Improvement	Multiple baseline safeguards are missing or uncertain.	Plan prompt remediation; seek qualified help for high-risk systems.

How to turn results into action

- Read the category breakdown; a strong total score can still contain an important weakness in backups, MFA, updates, or network security.
- Convert each recommendation into an action with an owner, target date, evidence of completion, and verification step.
- Prioritize safeguards that reduce multiple risks, such as MFA, timely updates, tested backups, phishing-resistant practices, and secure network settings.
- Record “Not sure” responses as verification tasks. Confirm the setting or practice before treating it as implemented.
- Reassess after improvements. Compare category results, not just the total, and retain reports only when storage is authorized and protected.

DRAFT LOGIC The score bands and weighting are prototype design elements. They must be validated, documented in the software requirements, and tested before a production release.

7. Troubleshooting and Good Practices

Use the least disruptive correction first. Never weaken browser or device security settings to resolve a display problem.

Troubleshooting guide

Symptom	Likely cause	Safe corrective action
Page does not load	Network interruption, incorrect address, or service unavailable	Check connection and address; retry once; contact the authorized support contact.
Buttons do not respond	Outdated browser, script blocked, or page not fully loaded	Wait for loading to finish; update/restart the browser; confirm JavaScript is allowed for the authorized site.
Selection is not retained	Session storage blocked or page refreshed	Return to the question and reselect; complete the assessment without refreshing.
Progress was lost	Browser/tab closed, session expired, or local data cleared	Restart the assessment. Do not rely on unsaved prototype progress.
Mobile layout is difficult	Small screen, zoom, or orientation	Rotate the device, adjust zoom, or use a larger supported display.
Score seems unexpected	Answer misunderstanding, unanswered item, or prototype defect	Review answers and category details; record steps and report a reproducible issue.

Good operating practices

- Use the official application address and avoid links from unexpected messages.
- Update the browser and operating system before troubleshooting repeated errors.
- When reporting a defect, include the device type, operating-system family, browser, time, screen, expected result, and actual result—but remove sensitive information from screenshots.
- If a recommendation conflicts with organizational policy, stop and consult the responsible system owner or security team.

Support information for the prototype

REPORT	For a course review, submit reproducible defects to the project author or instructor. A production release should replace this statement with a monitored support channel, service hours, response expectations, and escalation contacts.

8. Relation to Other Documents

The user manual explains operation. Other project documents define scope, requirements, design, testing, and governance.

Document relationship matrix

Document	Status	Relationship to this manual	Update trigger
Capstone Prototype Proposal (Week 2)	Existing	Defines CyberReady's problem, users, scope, objectives, and high-level technologies.	Approved scope or audience change
Hardware Requirements Essay (Week 3)	Existing	Provides the technical basis for Section 4 and Appendix A.	Supported platform or resource change
CyberReady User Manual (this document)	Draft	Explains safe operation, workflow, results, specifications, and troubleshooting.	User-facing behavior or warning change
Software Requirements / Design Specification	Planned	Will define functional behavior, data flow, scoring logic, accessibility, and security controls.	Requirement or architecture change
Test Plan and Test Report	Planned	Will verify documented procedures, browser compatibility, scoring, accessibility, and failure handling.	New release or defect correction
Privacy Notice / Terms of Use	Planned for deployment	Will govern collected data, retention, consent, limitations, and user responsibilities.	Data practice, legal, or policy change

Traceability and precedence

- The approved requirements and design documents should control product behavior. This manual must be revised when the implemented interface, scoring logic, data handling, or supported environment changes.
- The test report should confirm each procedure and figure. A discrepancy is a defect or documentation change request—not a reason for the user to bypass security controls.
- Privacy notices, organizational policies, laws, and authorized terms of use take precedence over convenience instructions in this draft.
- Each release should carry matching product, manual, and test versions so users can determine whether the instructions apply to the deployed build.

Recommended document set for release

PACKAGE	Release notes • User manual • Privacy notice • Accessibility statement • Support information • Known-issues list • Test summary

APPENDICES A–B

Quick References

These attachments summarize technical readiness and the seven assessment categories.

Appendix A. Hardware quick reference

Check	Ready when…	Action if not ready
Processor	At least 1 GHz dual-core	Use a supported device meeting the minimum.
RAM	At least 4 GB	Close unrelated applications or use another device.
Display	At least 720p and >9 inches	Increase usable display size or switch devices.
Browser	Current supported Chrome, Edge, Firefox, or Safari	Update or install a supported browser.
Operating system	Vendor-supported and fully updated	Install supported updates before use.
Connection	Stable internet connection	Move to a trusted, reliable network.
Privacy	Screen and results can be protected	Use a private location/device or postpone.

Appendix B. Assessment category guide

Category	What it examines	Examples of stronger practice
Passwords	Password uniqueness, length, and management	Unique credentials and a reputable password manager
MFA	Use of an additional authentication factor	MFA enabled for important accounts
Updates	Timely operating-system and application patches	Automatic updates enabled and verified
Backups	Protection and recoverability of important data	Multiple protected copies and tested restoration
Phishing awareness	Ability to recognize and report suspicious messages	Verify requests and use an authorized reporting process
Device protection	Screen lock, malware protection, and secure configuration	Automatic lock, encryption where available, and active protection
Network security	Router, Wi-Fi, and connection practices	Changed default credentials, strong encryption, and secure remote access

APPENDIX C

Troubleshooting Checklist and Glossary

Use this attachment to document a repeatable problem without recording sensitive information.

Troubleshooting checklist

Check	Record
1. Authorized address	URL or environment name; do not record tokens or credentials.
2. Device and operating system	Device type and supported OS family/version.
3. Browser	Browser name/version and whether it is current.
4. Reproduction steps	Numbered actions from page load to failure.
5. Expected vs. actual result	What should have happened and what occurred.
6. Evidence and privacy review	Sanitized screenshot or error text; remove personal or security-sensitive data.

Glossary

Term	Meaning in this manual
Assessment	The sequence of CyberReady questions used to evaluate common security practices.
MFA	Multifactor authentication; access requires two or more different verification factors.
Readiness score	A prototype summary indicator derived from assessment responses; not a certification.
Recommendation	A suggested action associated with a missing, weak, or uncertain practice.
Supported	Expected to function in the stated environment and subject to compatibility testing.
HTTPS	Encrypted web communication used to help protect data in transit.
Prototype	An in-development version used for design, demonstration, and testing.

END	End of CyberReady User Manual — CR-UM-DRAFT-1.0. Verify the product and document versions before use.