SHIZU SECURITY v2.3.0

ZERO-TRUST DEFENSE MANUAL

Autonomous Discord Defense & Moderation Architecture

Product: Shizu Security Bot (Standalone Edition)	**Developers:** VIPER & PRASHU
Core Architecture: v2.3.0 Zero-Trust & Scopes	**Bot Owners:** 1478730719571349545, 1509545584317562970
Runtime: Python 3.10+ / 3.11 | discord.py 2.x | aiosqlite	**Interface UI:** Pure Black (0x000000), Animated Emojis, No-Ping Replies

1. Executive Summary & Zero-Trust Principles

Shizu Security v2.3.0 operates on the principle of **Default Deny**: administrative permissions granted via Discord roles do NOT imply trust. Every sensitive event is intercepted and verified: Actor → Active Scopes → Required Scope → Burst Limit → Allow or Breach. If an actor is uncertain from audit logs, Shizu reverts the damage and logs but never bans an innocent user. Even trusted users are bound by a fixed sliding-window burst limit (3 destructive actions in 10s) to neutralize token hijacking.

1.1 Core Zero-Trust Pillars

■■ Anti-Nuke Zero-Trust	■ Real-Time AutoMod	■ Hierarchy Moderation
• **Default Deny:** Every action requires explicit additive scope. • **Auto-Recreate Nuked Channels:** Clones deleted channels with exact overwrites. • **Fixed Burst Throttling:** 3 actions in 10s trips immediate breach response. • **Audit Uncertainty Rule:** Revert and log, never ban if actor is uncertain. • **Whitelist Trap:** Whitelisting a role blocks assignment by sub-owners.	• **Anti-Spam / Flood:** 5 msgs in 5s or 3 rapid duplicate text hashes. • **Smart Anti-Invite:** Blocks foreign links; auto-permits server vanity URL. • **Anti-Link & Media Whitelist:** Whitelists Tenor, Giphy, Spotify, CDN. • **Regex Bad Words:** Exact word-boundary (\b) dictionary filtering. • **Fixed Sensitivity:** Calibrated thresholds eliminate false flags.	• **Strict Hierarchy Enforcement:** Superiors and owners immune to sub-staff. • **Disciplinary Arsenal:** Ban, unban, kick, timeout (mute), warn, lock, hide. • **14-Day Safe Purge:** Auto-capped to 14 days to prevent API crashes. • **Permanent Case IDs:** Every disciplinary action generates a Case ID. • **Interactive Setup:** ?help interactive dashboard with persistent views.

1.2 Shizu Visual & Audio Interface Aesthetics

Zero-Ping Interactions: All responses enforce mention_author=False, keeping channels completely silent.	**Minimalist Dark Embeds:** Styled in pure obsidian black (color=0x000000) matching Shizu Music.
Animated Confirmations: Features high-definition animated Discord emojis (<a:tick:...>, <a:alert:...>, <a:gears:...>).	**Hierarchy Failsafes:** Commands fail safely with informative embeds if bot permissions or role positions are insufficient.

2. Zero-Trust Authorization & Granular Scopes

Shizu Security replaces arbitrary administrator trust with additive scopes. A user or role must possess the explicit scope required for an action, optionally constrained by target ID and expiration.

2.1 Canonical Scope Registry

Section	Granular Scopes	Operational Boundary & Rules

Channels	`antinuke.channel.create`
	`antinuke.channel.edit`
	`antinuke.channel.delete`
		Allows creating, editing topics/names, or deleting channels/categories. Monitored under fixed 3-in-10s burst limit.

Roles	`antinuke.role.create`
	`antinuke.role.edit`
	`antinuke.role.delete`
	`antinuke.role.assign`
		Allows managing roles. **Hard Guard:** role.assign NEVER grants Administrator, Ban Members, or Manage Guild.

Members	`antinuke.member.ban` `antinuke.member.kick`	Allows banning or kicking members. Subject to hierarchy validation and burst limits.
Webhooks & Bots	`antinuke.webhook.manage` `antinuke.bot.add`	Allows managing webhooks or inviting external bots. Unauthorized bots are banned on sight.
AutoMod Bypass	`automod.bypass.all` `automod.bypass.<rule>`	Bypasses all AutoMod filters or specific rules (spam, invite, link, badwords, caps, mention, emoji).

Admin Scopes
Owner/Extra Only
	`whitelist.manage`
	`extraowner.manage`
	`security.configure`
	`lockdown.toggle`
		Strictly reserved for Server Owner and Extra Owners. **EXCLUDED from Supreme** to prevent escalation.

2.2 Breach Countermeasures & Revert Map

Breach Event	Stop Action	Punish Action	Automated Self-Healing Reversion
Channel Delete	Strip dangerous roles	**Ban Attacker**	Instantly clones channel with exact name, topic, slowmode, and **permission overwrites**.
Rogue Channel Spam	Strip dangerous roles	**Ban Attacker**	Deletes rogue channel on sight + sweeps matching burst spam channels.
Role Delete	Strip dangerous roles	**Ban Attacker**	Recreates role from snapshot with exact name, color, and permissions.
Whitelisted Role Trap	Remove role from target	**Ban Attacker**	Anyone below Extra Owner assigning a whitelisted role trips an instant breach.
Unauthorized Ban	Strip dangerous roles	**Ban Attacker**	Instantly unbans the targeted victim.
Rogue Bot / Webhook	Strip dangerous roles	**Ban Inviter**	Bans rogue bot immediately / deletes all unauthorized webhooks.
Audit Uncertainty	Log incident ticket	**No Ban** (Safety rule)	Damage reverted cleanly; owner alerted with Incident ID.

3. AutoMod Waterfall & Smart Filtering

Chat messages are scanned through an optimized short-circuit pipeline. Thresholds are fixed internally to eliminate configuration bloat and false positives.

3.1 Evaluation Cascade & Smart Whitelists

Stage	Checkpoint	Logic & Evaluation Rule	Result
`Stage 1`	**Bot & Webhook Bypass**	Author is a bot (author.bot) or webhook payload.	**BYPASS** (Never scan bots)
`Stage 2`	**Executive Immunity**	Author is Global Bot Owner, Server Owner, or Extra Owner.	**BYPASS** (Root leadership)
`Stage 3`	**Additive Scope Check**	Author has automod.bypass.all or specific automod.bypass.<rule>.	**BYPASS** (Staff bypass)
`Stage 4`	**Granular Exemptions**	Channel in ignored channels OR Role in ignored roles OR Member in ignored users.	**BYPASS** (Configured exemption)
`Stage 5`	**Smart Media Whitelist**	Server vanity URL & active server invites permitted; Tenor, Giphy, Spotify, CDN allowed.	**PERMITTED** (Safe content)
`Stage 6`	**Rule Violation**	Triggers Spam, Foreign Invite, Links, Bad Words, Caps, Mentions, or Emojis.	**ENFORCE PENALTY**

3.2 Fixed Calibrated Thresholds & Punishments

Rule Name	Detection Mechanism & Algorithm	Fixed Calibrated Threshold	Configurable Penalties
Anti-Spam	Sliding window tracking message frequency & duplicate content hashes	5 msgs / 5 sec or 3 duplicates	delete, warn, timeout (1-1440m)
Anti-Invite	Discord invite regex matching with server vanity bypass	Instant on foreign invite	delete, warn, timeout, kick, ban
Anti-Link	URL detection excluding whitelisted media domains	Instant on non-whitelisted URL	delete, warn, timeout
Bad Words	Case-insensitive word boundary (\bword\b) regex matching	Instant on exact word match	delete, warn, timeout, kick, ban
Anti-Caps	Uppercase character ratio on messages exceeding 8 characters	70% uppercase ratio	delete, warn, timeout
Mass Mention	Count of unique member pings, role pings, and @everyone tags	5 unique pings / msg	delete, warn, timeout, kick
Emoji Spam	Combined count of Unicode emojis and custom Discord emojis	6 emojis / msg	delete, warn

4. Command Directory: Anti-Nuke & Recovery

Complete syntax and permission requirements for Anti-Nuke defense, disaster recovery snapshots, and emergency locks. Default prefix ? (configurable via ?setprefix).

4.1 Anti-Nuke & Disaster Recovery Commands (17 Commands)

Command Syntax	Required Permission	Detailed Functional Description
`?antinuke`	Manage Server	Opens the interactive Anti-Nuke dashboard displaying real-time protection metrics.
`?antinuke enable`	Owner / Extra Owner	Arms real-time defense across channels, roles, webhooks, and bot additions.
`?antinuke disable`	Owner / Extra Owner	Disarms Anti-Nuke countermeasures (emergency maintenance use only).
`?antinuke punishment <act>`	Server Owner	Sets default penalty executed upon breach detection: ban, kick, or strip.
`?antinuke status`	Manage Server	Displays active status, configured punishment, and whitelisted staff counts.
`?backup`	Owner / Extra Owner	Takes an instant database snapshot of all channels, categories, roles, and permission overwrites.
`?restore channels`	Owner / Extra Owner	Restores all deleted channels from snapshot with exact permission overwrites.
`?restore roles`	Owner / Extra Owner	Restores all deleted roles from snapshot with exact colors and permissions.
`?whitelist add <@user|@role>`	Owner / Extra Owner	Opens interactive multi-select section panel, Supreme button, and target/expiry modal.
`?whitelist remove <@user|@role>`	Owner / Extra Owner	Revokes entity whitelist status, placing them back under zero-trust monitoring.
`?whitelist list`	Manage Server	Displays all currently whitelisted users and roles in the server.
`?whitelist check <@user|@role>`	Manage Server	Checks active scopes, targets, and expiration countdown for a member or role.
`?whitelist reset`	Server Owner Only	Wipes all users and roles from the Anti-Nuke whitelist (emergency reset failsafe).
`?extraowner add <@user>`	Server Owner Only	Designates a trusted co-owner authorized to configure defenses and whitelists.
`?extraowner remove <@user>`	Server Owner Only	Revokes Extra Owner privileges from a user.
`?extraowner list`	Owner / Extra Owner	Lists all designated Extra Owners for the server.
`?lockdown`	Owner / Extra Owner	Freezes all text channels instantly by stripping Send Messages from @everyone.
`?unlockdown`	Owner / Extra Owner	Restores standard public chatting permissions across all server channels.

■ **Operational Tip: Whitelist Trap & Role Whitelisting**
• **Role Whitelisting Security Trap:** When a role is added to the whitelist, anyone below Extra Owner who assigns that role to a member automatically triggers a breach. This stops privilege escalation via alt accounts.
• **Fixed Burst Throttling:** Even if a user possesses the antinuke.channel.delete scope, executing 3 deletions within 10.0s trips the burst throttle, stripping dangerous roles and banning the actor.

5. Command Directory: AutoMod, Cases & System

Complete command reference for AutoMod rule management, custom word blacklists, audit case lookups, and core bot system diagnostics.

5.1 AutoMod & Word Blacklist Commands (12 Commands)

Command Syntax	Required Permission	Detailed Functional Description
`?automod`	Manage Guild	Opens the AutoMod management dashboard and rule status embed.
`?automod enable|disable`	Manage Guild	Globally enables or disables all AutoMod message scanners.
`?automod status`	Manage Guild	Displays active status, fixed thresholds, and configured penalties for each rule.
`?automod rule <rule> <on|off>`	Manage Guild	Toggles specific rule: spam, invite, link, badwords, caps, mention, emoji.
`?automod punish <rule> <act> [m]`	Manage Guild	Configures rule penalty: delete, warn, timeout [mins], kick, ban.
`?automod ignore <type> <tgt>`	Manage Guild	Exempts a channel, role, or user from AutoMod.
`?automod unignore <type> <tgt>`	Manage Guild	Removes an active AutoMod exemption from a target.
`?automod ignored`	Manage Guild	Displays all active channel, role, and member exemptions.
`?badwords add <word>`	Manage Messages	Adds exact word to blacklist (uses exact word-boundary regex).
`?badwords remove <word>`	Manage Messages	Removes a word from the active server blacklist.
`?badwords list`	Manage Messages	Lists all blacklisted terms in an ephemeral/private embed.
`?badwords clear`	Manage Guild	Clears all blacklisted terms from the database.

5.2 Cases, Logging & System Commands (10 Commands)

Command Syntax	Required Permission	Detailed Functional Description
`?security`	Manage Server	Full server defense overview (Anti-Nuke, AutoMod, Logging, Whitelist counts).
`?case <case_id>`	Moderate Members	Fetches forensic case details: action, target, moderator, reason, and timestamp.
`?modlogs <user>`	Moderate Members	Displays user's full disciplinary history with all recorded Case IDs.
`?warnings <member>`	Moderate Members	Lists active warnings for a member with warning IDs and dates.
`?clearwarns <member> [id]`	Manage Messages	Clears a specific warning ID or wipes all warnings for a member.
`?setlog <type> <#channel>`	Manage Server	Binds log channel for type: antinuke, automod, or mod.
`?setprefix <prefix>`	Administrator	Sets custom command prefix for the server (persisted in SQLite).
`?ping`	Everyone	Shows Discord WebSocket heartbeat and roundtrip message latency.
`?stats`	Everyone	Displays bot uptime, guild/user count, RAM usage, and developer credits.
`?help [command]`	Everyone	Unified interactive Help & Setup Center with persistent controls.

6. Command Directory: Hierarchy-Safe Moderation

Day-to-day staff commands for sanctioning violators, purging messages, and managing channel states. Every command validates caller and bot role positions to guarantee hierarchy safety.

6.1 Moderation & Utility Commands (16 Commands)

Command Syntax	Required Permission	Detailed Functional Description
`?ban <member|id> [reason]`	Ban Members	Bans user, sends clean DM notice, checks hierarchy, logs Case ID.
`?unban <user_id> [reason]`	Ban Members	Removes ban from Discord user ID and logs disciplinary case.
`?kick <member> [reason]`	Kick Members	Kicks member from server, verifies hierarchy, logs Case ID.
`?timeout <member> <dur> [r]`	Moderate Members	Times out member (e.g. 10m, 1h, 1d) with strict hierarchy checks.
`?untimeout <member> [reason]`	Moderate Members	Removes active Discord timeout from member.
`?warn <member> [reason]`	Moderate Members	Issues persistent formal warning to member ledger and logs Case ID.
`?purge <amount> [@user]`	Manage Messages	Deletes up to 500 messages (auto-capped to 14 days to prevent API crashes).
`?slowmode <seconds> [chan]`	Manage Channels	Configures channel message cooldown delay (0 to 21600 seconds).
`?lock [channel] [reason]`	Manage Channels	Locks text channel by denying Send Messages for @everyone.
`?unlock [channel]`	Manage Channels	Restores Send Messages permission for @everyone.
`?hide [channel]`	Manage Channels	Hides text channel from standard members by denying View Channel.
`?unhide [channel]`	Manage Channels	Restores View Channel permission for @everyone.
`?role add <member> <role>`	Manage Roles	Assigns role to member with strict bot and caller hierarchy validation.
`?role remove <member> <role>`	Manage Roles	Removes role from member with strict hierarchy validation.
`?setnick <member> [nickname]`	Manage Nicknames	Changes or resets member's server display nickname.
`?snipe [channel]`	Manage Messages	Reveals the most recently deleted message and author in the channel.

■■ Operational Guardrails: Hierarchy Safety & 14-Day Purge Rules
• **Hierarchy Enforcement:** Shizu Security automatically verifies that the executing moderator's highest role is strictly above the target member, and that the bot's own top role is also above the target. Staff can never moderate server owners or superiors.
• **14-Day Safe Purge Cap:** Discord's API rejects bulk deletion calls for messages older than 14 days with HTTP 400 Bad Request. Shizu's purge algorithm automatically filters out older messages and safely cleans recent content without crashing.

7. Disaster Recovery & Security Hardening

Technical breakdown of automated snapshot recovery, real-time channel recreation, and production security checklists.

7.1 Disaster Recovery & Self-Healing Architecture

Operation Phase	Command / Trigger	Technical Implementation & Restoration Workflow
Automatic Snapshot	Bot Launch / ?backup	Serializes all channels, categories, voice channels, roles, role colors, and every member/role permission overwrite into SQLite JSON storage.
Real-Time Self-Healing	Unauthorized Channel Deletion	Shizu catches on_guild_channel_delete, bans the rogue administrator within 500ms, and immediately clones the channel with exact position, category, topic, NSFW flags, and **overwrites**.
Disaster Channel Restore	?restore channels	Iterates the snapshot database, identifies any channels missing from Discord, creates them, re-parents under their saved categories, and restores exact role permission trees.
Disaster Role Restore	?restore roles	Recreates all nuked roles from snapshot with their exact colors, hoist flags, and permissions.
Emergency Lockdown	?lockdown / ?unlockdown	Instantly freezes all text channels by denying Send Messages on @everyone. ?unlockdown safely clears the override to restore normal chatting.

7.2 Production Hardening & Pre-Flight Checklist

Requirement	Target Configuration	Security & Operational Justification
Role Hierarchy	Place Shizu Security role at the **highest position** in Server Settings > Roles.	Discord enforces strict hierarchy: bots cannot ban, kick, timeout, or edit roles for members with equal or higher roles.
Privileged Gateway Intents	Enable **Server Members Intent** and **Message Content Intent** in Discord Dev Portal.	Mandatory for inspecting message contents for AutoMod and monitoring member actions.
Environment Security	Store tokens and IDs in .env file: OWNER_IDS=1478730719571349545,1509545584317562970	Prevents token leaks and credential compromise. Keeps bot purely standalone.
Dedicated Audit Channels	Create private staff logs and bind: ?setlog antinuke #logs | ?setlog automod #logs	Ensures immediate real-time forensic logging of breach events and AutoMod actions.

SHIZU SECURITY BOT v2.3.0 — ZERO-TRUST DEFENSE CORE

Engineered & Maintained by **VIPER & PRASHU**

Zero-Dependency Autonomous Architecture | Anti-Nuke • AutoMod • Moderation