Moyasar Activation Self-Serve Guide

Complete step-by-step procedure for the platform owner to activate Moyasar production, switch from Test to Live, and rotate credentials — entirely from the admin dashboard. No developer involvement required after handover.

PREPARED FOR

Amna, PhysioGuidance

PHYSIOGUIDANCE

Riyadh · Saudi Arabia
me-central2 · GCP Cloud Run

DATE

2026-08-17

ADMIN DASHBOARD

app.physioguidance.org/en/dashboard/admin/settings?tab=payments

What this guide covers


Everything the platform owner needs to do — from the moment the SCFHS license is issued — to flip Moyasar from Test to Production and start accepting real payments. Entire procedure runs from two places:


- **Moyasar dashboard** (moyasar.com login) — upload license, get live credentials, configure webhook URL.
- **PhysioGuidance Admin dashboard** → Settings → System → Payments — enter the live credentials and pick "Live" from the Mode dropdown.

No GCP console needed. No gcloud commands. No GitHub Actions redeploy. No developer involvement.

The one exception is if the platform owner prefers to store secrets in GCP Secret Manager instead of the admin UI — see §12 at the end for that alternative path.

Overview flow


SCFHS license issued to PhysioGuidance
Owner uploads license in Moyasar dashboard
Moyasar reviews and approves - typically 1 to 3 business days
Owner copies live keys from Moyasar dashboard
Owner sets webhook URL in Moyasar dashboard and copies webhook secret
Owner opens PhysioGuidance admin - Settings then Payments
Owner enters live publishable key and live secret key
Owner enters webhook secret
Owner selects Live in the Moyasar Mode dropdown
Owner clicks Save
Runtime credential cache refreshes on next request



§1 — Upload SCFHS license to Moyasar

1. Log in to Moyasar dashboard: **https://dashboard.moyasar.com**
2. On the left sidebar, open the menu that Moyasar shows for account verification / additional information. Depending on their latest UI this is labelled either **"Account Verification"**, **"Additional Info"**, or shown as a banner at the top of the dashboard telling you what's missing.
3. Look for the section asking for the **SCFHS (Saudi Commission for Health Specialties) license**. Their existing reviewer note reads:

   > *"we are unable to proceed with the activation process without receiving the required SCFHS license. Kindly provide us with the license once issued so we can continue with the activation accordingly."*

4. Upload the license document (PDF or JPG accepted).
5. Submit the form. Moyasar's reviewer will email you.

Typical timeline: 1 to 3 business days after upload.

---

§2 — After Moyasar approves

You'll receive an email from Moyasar confirming activation.

Once activated, log in again and:

1. Navigate to **Settings** → **API Keys** (or similar; Moyasar labels it "Keys" or "API").
2. You'll see two sets of keys: **Test** and **Live**.
   - Test keys start with `pk_test_...` and `sk_test_...` (already active — you've been using these).
   - Live keys start with `pk_live_...` and `sk_live_...` (newly unlocked).
3. Copy both **live keys** to a safe place (password manager, encrypted note). You'll enter them into the admin dashboard in §5.

Never share live keys in email, chat, or screenshots.

---

§3 — Configure the webhook URL in Moyasar

Moyasar sends payment events (success, failed, refunded, chargeback) to a callback URL you register in their dashboard.

1. Still in the Moyasar dashboard, open **Settings** → **Webhooks** (or **Notifications**).
2. Click **Add Webhook** (or **Create**).
3. **Webhook URL** — paste exactly:

   ```
   https://api.physioguidance.org/api/webhooks/moyasar
   ```

4. **Events** — subscribe to at least:
   - `payment_paid`
   - `payment_failed`
   - `payment_refunded`
   - `chargeback_created` (if available)
5. **HTTP Method** — POST.
6. **Save**.
7. After saving, Moyasar will show a **Webhook Secret**. Copy this — you'll enter it into the admin dashboard in §5. If a secret was already set from the test phase, it will be reused.

Note: Moyasar allows one webhook URL per account. If you already had a test-mode webhook pointing to the same URL, it continues to work — the same endpoint handles both test and live events; our backend uses the Mode setting (§5) to know which environment it's in.

---

§4 — What to know before entering credentials

Before opening the admin dashboard, confirm you have all three items to hand:

Item	Where from	Format
Live publishable key	Moyasar dashboard → API Keys	`pk_live_XXXXXXXXXX...`
Live secret key	Moyasar dashboard → API Keys	`sk_live_XXXXXXXXXX...`
Webhook secret	Moyasar dashboard → Webhooks	32-character random string

---

§5 — Enter live credentials in the admin dashboard

1. Log in to PhysioGuidance admin: **https://app.physioguidance.org/en/dashboard/admin**
2. Go to **Settings** (left sidebar).
3. Click the **System** section, then the **Payments** tab.
4. In the "Editing gateway" dropdown near the top, select **Moyasar**.
5. You'll see the Moyasar section with the following fields:

Fields to fill

Moyasar mode (test / live) — this is the critical dropdown.

- **"Auto — detect from key prefix"** (default) — the mode is decided by the prefix of the secret key you enter (`sk_test_` → test, `sk_live_` → live). Safe if the platform owner is confident the key prefix always tells the truth.
- **"Test"** — forces test mode regardless of which key is entered. Useful for staging or dry-runs.
- **"Live"** — forces live mode. **This is what you set when going to production.**

The setting you make here **wins over the** `MOYASAR_MODE` **environment variable** on the Cloud Run service. Behind the scenes: `GatewayCredentialsService` reads the database first and only falls back to env vars when the database has nothing.

Publishable key — paste the `pk_live_...` value.

Secret key — click the field and paste the `sk_live_...` value. This field is a **rotation input**: leave empty to keep the existing secret; type a new value to rotate. The last four characters of the currently-active secret are shown next to the field ("current: •••• XXXX") so you can confirm you're changing what you think you're changing.

Webhook secret (a bit further down the same tab, in the shared section) — paste the webhook secret from §3.

Save

Click **Save** at the bottom of the tab.

A green toast will appear confirming the save. The `GatewayCredentialsService` cache refreshes on the very next incoming request (or within the TTL, whichever is sooner). No restart or redeploy is triggered.

---

§6 — Verify Moyasar is running live

Two quick checks, no code required.

6a. Runtime status in the admin dashboard

Still on Settings → System → Payments, look at the **Gateway Runtime Status** panel (usually top-right or shown as info pills under each gateway):

- **Source**: should be `db` (or `mixed` if you kept env-var values on any related field).
- **Mode**: should read **Live**.
- **Last four**: should show the last 4 characters of your `sk_live_...` key.

If those three match, credentials are live.

6b. Real 1-SAR test transaction

The safest end-to-end verification is a small real charge you refund immediately.

1. Pick a cheap course (or create a temporary one priced at 1 SAR).
2. Log in as a student account.
3. Go to checkout, pick Moyasar (Mada / Visa / Mastercard / Apple Pay).
4. Complete the payment with a real card.
5. Once the payment lands, open the admin **Finance** dashboard → Payments queue.
6. Find the transaction. Verify:
   - Status = `PAID`
   - Gateway = `moyasar`
   - Environment marker shows `live`
7. Refund the full amount via the refund button.

You've now proven live payments work end to end.

---

§7 — If something doesn't look right

Symptom	Likely cause	Fix
Payments still going through as `test` after save	Cache hasn't picked up the change yet.	Wait 30 seconds and retry, or trigger a save again to force `markDirty()`.
Runtime status shows Source = `env` for Moyasar	You didn't fill any Moyasar field on the admin form.	Check you actually saved the tab. Fields left empty preserve their prior value, so a truly-empty form silently keeps env fallback.
Runtime status shows Mode = `test` after selecting Live	Ensure the Mode dropdown itself shows "Live" (not "Auto"). "Auto" defers to the key prefix; the key must start with `sk_live_` for auto to pick live.	
Webhook attempts show 401 in Moyasar dashboard	Webhook secret in admin dashboard does not match what Moyasar sends.	Re-copy the webhook secret from Moyasar → paste again → Save.
Moyasar dashboard shows the account is not yet activated	SCFHS license is under review or was rejected.	Check the email Moyasar sent + revisit §1 if a resubmission is needed.

§8 — Switching Live back to Test (rollback)

If you ever need to revert to test mode (e.g. during a suspected incident):

1. Admin dashboard → Settings → System → Payments → Moyasar.
2. Set **Mode** dropdown to **Test**.
3. If you still have the `sk_test_...` and `pk_test_...` values, paste them into the credential fields.
4. Save.

The gateway is back in test mode within seconds. No redeploy needed.

§9 — Rotating Moyasar credentials in the future

Rotation cadence recommendation: every 12 months, or immediately after any suspected leak.

1. Log in to Moyasar dashboard.
2. **Settings** → **API Keys** → click **Regenerate** next to the secret key (Moyasar invalidates the old key at the moment of regenerate; there is no grace window, so time this during off-peak traffic).
3. Copy the new `sk_live_...` value.
4. Open PhysioGuidance admin → Settings → System → Payments → Moyasar.
5. Paste the new secret key into the **Secret key** field. Leave publishable key and webhook secret unchanged.
6. Save.
7. Verify §6a shows the new "last four" matches the new key.

Same procedure for the webhook secret (regenerate in Moyasar → paste + save in admin).

Publishable key does not usually need rotation (it's public by design), but the procedure is the same if desired.

---

§10 — What lives where

For reference:

- **Publishable key** — stored in the database in plain text (safe: it's a public key). Read into `GatewayCredentialsService` at runtime.
- **Secret key** — stored encrypted (AES-256-GCM using the platform PII encryption key) in the same `system_settings.payments.moyasar.secretKeyRef` JSONB field. Decrypted only in memory when needed.
- **Webhook secret** — stored encrypted in `system_settings.payments.webhookSecretRef`.
- **Mode** — stored plain in `system_settings.payments.moyasar.mode` as the string `test` or `live`.

Cache TTL: `GatewayCredentialsService` reads DB once and holds for a short TTL, refreshing lazily. Admin saves call `markDirty()` which invalidates the cache immediately.

---

§11 — Confirm webhook URL is registered

The URL that Moyasar posts to is fixed by the deployment:

```
https://api.physioguidance.org/api/webhooks/moyasar
```

It never changes across environments or deploys. Configure it once in Moyasar and it works for both test and live modes — the mode selection in §5 tells our backend which environment context to use.

Backend route: backends/src/modules/payments/webhooks.controller.ts — `@Post(':gateway')` where `:gateway` = `moyasar`.

---

§12 — Alternative: Secret Manager path (for devops-heavy teams)

If a future platform owner prefers to keep secrets exclusively in GCP Secret Manager (never in the admin database), the deploy scripts already wire the following secret names:

Secret Manager name	What it holds
`MOYASAR_SECRET_KEY_LIVE`	Live secret key
`MOYASAR_PUBLISHABLE_KEY_LIVE`	Live publishable key
`MOYASAR_WEBHOOK_SECRET_LIVE`	Live webhook secret
`MOYASAR_SECRET_KEY_TEST`	Test secret key
`MOYASAR_PUBLISHABLE_KEY_TEST`	Test publishable key
`MOYASAR_WEBHOOK_SECRET_TEST`	Test webhook secret

Plus one environment variable on the `physioguidance-api` and `physioguidance-api-worker` Cloud Run services:

- `MOYASAR_MODE` = `test` | `live`

To use this path:

1. Store each secret via `gcloud secrets versions add <name> --data-file=-` (or via the GCP Console → Security → Secret Manager).
2. Flip the env var: `gcloud run services update physioguidance-api --region=me-central2 --update-env-vars MOYASAR_MODE=live` (repeat for `physioguidance-api-worker`). Cloud Run creates a new revision automatically.
3. Ensure the admin dashboard's Payments tab has empty values (leaves DB unset, so the runtime falls back to Secret Manager).

Runtime resolution order: **Admin DB** → **Secret Manager**. If both are populated, DB wins. That's why leaving the admin form empty is essential for pure-Secret-Manager operation.

Summary — the shortest path

1. Upload SCFHS license to Moyasar dashboard.
2. Wait for approval email (1–3 days).
3. Copy `pk_live_...` + `sk_live_...` from Moyasar → API Keys.
4. Register webhook URL `https://api.physioguidance.org/api/webhooks/moyasar` in Moyasar → Webhooks, copy the webhook secret.
5. Log in to PhysioGuidance admin → Settings → System → Payments → Moyasar.
6. Enter publishable key, secret key, webhook secret. Select **Live** in the Mode dropdown.
7. Save.
8. Verify runtime status shows `mode: live` and `lastFour` matches your key.
9. Run a 1 SAR test transaction, refund it.
10. Done.

No terminal. No GCP console. No CI redeploy.