Homework Assignment 1

Matthew Tiger

January 31, 2017

Problem 2.1. Find the Fourier transforms of each of the following functions:

c.
$$f(x) = \delta^{(n)}(x)$$
,

f.
$$f(x) = x \exp\left(-\frac{ax^2}{2}\right), a > 0,$$

g.
$$f(x) = x^2 \exp\left(-\frac{1}{2}x^2\right)$$
.

Problem 2.2. Show that

a.
$$\mathscr{F}\left\{\delta(x-ct) + \delta(x+ct)\right\} = \sqrt{\frac{2}{\pi}}\cos(kct),$$

b.
$$\mathscr{F}\left\{H\left(ct-|x|\right)\right\} = \mathscr{F}\left\{\chi_{[-ct,ct]}(x)\right\} = \sqrt{\frac{2}{\pi}} \frac{\sin(kct)}{k}.$$

Problem 2.3. Show that

a.
$$i\frac{d}{dk}F(k) = \mathscr{F}\left\{xf(x)\right\}$$

b.
$$i^n \frac{d^n}{dk^n} F(k) = \mathscr{F} \{x^n f(x)\}$$

Problem 2.5. Prove the following:

c. If f(x) has a finite discontinuity at a point x = a, then

$$\mathscr{F}\left\{f'(x)\right\} = (ik)F(k) - \frac{1}{\sqrt{2\pi}}\exp(-ika)[f]_a,$$

where $[f]_a = f(a+0) - f(a-0)$.

Generalize this result for $\mathscr{F}\left\{f^{(n)}(x)\right\}$.

Problem 2.7. Prove the following results for the convolution:

c.
$$\frac{d}{dx}[f(x) * g(x)] = f'(x) * g(x) = f(x) * g'(x),$$

d.
$$\int_{-\infty}^{\infty} (f * g)(x) dx = \int_{-\infty}^{\infty} f(u) du \int_{-\infty}^{\infty} g(v) dv.$$

Problem 2.8. Use the Fourier transform to solve the following ordinary differential equations for $-\infty < x < \infty$:

- a. y''(x) y(x) + 2f(x) = 0, where f(x) = 0 when x < -a and when x > a and its derivatives vanish at $x = \pm \infty$,
- b. 2y''(x) + xy'(x) + y(x) = 0.

Solution. \Box

Problem 2.9. Solve the following integral equations for an unknown function f(x):

a.
$$\int_{-\infty}^{\infty} \phi(x-t)f(t)dt = g(x),$$

b.
$$\int_{-\infty}^{\infty} \exp(-at^2) f(x-t) dt = \exp(-at^2), a > b > 0,$$

d.
$$\int_{-\infty}^{\infty} f(x-t)f(t)dt = \frac{b}{x^2 + b^2}.$$