

Homework Assignment 4

Matthew Tiger

September 30, 2016

Problem 2.3.1. For each of the following functions, $c = 0$ lies on a periodic circle. Classify this cycle as attracting, repelling, or neutral (non-hyperbolic). State if it is super attracting.

i. $f(x) = \frac{\pi}{2} \cos(x)$,

ii. $g(x) = -\frac{1}{2}x^3 - \frac{3}{2}x^2 + 1$.

Solution.

□

Problem 2.3.2. Let $f_c(x) = x^2 + c$. Show that for $c < -3/4$, f_c has a 2-cycle, and find it explicitly. For what values of c is the 2-cycle attracting?

Solution.

□

Problem 2.3.3. Let $a, b, c \in \mathbb{R}$. Investigate the existence of 2-cycles for the following maps:

i. $f(x) = ax + b$, $a \neq 0$.

ii. $f(x) = ax^2 - x + c$, $a, c > 0$.

iii. $f(x) = a - \frac{b}{x}$, $b \neq 0$.

iv. $f(x) = \frac{ax+b}{cx-a}$, $b \neq 0$.

Solution.

□

Problem 2.3.4. Let $f : \mathbb{R} \rightarrow \mathbb{R}$ be continuous.

- i. If f has a 2-cycle $\{x_0, x_1\}$, show that f has a fixed point.
- ii. If f has a 3-cycle $\{x_0, x_1, x_2\}$, $x_0 < x_1 < x_2$ with $f(x_0) = x_1$, $f(x_1) = x_2$, and $f(x_2) = x_0$, show that there is a fixed point y_0 with $x_1 < y_0 < x_2$ and a point y_1 with $x_0 < y_1 < x_1$ with $f^2(y_1) = y_1$.

Solution.

□

Problem 2.3.7. Let $f(x) = ax^3 + bx + 1$, $a \neq 0$. If $\{0, 1\}$ is a 2-cycle for $f(x)$, find a and b so that the 2-cycle is non-hyperbolic and determine the stability.

Solution.

□

Problem 2.3.17. Suppose that $f(x) = ax^2 + bx + c$, $a \neq 0$ has a 2-cycle $\{x_0, x_1\}$. Show that the 2-cycle cannot be non-hyperbolic of the type $f'(x_0)f'(x_1) = 1$.

Solution.

□

Problem 2.3.18. Let $f(x)$ be a polynomial for which $g(x) = f^2(x) - x$ has a repeated root at x_0 (where $f(x_0) = x_1 \neq x_0$). Show that $\{x_0, x_1\}$ is a non-hyperbolic 2-cycle for f of the type where $f'(x_0)f'(x_1) = 1$. Does the converse hold?

Solution.

□

Problem 2.4.1. Let $f_c(x) = x^2 + c$, $c \in \mathbb{R}$.

- i. For what values of c does f_c have a super-attracting fixed point and what is the fixed point?
- ii. For what values of c does f_c have a super-attracting 2-cycle and what is the 2-cycle?
- iii. Show that if f_c has a super-attracting 3-cycle, then c satisfies the equation

$$c^3 + 2c^2 + c + 1 = 0$$

and the 3-cycle is given by $\{0, c, c^2 + c\}$.

Solution.

□