LSTS-design: v0.37.0 vs v0.39.0

Scalar values

cam_eff: 0.249423 -> 0.249424

muon_frac: 0.0120232 -> 0.0120288


nsb_rate (GHz): 0.279585 -> 0.279585


nsb_ref (GHz): 0.252589 -> 0.252589

reflectivity: 0.91667 -> 0.916669


tel_eff: 0.24436 -> 0.244362


tot_sens: 0.48204 -> 0.482043





LSTS-design: v0.37.0 vs v0.39.0
muon
nsb
shower
v0.37.0
v0.39.0
Detected spectrum
Wavelength (nm)
Relative change (%)
1e−5


LSTS-design: v0.37.0 vs v0.39.0 (muon): efficiency components










LSTS-design: v0.37.0 vs v0.39.0 (muon): relative change by component











LSTS-design: v0.37.0 vs v0.39.0 (nsb): efficiency components
















LSTS-design: v0.37.0 vs v0.39.0 (nsb): relative change by component
















LSTS-design: v0.37.0 vs v0.39.0 (shower): efficiency components
















LSTS-design: v0.37.0 vs v0.39.0 (shower): relative change by component











MSTx-FlashCam: v0.37.0 vs v0.39.0

Scalar values

cam_eff: 0.279205 -> 0.279206

muon_frac: 0.0118893 -> 0.0118945


nsb_rate (GHz): 0.243026 -> 0.243026


nsb_ref (GHz): 0.21956 -> 0.21956

reflectivity: 0.93335 -> 0.93335


tel_eff: 0.278161 -> 0.278162


tot_sens: 0.520602 -> 0.520605






MSTx-FlashCam: v0.37.0 vs v0.39.0
muon
nsb
shower
v0.37.0
v0.39.0
Detected spectrum
Relative change (%)
Wavelength (nm)


MSTx-FlashCam: v0.37.0 vs v0.39.0 (muon): efficiency components
















MSTx-FlashCam: v0.37.0 vs v0.39.0 (muon): relative change by component
















MSTx-FlashCam: v0.37.0 vs v0.39.0 (nsb): efficiency components















MSTx-FlashCam: v0.37.0 vs v0.39.0 (nsb): relative change by component











MSTx-FlashCam: v0.37.0 vs v0.39.0 (shower): efficiency components














MSTx-FlashCam: v0.37.0 vs v0.39.0 (shower): relative change by component







SSTS-design: v0.37.0 vs v0.39.0

Scalar values

cam_eff: 0.337842 -> 0.337841

muon_frac: 0.0398264 -> 0.0398589


nsb_rate (GHz): 0.0365149 -> 0.0365779


nsb_ref (GHz): 0.032989 -> 0.033046

reflectivity: 0.871325 -> 0.871325


tel_eff: 0.313445 -> 0.313452


tot_sens: 0.448437 -> 0.448059






SSTS-design: v0.37.0 vs v0.39.0
muon
nsb
shower
v0.37.0
v0.39.0
Detected spectrum
Relative change (%)
Wavelength (nm)


SSTS-design: v0.37.0 vs v0.39.0 (muon): efficiency components
















SSTS-design: v0.37.0 vs v0.39.0 (muon): relative change by component
















SSTS-design: v0.37.0 vs v0.39.0 (nsb): efficiency components
















SSTS-design: v0.37.0 vs v0.39.0 (nsb): relative change by component
















SSTS-design: v0.37.0 vs v0.39.0 (shower): efficiency components











SSTS-design: v0.37.0 vs v0.39.0 (shower): relative change by component

