

Gamo, Rechelle Ann C
BSIT 301

ACT1

```
1 void main() {  
2     var name = "Rechelle Ann C. Gamo";  
3     print(name);  
4  
5  
6     print("=====");  
7     print("      STUDENT PROFILE  ");  
8     print("=====");  
9     print("");  
10    print("Name      : Gamo, Rechelle Ann");  
11    print("course   : BSIT");  
12    print("Year      : 3");  
13    print("School   : Global Reciprocal Colleges");  
14    print("");  
15    print("=====");  
16  
17  
18  
19 }
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

● @gamo-lab → /workspaces/dart (main) \$ dart main.dart
Rechelle Ann C. Gamo
=====
STUDENT PROFILE
=====

Name : Gamo, Rechelle Ann
course : BSIT
Year : 3
School : Global Reciprocal Colleges
=====

○ @gamo-lab → /workspaces/dart (main) \$ █

ACTS 2:

```
1  void main() {  
2  
3      print("  GAMO, RECHELLE ANN C.");  
4      print("  BSIT 301  ");  
5      print("=====");  
6  
7  
8      var firstNum = 30;  
9      var secondNum = 6;  
10  
11     var total = firstNum + secondNum;  
12     var difference = firstNum - secondNum;  
13     var product = firstNum * secondNum;  
14     var quotient = firstNum / secondNum;  
15     var modulo = firstNum % secondNum;  
16  
17  
18     print("total: $total");  
19     print("difference: $difference");  
20     print("product: $product");  
21     print("quotient: $quotient");  
22     print("modulo: $modulo");  
23  
24  
25  
26  
27 }
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

- @gamo-lab → /workspaces/dart (main) \$ dart main.dart
GAMO, RECHELLE ANN C.
BSIT 301
=====
total: 36
difference: 24
product: 180
quotient: 5.0
modulo: 0
- @gamo-lab → /workspaces/dart (main) \$ █

Acts 3

```
main.dart > main
Run | Debug
1 void main() {
2   print("=====REPORT CARD=====");
3
4   print("Name : Gamo,Rechelle Ann");
5   print("Mathworld : 92 ");
6   print("Graphics : 95");
7   print("ProfElect : 89");
8   print("");
9
10  final average = (92 + 95 + 89) / 3;
11  print("Average : ${average.toStringAsFixed(2)}");
12  print("=====");
13 }
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS 2

- @gamo-lab → /workspaces/dart (main) \$ dart main.dart
=====REPORT CARD=====
Name : Gamo,Rechelle Ann
Mathworld : 92
Graphics : 95
ProfElect : 89

Average : 92.00
=====
- @gamo-lab → /workspaces/dart (main) \$

ACTS 4



The image shows a screenshot of an IDE with a Dart file named `main.dart`. The code defines a `main` function that prints a header, sets a `grade` variable to 92, prints the grade and a boolean comparison, uses an `if-else` statement to print "PASSED" or "FAILED", and prints a footer. The terminal output shows the execution of `dart main.dart`, which produces the same header and footer, followed by `grade false` and `PASSED`.

```
Run | Debug
1 void main() {
2   print("=====BOOLEAN AND LOGICAL EXAMPLE=====");
3
4   int grade = 92;
5   print("grade ${grade < 92}");
6
7   if (grade > 87 ) {
8     print("PASSED");
9   } else {
10    print("FAILED");
11  }
12
13
14
15   print("=====");
16 }
17
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS 2

- @gamo-lab → /workspaces/dart (main) \$ dart main.dart
=====BOOLEAN AND LOGICAL EXAMPLE=====
grade false
PASSED
=====
- @gamo-lab → /workspaces/dart (main) \$