GANA Peptide Product Explanations

GANA Peptide APDN

Key Active: SYN-AKE (Dipeptide Diaminobutyroyl Benzylamide Diacetate)

For Home Use: Relaxing Expression Lines

GANA Peptide APDN features SYN-AKE, a synthetic peptide designed to mimic the wrinkle-relaxing effects of snake venom. This innovative ingredient works by temporarily inhibiting muscle contractions that cause dynamic wrinkles, such as frown lines, forehead creases, and crow's feet. By relaxing these micro-muscles, SYN-AKE helps to smooth out existing expression lines and prevent new ones from forming, giving the skin a more youthful and serene appearance. It's an excellent addition to an anti-aging routine for those looking for a non-invasive way to reduce the visibility of dynamic wrinkles.

Routine Placement: Apply a few drops of GANA Peptide APDN serum to cleansed skin in the morning and evening, focusing on areas with expression lines. Follow with your regular moisturizer and SPF during the day.

For Clinic Use: Enhanced Wrinkle Reduction

In a clinical setting, the efficacy of GANA Peptide APDN can be significantly enhanced through professional application methods. Due to the larger molecular size of peptides, topical application alone may not achieve maximum penetration. Clinics utilize techniques such as **microneedling** or **dermarolling** (typically 0.2mm - 0.5mm) to create microscopic channels in the skin. This allows the SYN-AKE peptide to bypass the skin's outer barrier and absorb deeply into the target tissues, maximizing its muscle-relaxing and wrinkle-smoothing effects. It can be integrated into a series of 2-3 sessions at 2-week intervals and can be combined with other peptide solutions for a comprehensive anti-aging treatment. [1]

GANA Peptide Carnosine

Key Active: L-Carnosine

For Home Use: Anti-Aging Protection and Firmness

GANA Peptide Carnosine harnesses the power of L-Carnosine, a naturally occurring dipeptide known for its potent antioxidant and anti-glycation properties. Glycation is a process where sugar molecules bind to proteins like collagen and elastin, leading to their stiffening and the formation of wrinkles and sagging skin. L-Carnosine acts as a

protective shield, preventing this damage and helping to maintain the skin's firmness and elasticity. Furthermore, L-Carnosine has been shown to reduce telomere shortening, a key indicator of cellular aging, thus promoting cellular longevity and overall skin health [7] [8] [9] [10] [11]. This makes it an excellent ingredient for daily anti-aging protection and for improving skin resilience.

Routine Placement: Apply GANA Peptide Carnosine serum to your face and neck after cleansing and toning, both morning and night. It can be layered with other serums and followed by a moisturizer.

For Clinic Use: Advanced Cellular Protection and Rejuvenation

In a professional setting, GANA Peptide Carnosine can be utilized to provide advanced cellular protection and rejuvenation. Its geroprotective properties, including the ability to reduce telomere shortening and combat glycation, make it a valuable asset in treatments aimed at slowing down the intrinsic aging process. When applied with **microneedling** or **dermarolling** (0.2mm - 0.5mm), L-Carnosine can penetrate deeper into the skin, enhancing its ability to protect collagen and elastin fibers from degradation and promote cellular repair. This can lead to improved skin firmness, elasticity, and a reduction in the visible signs of aging. It can be incorporated into a series of 2-3 sessions at 2-week intervals and can be combined with other peptide solutions. [7] [8] [9] [10] [11]

GANA Peptide AH8

Key Active: Acetyl Hexapeptide-8 (Argireline)

For Home Use: Softening Dynamic Wrinkles

GANA Peptide AH8 contains Acetyl Hexapeptide-8, commonly known as Argireline, a popular peptide recognized for its

Botox-like effects. This peptide works by interfering with the nerve signals that tell facial muscles to contract, thereby relaxing the muscles responsible for dynamic wrinkles. This leads to a visible reduction in the appearance of expression lines, particularly around the eyes and forehead, without the need for injections. It's a gentle yet effective way to achieve smoother-looking skin.

Routine Placement: Apply GANA Peptide AH8 serum to areas with dynamic wrinkles (e.g., forehead, around the eyes) after cleansing and before heavier creams. Use twice daily for best results.

For Clinic Use: Targeted Relaxation of Expression Lines

In a clinical setting, GANA Peptide AH8 (Argireline) can be used to provide targeted relaxation of expression lines. Similar to other peptides, its penetration can be significantly enhanced through professional techniques. **Microneedling** or **dermarolling** (0.2mm - 0.5mm) can create micro-channels, allowing the Acetyl Hexapeptide-8 to reach deeper into the skin where it can more effectively modulate muscle contractions. This approach can lead to a more pronounced and longer-lasting reduction in the depth of wrinkles. It is typically administered in 2-3 sessions at 2-week intervals and can be combined with other peptides for a comprehensive anti-aging strategy [1] [2] [3] [4].

GANA Peptide PP3

Key Active: Palmitoyl Pentapeptide-3 (Matrixyl)

For Home Use: Boosting Collagen and Reducing Fine Lines

GANA Peptide PP3 features Palmitoyl Pentapeptide-3, also known as Matrixyl, a powerful signal peptide that communicates with skin cells to stimulate the production of collagen and elastin. As we age, collagen and elastin production naturally declines, leading to loss of skin firmness and the formation of wrinkles. Matrixyl helps to reverse this process by encouraging the skin to rebuild its support structure, resulting in improved skin elasticity, reduced wrinkle depth, and a smoother, more youthful complexion. It's an essential ingredient for anyone looking to combat the signs of aging and restore skin vitality.

Routine Placement: Apply GANA Peptide PP3 serum to your entire face and neck after cleansing and toning, both morning and night. Gently massage until absorbed, then follow with your preferred moisturizer.

For Clinic Use: Intensive Collagen Remodeling

Clinically, GANA Peptide PP3 (Matrixyl) is ideal for intensive collagen remodeling treatments. By delivering Palmitoyl Pentapeptide-3 directly into the dermis, professional procedures can significantly amplify its collagen-boosting effects. Techniques such as **microneedling** or **dermarolling** (0.2mm - 0.5mm) facilitate deeper penetration, allowing the peptide to effectively signal fibroblasts to produce new collagen and elastin fibers. This leads to a more dramatic improvement in skin firmness, elasticity, and the reduction of fine lines and wrinkles. It can be incorporated into a series of 2-3 sessions at 2-week intervals and can be combined with other peptides for a holistic anti-aging approach [1].

GANA Peptide PT1

Key Active: Palmitoyl Tripeptide-1 (pal-GHK)

For Home Use: Repairing and Strengthening Skin

GANA Peptide PT1 contains Palmitoyl Tripeptide-1, also known as pal-GHK, a skin-repairing peptide that plays a crucial role in strengthening the skin's support structures and repairing visible damage. This peptide works by stimulating the production of key components of the extracellular matrix, such as collagen and glycosaminoglycans. By promoting these essential building blocks, pal-GHK helps to improve skin resilience, reduce the appearance of fine lines and wrinkles, and enhance overall skin texture. It's particularly beneficial for skin that needs extra support in recovery and maintaining its youthful integrity.

Routine Placement: Apply GANA Peptide PT1 serum to cleansed skin, focusing on areas needing repair or strengthening. Use morning and night before your moisturizer.

For Clinic Use: Advanced Skin Regeneration and Repair

In a clinical setting, GANA Peptide PT1 offers advanced capabilities for skin regeneration and repair. Professional application methods, such as **microneedling** or **dermarolling** (0.2mm - 0.5mm), ensure optimal delivery of Palmitoyl Tripeptide-1 to the deeper layers of the skin. This enhanced penetration allows the peptide to more effectively stimulate the synthesis of collagen and other vital skin components, leading to accelerated repair of damaged skin, improved wound healing, and a significant boost in skin firmness and elasticity. It can be integrated into a series of 2-3 sessions at 2-week intervals and can be cocktailed with other peptides for comprehensive skin rejuvenation [1].

GANA Peptide MP17

Key Active: Myristoyl Pentapeptide-17

For Home Use: Enhancing Eyelash Growth

GANA Peptide MP17 features Myristoyl Pentapeptide-17, a specialized peptide designed to promote the appearance of longer, thicker, and fuller eyelashes. This peptide works by stimulating the keratin genes, which are essential for hair growth. By encouraging the natural growth cycle of eyelashes, it helps to improve their density and length over time. It's a safe and effective way to enhance the natural beauty of your eyes without the need for extensions or harsh chemicals.

Routine Placement: Apply GANA Peptide MP17 along the lash line with an eye brush, similar to applying liquid eyeliner. Use biweekly, avoiding direct contact with the eyes. For best results, use consistently for 3-4 sessions.

For Clinic Use: Professional Eyelash Enhancement

Clinically, GANA Peptide MP17 can be used for professional eyelash enhancement treatments. While the product is designed for home use, clinics can offer guidance on proper application techniques and integrate it into broader beauty regimens. The key is consistent and precise application along the lash line to stimulate keratin genes effectively. This peptide provides a non-invasive option for clients seeking to improve the natural growth and appearance of their eyelashes. It can be recommended as a standalone treatment or as part of a larger aesthetic plan [1].

GANA Peptide AGH1

Key Active: Acetyl Glutamyl Heptapeptide-1 (SNAP-8)

For Home Use: Advanced Wrinkle Relaxation

GANA Peptide AGH1 contains Acetyl Glutamyl Heptapeptide-1, known as SNAP-8, an advanced peptide that is an elongated version of Argireline. SNAP-8 works by further reducing the intensity of muscle contractions responsible for expression wrinkles, offering a more potent Botox-like effect. It targets the same mechanism as Argireline but with enhanced efficacy, leading to a more significant reduction in the depth of wrinkles, particularly on the forehead and around the eyes. This peptide provides a powerful solution for those seeking to visibly smooth out dynamic lines and achieve a more relaxed facial appearance.

Routine Placement: Apply GANA Peptide AGH1 serum to areas with pronounced expression wrinkles after cleansing. Use twice daily, focusing on targeted application, before applying other serums or moisturizers.

For Clinic Use: Superior Dynamic Wrinkle Reduction

In a clinical setting, GANA Peptide AGH1 (SNAP-8) offers superior dynamic wrinkle reduction compared to its predecessor, Argireline, with studies suggesting it can be up to 30% more potent [5, 6]. When applied using **microneedling** or **dermarolling** (0.2mm - 0.5mm), Acetyl Glutamyl Heptapeptide-1 can achieve optimal penetration, leading to a more profound and lasting relaxation of facial muscles. This makes it an excellent choice for clients seeking significant improvement in deep expression lines. It is typically administered in 2-3 sessions at 2-week intervals and can be combined with other peptides for a comprehensive anti-aging treatment [1] [5] [6].

GANA Peptide AT5

Key Active: Acetyl Tetrapeptide-5

For Home Use: Reducing Puffy Under-Eye Bags

GANA Peptide AT5 features Acetyl Tetrapeptide-5, a specialized peptide formulated to address the common concern of puffy under-eye bags. This peptide works by targeting the mechanisms that contribute to fluid accumulation and swelling in the delicate under-eye area. It helps to improve lymphatic circulation and reduce capillary permeability, thereby diminishing puffiness and dark circles caused by fluid retention. Regular use can lead to a more refreshed and revitalized eye contour.

Routine Placement: Gently dab GANA Peptide AT5 serum around the orbital bone after cleansing and toning, both morning and night. Allow it to absorb fully before applying eye cream or moisturizer.

For Clinic Use: Professional Treatment for Eye Bags

Clinically, GANA Peptide AT5 is a valuable tool for professional treatments targeting under-eye bags and puffiness. By utilizing **microneedling** or **dermarolling** (0.2mm - 0.5mm), Acetyl Tetrapeptide-5 can be delivered more effectively to the periorbital area, enhancing its ability to reduce fluid retention and improve microcirculation. This can lead to a more significant and rapid reduction in the appearance of eye bags, providing clients with a more youthful and rested look. It can be integrated into a series of 2-3 sessions at 2-week intervals and can be combined with other peptides for a comprehensive eye rejuvenation treatment [1].

GANA Peptide NP1

Key Active: Nonapeptide-1

For Home Use: Brightening and Spot Correction

GANA Peptide NP1 contains Nonapeptide-1, a powerful whitening peptide designed to address hyperpigmentation and promote a brighter, more even skin tone. This peptide works by inhibiting the activity of tyrosinase, a key enzyme involved in melanin production. By blocking the signals that trigger melanin synthesis, Nonapeptide-1 helps to reduce the appearance of existing dark spots, sun spots, and post-inflammatory hyperpigmentation, while also preventing new discoloration from forming. It's an excellent choice for those seeking to achieve a luminous and uniform complexion.

Routine Placement: Apply GANA Peptide NP1 serum to cleansed skin, focusing on areas with hyperpigmentation or uneven tone. Use morning and night, followed by a broad-spectrum SPF during the day.

For Clinic Use: Targeted Hyperpigmentation Treatment

In a clinical setting, GANA Peptide NP1 offers targeted treatment for hyperpigmentation. Professional application methods, such as **microneedling** or **dermarolling** (0.2mm - 0.5mm), can significantly enhance the delivery of Nonapeptide-1 to the melanocytes, where it can more effectively inhibit tyrosinase activity [12] [13] [14] [15]. This leads to a more pronounced reduction in dark spots and a more even skin tone. It can be integrated into a series of 2-3 sessions at 2-week intervals and can be combined with other peptides for a comprehensive skin brightening and anti-pigmentation strategy [1] [12] [13] [14] [15].

References

[1] GANA R&D. (n.d.). GANA Peptide APDN. Retrieved from

[2] PMC. (2025, June 14). Acetyl Hexapeptide-8 in Cosmeceuticals—A Review of Skin. Retrieved from

[3] INCIDecoder. (n.d.). Acetyl Octapeptide-3 (Explained + Products). Retrieved from

[4] Wikipedia. (n.d.). Acetyl hexapeptide-8. Retrieved from

[5] Hubmeded. (2025, July 31). SNAP-8 Peptide: A Non-Invasive Botox Alternative for Wrinkle. Retrieved from

[6] Imfabulouscosmetics. (2026, June 6). SNAP-8 Before and After: Real Results & Clinical Evidence. Retrieved from

[7] Pubmed. (n.d.). L-carnosine reduces telomere damage and shortening rate in. Retrieved from

[8] ISDIN. (2026, April 22). Sagging Skin? Here's How Carnosine Can Help. Retrieved from

[9] Consensus. (n.d.). L-carnosine Skincare Anti-aging Benefits. Retrieved from

[10] Life Extension. (n.d.). Carnosine Is A Longevity Factor. Retrieved from

[11] We Are Lively. (n.d.). L-Carnosine: A Comprehensive Overview of Its Effects and Benefits. Retrieved from

[12] PMC. (2025, September 12). Discovery of a Novel Cyclopeptide as Tyrosinase Inhibitor for Skin. Retrieved from

[13] Boldpurity. (2026, April 21). Nonapeptide-1 in Skincare: Science, Benefits & How It Works for. Retrieved from

[14] Researchgate. (n.d.). Discovery of a Novel Cyclopeptide as Tyrosinase Inhibitor for Skin. Retrieved from

[15] Biotech Peptides. (2024, February 12). Nonapeptide-1: Research on Skin Pigmentation. Retrieved from