

DOORS

Data Orchestration and On-demand Reporting System

Data Viewer User Manual

Interactive report discovery and responsible use

Document ID	Version	Audience	Classification
DOORS-DATA-VIEWER-MANUAL	1.0	Data Viewer and Data Manager	NIC INTERNAL

Document control

Field	Value
Title	Data Viewer User Manual
Owner	DOORS Product Governance
Version / status	1.0 / Approved for initial publication
Effective date	30 August 2026
Review cycle	At every material release or annually
Audience	Data Viewer and Data Manager
Authoritative source	Current DOORS release, configuration and governance records

Publication rule

Use the authenticated DOORS Documentation Hub as the source of truth. Downloaded copies may become obsolete after a release, security change or policy revision.

Learning objectives

After completing this manual, the reader should understand the authorized workflow, required evidence, security boundaries and escalation points for the role.

- Complete tasks without bypassing approval controls.
- Recognize information that must not be disclosed.
- Capture identifiers needed for audit and support.

Find an approved report

Use Data Hub to locate reports available through your role and mapped agents.

- Read the report purpose and parameter guidance.
- Choose only the authorized instance.
- Contact the Data Manager if a required report is absent; do not request direct database access.

Run a report

Enter valid parameters and wait for the governed orchestration result.

- Use the narrowest practical date range.
- Do not repeatedly submit after a timeout; note the correlation ID first.
- Check row counts, units, dates and labels before relying on the result.

Export and share

An export inherits the sensitivity of its source data.

- Export only for the approved task.
- Store in approved locations.
- Do not email sensitive extracts without authorization.

- Delete local temporary copies according to retention rules.

Verification and support

Before closing a task, confirm the expected status, audit entry and resulting access. For failures, preserve the timestamp and correlation ID, redact sensitive content, and escalate through the approved support channel.

- Do not share passwords, API keys, private keys or complete sensitive payloads.
- Use the FAQ and Troubleshooting Runbooks for symptom-led diagnosis.