

DOORS

Data Orchestration and On-demand Reporting System

Hosting, Deployment and Operations Manual

DOORS Operations

Document ID	Version	Audience	Classification
DOORS-HOSTING-DEPLOYMENT-OPERATIONS	1.0	Data Manager and Security Administrator	NIC INTERNAL

Document control

Field	Value
Title	Hosting, Deployment and Operations Manual
Owner	DOORS Product Governance
Version / status	1.0 / Approved for initial publication
Effective date	30 August 2026
Review cycle	At every material release or annually
Audience	Data Manager and Security Administrator
Authoritative source	Current DOORS release, configuration and governance records

Publication rule

Use the authenticated DOORS Documentation Hub as the source of truth. Downloaded copies may become obsolete after a release, security change or policy revision.

Reference topology

Deploy the Vue UI behind an approved reverse proxy, Master API as a Java 21 service/container, PostgreSQL as the registry, and Agent API within authorized network zones near source databases.

- Terminate TLS at approved boundaries.
- Restrict Master-to-Agent paths.
- Keep databases unreachable from external callers.
- Separate UAT and Production registries, keys and endpoints.

Configuration governance

- Externalize secrets and environment-specific values.
- Use Flyway migrations; do not rely on automatic production schema mutation.
- Validate allowed origins, proxy headers, ports, timeouts, rate limits and log paths.
- Never publish passwords or private network inventories in user manuals.

Deployment sequence

- Back up and verify recovery point.
- Validate artifact checksum and SBOM/dependencies.
- Apply approved database migration.
- Deploy Agent API where required, then Master API, then UI.
- Run smoke, RBAC, crypto and document-download tests.
- Record version and rollback decision point.

Operations and observability

Area / symptom	Control / response
Availability	Health endpoints, process/service state, agent heartbeat
Performance	Latency, timeouts, pool saturation, large-result/download trends
Security	Authentication failures, access denials, key/certificate events
Data operations	Query failures, row/size limits, document checksum outcomes
Capacity	CPU, memory, disk, DB growth, logs and temporary download space

Backup and disaster recovery

Define RPO/RTO through service ownership. Back up the registry, approved configuration and required cryptographic public material; protect signing private keys through the approved key-management procedure.

- Test restoration regularly.
- Document DNS/proxy dependencies.
- Revalidate agents, JWT/signing keys, API clients and audit continuity after recovery.

Review and assurance checklist

The document owner and reviewer must complete this page before approving a revision for publication.

- Technical statements match the currently deployed release and approved configuration.
- Role scope and segregation-of-duties boundaries are accurate.
- Examples contain no credentials, private keys, sensitive records or exploitable internal details.
- Endpoints, error meanings, limits and operational actions have been tested where applicable.
- Related test cases, runbooks and release notes have been updated.
- The authenticated Documentation Hub contains the approved version and supersedes downloaded copies.

Approval record

Record the document version, reviewer, approval reference and effective date in the governed release record. Do not add handwritten approval data to uncontrolled downloaded copies.