

DOORS

Data Orchestration and On-demand Reporting System

Security Administrator Manual

Privileged identity governance

Document ID	Version	Audience	Classification
DOORS-SECURITY-ADMIN-MANUAL	1.0	Security Administrator and Data Manager	NIC INTERNAL

Document control

Field	Value
Title	Security Administrator Manual
Owner	DOORS Product Governance
Version / status	1.0 / Approved for initial publication
Effective date	30 August 2026
Review cycle	At every material release or annually
Audience	Security Administrator and Data Manager
Authoritative source	Current DOORS release, configuration and governance records

Publication rule

Use the authenticated DOORS Documentation Hub as the source of truth. Downloaded copies may become obsolete after a release, security change or policy revision.

Learning objectives

After completing this manual, the reader should understand the authorized workflow, required evidence, security boundaries and escalation points for the role.

- Complete tasks without bypassing approval controls.
- Recognize information that must not be disclosed.
- Capture identifiers needed for audit and support.

Role purpose

The Security Administrator governs privileged user lifecycle and recovery without assuming Data Manager operational approvals.

- Use a dedicated privileged account.
- Require MFA/VPN controls where configured.
- Do not perform routine data governance as Security Administrator.

Data Manager lifecycle

- Verify the approved onboarding authority.
- Create or approve the minimum required privileged identity.
- Require first-login password change.
- Record IP/VPN restrictions.
- Disable access immediately on transfer, separation or compromise.

Recovery and incidents

- Verify requester identity through an independent channel.
- Reset only the required factor.
- Record actor, target, reason and timestamp.

- Review subsequent privileged activity.
- Escalate unexplained lockouts or repeated failures.

Verification and support

Before closing a task, confirm the expected status, audit entry and resulting access. For failures, preserve the timestamp and correlation ID, redact sensitive content, and escalate through the approved support channel.

- Do not share passwords, API keys, private keys or complete sensitive payloads.
- Use the FAQ and Troubleshooting Runbooks for symptom-led diagnosis.