

DOORS

Data Orchestration and On-demand Reporting System

Test Catalogue and Traceability Matrix

Functional, security, resilience and acceptance assurance

Document ID	Version	Audience	Classification
DOORS-TEST-CATALOG UE-TRACEABILITY	1.0	Data Manager and Security Administrator	NIC INTERNAL

Document control

Field	Value
Title	Test Catalogue and Traceability Matrix
Owner	DOORS Quality and Security Governance
Version / status	1.0 / Approved for initial publication
Effective date	30 August 2026
Review cycle	Every release
Audience	Data Manager and Security Administrator
Authoritative source	Current DOORS release, configuration and governance records

Publication rule

Use the authenticated DOORS Documentation Hub as the source of truth. Downloaded copies may become obsolete after a release, security change or policy revision.

Test governance

Execute against an approved environment with controlled test data. Record build, database migration, browser/JDK, tester, timestamp, evidence reference and defect ID.

- No production secrets in evidence.
- Expected denial tests are mandatory.
- A failed critical security/RBAC/integrity test blocks release.
- Retest fixes and perform regression on adjacent controls.

Master test catalogue

This initial controlled catalogue contains 72 release tests. Product-specific acceptance scripts may extend it but may not remove mandatory denial and integrity tests.

ID	Test	Type	Procedure	Expected result	Priority
AUTH-01	Valid login and role landing	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P1
AUTH-02	Invalid credentials rejected	Negative	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P1
AUTH-03	First-login password change	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P1
AUTH-04	Expired JWT rejected	Negative	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P1
AUTH-05	Logout invalidates session	Negative	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P1
AUTH-06	CSRF failure handled safely	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P1
RBAC-01	Data Manager governance access	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P1
RBAC-02	Developer cannot approve template	Negative	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P1
RBAC-03	Viewer cannot manage registry	Negative	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P1

ID	Test	Type	Procedure	Expected result	Priority
RBAC-04	External cannot access manager plane	Negative	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P1
RBAC-05	API User limited to assigned client	Negative	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P1
RBAC-06	Security Admin limited to privileged access	Negative	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P1
REQ-01	Submit complete data request	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
REQ-02	Mandatory-field validation	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
REQ-03	Manager clarification workflow	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
REQ-04	Approval with conditions	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
REQ-05	Rejection reason recorded	Negative	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
REQ-06	Requester sees only own requests	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
SQL-01	Parameterized template submission	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
SQL-02	Dry run success	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
SQL-03	DDL/DML rejected	Negative	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
SQL-04	Unapproved function rejected	Negative	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
SQL-05	Agent scope enforced	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
SQL-06	Query version and approval audit	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
AGT-01	Register authorized agent	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
AGT-02	Heartbeat updates	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
AGT-03	Offline agent failure sanitized	Negative	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
AGT-04	Master allowlist enforced	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
AGT-05	Timeout honored	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
AGT-06	Wrong instance access denied	Negative	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
API-01	Active API key accepted	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
API-02	Inactive key rejected	Negative	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
API-03	Client-query mapping enforced	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
API-04	Client-agent mapping enforced	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
API-05	IP allowlist enforced	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2

ID	Test	Type	Procedure	Expected result	Priorit y
API-06	Rate limit response	Negative	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
CRYPTO-01	Matching AES identity decrypts	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P1
CRYPTO-02	Mismatched key fails	Negative	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P1
CRYPTO-03	Missing public key blocks AES	Negative	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P1
CRYPTO-04	TLS untrusted certificate fails	Negative	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P1
CRYPTO-05	Signature verification succeeds	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P1
CRYPTO-06	Tampered ciphertext/signature rejected	Negative	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P1
DOC-01	Manifest authorization	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
DOC-02	Opaque reference tamper rejected	Negative	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
DOC-03	Streaming avoids full memory buffer	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
DOC-04	Source checksum returned	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
DOC-05	Destination receipt verified	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
DOC-06	Checksum mismatch not saved	Negative	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
DLOG-01	Unfiltered latest-first logs	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
DLOG-02	Server pagination over 1000	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
DLOG-03	Client/service distinct filters	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
DLOG-04	Filtered totals and bytes	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
DLOG-05	Sanitized failure detail	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
DLOG-06	Role access enforced	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
OPS-01	Flyway clean deployment	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
OPS-02	Migration checksum mismatch stops	Negative	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
OPS-03	Backup restore validation	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
OPS-04	Log rotation limits	Negative	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
OPS-05	Proxy forwarded HTTPS URL	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
OPS-06	Graceful upstream timeout	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
DOCS-01	Authenticated catalogue	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P1

ID	Test	Type	Procedure	Expected result	Priority
DOCS-02	Role catalogue filtering	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P1
DOCS-03	Unauthorized document returns 404	Negative	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P1
DOCS-04	Static URL unavailable	Negative	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P1
DOCS-05	No-store download headers	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P1
DOCS-06	Traversal ID rejected	Negative	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P1
PERF-01	Concurrent report workload	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
PERF-02	Large streamed document	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
PERF-03	DB pool saturation behavior	Negative	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
PERF-04	Agent latency behavior	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
PERF-05	Pagination response target	Positive	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2
PERF-06	Temporary disk limit behavior	Negative	Execute the named scenario using role-appropriate controlled data.	Observed outcome matches policy; audit/correlation evidence exists.	P2

Control traceability

Module	Test IDs	Control objective
AUTH	AUTH-01, AUTH-02, AUTH-03, AUTH-04, AUTH-05, AUTH-06	Authentication
RBAC	RBAC-01, RBAC-02, RBAC-03, RBAC-04, RBAC-05, RBAC-06	Authorization/SoD
REQ	REQ-01, REQ-02, REQ-03, REQ-04, REQ-05, REQ-06	Request governance
SQL	SQL-01, SQL-02, SQL-03, SQL-04, SQL-05, SQL-06	Query governance
AGT	AGT-01, AGT-02, AGT-03, AGT-04, AGT-05, AGT-06	Distributed execution
API	API-01, API-02, API-03, API-04, API-05, API-06	Machine access
CRYPTO	CRYPTO-01, CRYPTO-02, CRYPTO-03, CRYPTO-04, CRYPTO-05, CRYPTO-06	Confidentiality/integrity
DOC	DOC-01, DOC-02, DOC-03, DOC-04, DOC-05, DOC-06	Document downloads
DLOG	DLOG-01, DLOG-02, DLOG-03, DLOG-04, DLOG-05, DLOG-06	Audit/reporting
OPS	OPS-01, OPS-02, OPS-03, OPS-04, OPS-05, OPS-06	Deployment/resilience
DOCS	DOCS-01, DOCS-02, DOCS-03, DOCS-04, DOCS-05, DOCS-06	Documentation security
PERF	PERF-01, PERF-02, PERF-03, PERF-04, PERF-05, PERF-06	Capacity/performance

Release acceptance

- All P1 tests pass.
- No open critical/high security defect.
- Migration and rollback evidence approved.
- Role owners accept relevant workflows.
- Known limitations are published.