

DOORS

Data Orchestration and On-demand Reporting System

Troubleshooting and Operational Runbooks

DOORS Operations

Document ID	Version	Audience	Classification
DOORS-TROUBLESHOOTING-RUNBOOKS	1.0	Data Manager, Developer and Security Administrator	NIC INTERNAL

Document control

Field	Value
Title	Troubleshooting and Operational Runbooks
Owner	DOORS Product Governance
Version / status	1.0 / Approved for initial publication
Effective date	30 August 2026
Review cycle	At every material release or annually
Audience	Data Manager, Developer and Security Administrator
Authoritative source	Current DOORS release, configuration and governance records

Publication rule

Use the authenticated DOORS Documentation Hub as the source of truth. Downloaded copies may become obsolete after a release, security change or policy revision.

Triage method

- Record timestamp, user/client, operation and correlation ID.
- Classify authentication, authorization, network, upstream, integrity or application fault.
- Check the narrowest relevant log without exposing secrets.
- Apply only reversible approved recovery steps.
- Confirm outcome and document closure.

Runbooks

Area / symptom	Control / response
401 authentication	Confirm session/API key status and clock; reauthenticate or rotate only if authorized.
403 authorization	Check role, client-query-agent mappings, IP policy and eligibility; do not broaden access as a workaround.
PKIX path failure	Verify server certificate fingerprint and import the trusted certificate/CA; never disable TLS validation.
RSA BadPadding	Compare local identity and registered public-certificate fingerprints; register the matching public key.
Agent unavailable	Check heartbeat, DNS/proxy/TLS and service logs; do not redirect to an unapproved instance.
Query timeout	Preserve correlation ID; inspect plan, limits and agent capacity; avoid blind retries.
Checksum mismatch	Keep .part file quarantined only if policy permits, mark failed, compare source/destination and investigate transport/storage.
Awaiting receipt	Confirm SDK version and receipt call; do not mark integrity verified without the destination hash.
Migration failure	Stop rollout, preserve logs, validate Flyway state and use the approved rollback/forward-fix plan.

Escalation package

- Sanitized error and HTTP status.
- Correlation ID and timestamps with timezone.
- Component versions and environment.
- Steps already attempted.

- No passwords, API keys, private keys or full sensitive payloads.

Review and assurance checklist

The document owner and reviewer must complete this page before approving a revision for publication.

- Technical statements match the currently deployed release and approved configuration.
- Role scope and segregation-of-duties boundaries are accurate.
- Examples contain no credentials, private keys, sensitive records or exploitable internal details.
- Endpoints, error meanings, limits and operational actions have been tested where applicable.
- Related test cases, runbooks and release notes have been updated.
- The authenticated Documentation Hub contains the approved version and supersedes downloaded copies.

Approval record

Record the document version, reviewer, approval reference and effective date in the governed release record. Do not add handwritten approval data to uncontrolled downloaded copies.