

User Acceptance Testing (UAT) Template

Date	30 September 2026
Team ID	SWTID-2026-1542
Project Name	AnswerBot – AI-powered FAQ and customer support automation
Maximum Marks	

Project Overview:

Project Name: AnswerBot – AI-powered FAQ and customer support automation (AI FAQ Assistant)

Project Description: A secure REST API platform built with Node.js, Express.js and MongoDB (Mongoose) for FAQ creation, JWT-based user authentication and AI-powered FAQ generation using Google Gemini.

Project Version: 1.0

Testing Period:[26 September 2026] to [27 September 2026]

Testing Scope:

Features and functionalities to be tested

- User registration and login with JWT token generation
- FAQ CRUD operations (create, view, update, delete) with author-only access
- Keyword search of FAQs and category organisation
- AI FAQ generation using Google Gemini
- Centralised error handling and protected-route checks

User stories / requirements to be tested

- As a content creator, I can register, log in and create FAQs so that support knowledge is documented.
- As a content creator, I can generate an FAQ from a topic using AI so that drafting time is reduced.
- As a public user, I can view and search published FAQs without logging in.
- As an admin/author, only I can edit or delete FAQs that I created.

Testing Environment:

URL/Location: `mongodb://localhost:27017/`

Tools: Postman / ThunderClient (VS Code)

UAT Process:

1 Prepare test cases	2 Execute in Postman / ThunderClient	3 Record actual result	4 Log bugs (if any)	5 Fix & re-test	6 Sign-off
-------------------------	---	------------------------------	------------------------	--------------------	---------------

Test Cases:

Test Case ID	Test Scenario	Test Steps	Expected Result	Actual Result	Pass/Fail
TC-001	Register a new user (positive)	1. Send POST /api/auth/register 2. Body: name, email, password	201 Created; success message and JWT token returned	201 Created – “User registered successfully”, token returned (326 bytes, 742 ms)	Pass
TC-002	Login with valid credentials	1. Send POST /api/auth/login 2. Body: email, password	200 OK; login success message and JWT token returned	200 OK – “Login successful”, token returned (314 bytes, 456 ms)	Pass
TC-003	Create an FAQ as an authenticated user	1. Send POST /api/faqs 2. Add Bearer token in Auth 3. Body: question, answer, category	201 Created; FAQ saved with createdBy = logged-in user	201 Created – “FAQ created successfully”, createdBy populated (79 ms)	Pass
TC-004	View all FAQs (public)	1. Send GET /api/faqs 2. No token required	200 OK; list of FAQs with count and creator details	200 OK – “FAQs retrieved successfully”, count 1, creator name/email shown (136 ms)	Pass
TC-005	Search FAQs by keyword	1. Send GET /api/faqs/search?q=configure	200 OK; only FAQs matching the keyword returned	To be recorded	Pending
TC-006	Generate FAQ with Gemini AI	1. Send POST /api/ai/generate-faq 2. Add Bearer token 3. Body: topic	200 OK; AI-generated question, answer and category returned	To be recorded	Pending
TC-007	Create FAQ without token (negative)	1. Send POST /api/faqs with no Authorization header	401 Unauthorized; FAQ is not created	To be recorded	Pending
TC-008	Login with wrong password (negative)	1. Send POST /api/auth/login 2. Use valid email, wrong password	Error response; no token issued	To be recorded	Pending

Note: TC-001 to TC-004 results were recorded from ThunderClient runs (see API testing screenshots and video). TC-005 to TC-008 are pending execution.

Bug Tracking:

Bug ID	Bug Description	Steps to reproduce	Severity	Status	Additional feedback
BG-001	No bugs reported in executed test cases TC-001 to TC-004	—	—	Closed	Update this table if TC-005 to TC-008 reveal any issue

Sign-off:

Tester Name	GANAPATHY R
Date of Test Completion	27/09/2026

Notes:

- Ensure that all test cases cover both positive and negative scenarios.
- Encourage testers to provide detailed feedback, including any suggestions for improvement.
- Bug tracking should include details such as severity, status, and steps to reproduce.
- Obtain sign-off from both the project manager and product owner before proceeding with deployment.