Issues and commands :

find local IP address of MAC
curl -L ipconfig.me

grep command for find a word inside files under folder
grep -wrn . -e corp_platform

:%s /hvcportal/smart-games/g

Login into cmiapi server through bastion server

ssh -J 3.212.236.58:2222 10.96.148.117 *(ssh -J public IP of bastion server:2222 private IP of EC2)*
ssh -J 3.212.236.58:2222 192.168.0.44

ssh -J 3.94.36.90:2222 10.12.30.91
ssh -J 52.54.229.254:2222 10.255.255.10

Check endpoint connectivity, login into anyone of EC2 server using above commands and check the endpoint)

openssl s_client -connect vpce-03a99d7745dbc3964-3ll1gico.vpce-svc-0dc0f470bf24f6c35.us-east-1.vpce.amazonaws.com:443

login into particular service AWS console, VPC—>Endpoints—>Select particular endpoint—>copy DNS name under details

Query for Cloudwatch - CMI
{($.action="BLOCK") && ($.httpRequest.country = "US") &&
(($.httpRequest.uri = "/auth/*") || ($.httpRequest.uri = "/profile/*") ||
($.httpRequest.uri = "/billing/*") || ($.httpRequest.uri = "/content/*") ||
($.httpRequest.uri = "/eligibility/*") || ($.httpRequest.uri = "/orders/*") ||
($.httpRequest.uri = "/subscriptions/*")) }

awk -F: '$3 > 1000 {print $3,$0}' /etc/passwd /etc/group

Last Pass:
U.N: Gandhi.srinivasan@yahooinc.com
Password: Kovilambakkam#123456789

paymentech ip - 206.253.180.139:8002

Oracle site credentials :
Login ID : gandhi.srinivasan@yahooinc.com
Password: Livetoday@123456789

Redis connection string - master.helpws-redis-

primary.ygfatg.usw2.cache.amazonaws.com
GIT commands
// delete branch locally
git branch -d localBranchName

// delete branch remotely
git push origin --delete remoteBranchName

Password sharing URL : **https://privbin.corp.yahoo.com/**

to view entries of bastion hosts
cat ~/.ssh/config

Gitlab mail not receiving

refer DevOps: Rotate-IAM-User-AccessKeys-(SMTP-Password) document
[4.3] Update IAM AccessKey: SCM/Gitlab
Login into Gitlab SCM sandbox - get IP from PSEDEV AWS - search instances with obi-scm
OBI-scm - Gitlab - 10.97.16.25
OBI-brr-jenkins. 10.97.16.34
Obi - Jenkins -legacy. 10.99.28.90

Path for Jenkins automation reports available on /var/lib/jenkins/workspace/
Devops Jenkins certs and key
/var/lib/sia/certs/subscriptions.devops.aws.dev.jenkins-worker.cert.pem
/var/lib/sia/keys/subscriptions.devops.aws.dev.jenkins-worker.key.pem

yum install wget -y

ssh 10.97.16.25
sudo su
cd /etc/gitlab/
vi gitlab.rb
egrep smtp /etc/gitlab/gitlab.rb

Check psedev IAM Users (AWS)
Check the user app-ses-smtp-user.20211227-135708

Verify with sasl credentials with below server
From etldv or etlqa you will get the details in /etc/postfix/sasl_passwd.
etldev (10.195.137.217) and etlqa (10.195.138.30) boxes.

Login into ssh 10.195.138.30 (etlqa)
Sudo su
cat /etc/postfix/sasl_passwd

Update the credentials from above server to SCM sandbox 10.97.16.25 gitlab.rb file
update in /etc/gitlab/gitlab.rb (values for smtp_user_name and smtp_password)
gitlab-ctl reconfigure
gitlab-ctl restart

In the file, /var/opt/gitlab/nginx/conf/nginx-status.conf comment out following 2 lines

location /metrics {
#vhost_traffic_status_display;
#vhost_traffic_status_display_format prometheus;

gitlab-ctl start nginx

Verify you are able to access - https://scm.obieng.com/

as ssm descri-narameters=-filters."Kev=Name.Values=/new/env/aa/yyy/digicerts"
aws ssm aet-parameters -names Six} -with-decrvotion -auerv "Parameters *l. Name: Name. Value:Valuet*

find . -name "file name"
find . -name "tm_suspendCancel.sh"

grep -wrn . -e "relic"

Sonarqube SMTP issue

https://sonar.subscriptions-obi-fe-aws-dev.aws.oath.cloud/admin/settings
OBI Fe dev. in AWS
EC2- Load balancer - obi-sonar-alb- VPC-subnet- aol-private subnet nacl inbound rules — add
network ACL. vpc-public-acl add port 25 in inbound rules with open all

cacerts

athenz-user-cert -c
keytool -importcert -trustcacerts -file ./ca.cert.pem -alias athenzus-east-1 -keystore cacerts -storepass abcd1234
keytool -list -keystore ./cacerts

Update carets

https://docs.google.com/document/d/1Os576tU91jfnfjTzDgvE7zn9b9j8RV9E_zPLrpedFHs/edit

yahoo certificate bundle url

https://artifactory.ouroath.com/artifactory/paranoids_rpm/7Server/stable/x86_64/Packages/

echo abc=\ "ghy=\" | avik -F"=\"* '{print $2} '

Request to update SCS Dev IAM permissions for service role and deploy the code.

https://git.vzbuilders.com/OBI/obi_scs/tree/iam_r53_changes/deploy/scs-fg

update the below polices with the code

obi_scs/deploy/scs-fg/scs-iam/policies/**scs-fg-dev-service.json**
obi_scs/deploy/scs-fg/scs-iam/policies/**scs-fg-qa-service.json**
obi_scs/deploy/scs-fg/scs-iam/policies/**scs-fg-prod-service.json**

```
{
    "Sid": "HashUpdate",
    "Effect": "Allow",
    "Action": [
      "route53:ChangeResourceRecordSets",
      "route53:ListResourceRecordSets"
    ],
    "Resource":  ${hostedzone}
  }
```

update below files as well

obi_scs/deploy/scs-fg/scs-iam/us-east-1/**dev.tfvars**
obi_scs/deploy/scs-fg/scs-iam/us-east-1/**qa.tfvars**
obi_scs/deploy/scs-fg/scs-iam/us-east-1/**prod.tfvars**

for dev and qa. (get the hosted zone from aws console Route53— Hosted zones—public— Hosted zone ID**)**
aws —scs dev

hostedzone = "arn:aws:route53:::hostedzone/Z225AWNO14EJ26"
for prod
hostedzone = "arn:aws:route53:::hostedzone/Z1EYUOY8L2BZC4"

Add below code in variables.tf

```
variable “hostedzone” {
  type = string
}
```

Server patching
Legacy jenkins IP : 10.99.28.90
10.97.16.34

Trivy version downgrade from 0.23.0 to 0.9.1 for Jenkins issue - *Incorrect Usage. flag provided but not defined: -clear-cache*

brrreports.qa.obi.aol.com:8444/job/

Login into
ssh -J 54.144.117.228:2222 10.14 103.57

rpm -e trivy-0.23.0-1.x86_64
curl -L --output /tmp/trivy_0.9.1_Linux-64bit.rpm https://github.com/aquasecurity/trivy/releases/download/v0.9.1/trivy_0.9.1_Linux-64bit.rpm
rpm -ivh /tmp/trivy 6.9.1 Linux-64bit.rpm
rm -f /tmp/trivy_0.9.1_Linux-64bit.rpm
In -S /usr/Local/bin/trivy /bin/trivy

SCS Pipeline QA removal

Jenkinsfile-dev-qa.region1

String parameter: Name : BUILD_STEP
Which step to run: "PROD-TAG" - tag production | "QA-TAG" - tag qa | "QA" - run qa build and deploy | "DEV" - run dev build and deploy | "CD-DEV" - run CodeDeploy Dev | "CD-QA" - run CodeDeploy QA | "SONAR" - run build process up to `sonarqube` step and then stop | anything else - run the normal pipeline

Which step to run: "PROD-TAG" - tag production | "DEV" - run dev build and deploy | "CD-DEV" - run CodeDeploy Dev | "SONAR" - run build process up to `sonarqube` step and then stop | anything else - run the normal pipeline

Script for ycpi

cat $(tmpDir}/ycpi.subnet.json | jq -r '.children[].uri' | head -2 | sed "s/^\///g"

High risk alert

Paid Services Engineering 665975628511 jalurijlambert02 open_665975628511_AWS-6058_us-east-1_https://queue.amazonaws.com/665975628511/omp-event-refresher AWS-6058 Ensure SQS Queues are encrypted High https://queue.amazonaws.com/665975628511/omp-event-refresher us-east-1 2022-02-24_19:47:21 N/A

Login into PSEDev console
search and go to Config

Check who created that resource
select Resources —> Resource category - AWS resources —>Resource type - AWS SQS quque—> Resource Identifier — paste the name
In another tab, go to SQS, check that particular Queue and verify it is encrypted or not?
++

Enabling execute command to login into container (Selfhelp, Helpws)

pull the code in local, checkout the branch (like mscdi)
add the below line in particular region's dev.tfvars
enable_execute_command = "true"
commit and push code into git
deploy it through pipeline
https://jenkins.subscriptions-devops-aws-dev.aws.oath.cloud/job/selfhelp-deployment-pipeline/
Select Build with parameters and select Deploy (not build)
++

Got below error while deploying common module
========== Terraform Output ==========

Initializing modules...

Initializing the backend...

Error: error configuring S3 Backend: no valid credential sources for S3 Backend found.

Please see https://www.terraform.io/docs/backends/types/s3.html
for more information about providing credentials.

Error: NoCredentialProviders: no valid providers in chain. Deprecated.
For verbose messaging see aws.Config.CredentialsChainVerboseErrors

Check below all ….case sensitivity…..Prod and prod not equal
bash-5.1# echo $AWS_PROFILE
subscriptions-frontends-was-prod
bash-5.1# export AWS_PROFILE=subscriptions-frontends-aws-prod
bash-5.1# echo $ENV
stage
bash-5.1# echo $AWS_REGION
eu-west-1

++

Unable to Login Legacy jenkins URL - https://jenkins.legacy.obieng.com:8443/job/jmeter-test-matrix/

```
vi ~/.ssh/config

ssh 10.99.28.90
echo "Tunneling to Jenkins bastion"
pkill -f psedev
ssh -fNT psedev
```

ssh access was expired it was renewed now

++

Error: Unsupported Terraform Core version
required_version = ">= 0.14"
bash-5.1# terraform -version
Terraform v0.13.7

need to pull the latest version from mscdi

exit from bash-5.1#
run below command
docker pull docker.ouroath.com:4443/mscdi
++
Apache issue on Golden gate
Below is my findings on GoldenGate Apache issue.

I do see the message #######cert updated bouncing apache###### in the apache container logs for other services on a daily basis. So apache containers for other services/apps get bounced when they see a new certs in /var/lib/sia/certs as per the design, and they come up healthy unlike GoldenGate apache container.

Issue: GoldenGate apache has custom configuration files which gets created during initial run, and gets some files are over-written when we bounce apache. This is because we are calling setEnv function before we bounce, and this setEnv over writes the custom files we created during initial run. In line, https://git.ouryahoo.com/CCARE/mess/blob/master/deploy/httpd_docker/docker.init.sh#L47. And this causes the health checks to fail, and trigger an autoscaling event. This time the apache container comes up with expected configuration file as it is a new container. (edited)

The current issue is not only with GoldenGate Prod, but we were seeing it in QA

since a long time.
In PROD, when we bounced on Wed i.e. 4/27 it picked the latest goldenGate Apache image which was reseting the configuration files when we bounce the Apache. Prior to that it was using an older image where we did not create custom configuration files.
Resolution: To fix this, we need to do add below steps after Line#40 to https://git.ouryahoo.com/CCARE/mess/blob/master/deploy/httpd_docker/docker.init.sh
rm /etc/httpd/conf/include/20-vhosts.conf.docker-template
rm /etc/httpd/conf/httpd.conf.docker-template
rm /etc/httpd/conf.d/20-vhosts.conf.docker-template

We can only validate our fix, after our containers run more than 1 day as initial run has no issues. (edited)
++
Project : QA-ACM-Renew-SSL-Certificates with status: FAILURE
Project Name : QA-ACM-Renew-SSL-Certificates

Error:
2022/05/04 10:08:10 [ykk-error] fetch groups: dek: group: subscriptions.dw.aws.dev.tls, error: Unauthorized to access key-group from RKS
kek: group: subscriptions.dw.aws.dev.tls, error: Unauthorized to access key-group from RKS
Error: fetch groups: dek: group: subscriptions.dw.aws.dev.tls, error: Unauthorized to access key-group from RKS
kek: group: subscriptions.dw.aws.dev.tls, error: Unauthorized to access key-group from RKS

added obi.dev.legacy-jenkins in the athenz.

7:49

https://ui.athenz.ouroath.com/domain/subscriptions.dw.aws.dev/role/paranoids.ppse.ckms.[...]_aws.res_group.subscriptions.dw.aws.dev.tls.access/members

++
Jenkins Job **SSL-CERT-TESTS** failure
https://jenkins.subscriptions-devops-obi-aws-dev.aws.oath.cloud/job/SSL-CERT-TESTS/
check the certificates count on jenkin configuration

endpoints() {
#Format: host:port,NumberOfClientCAs,minTlsVersion(1,1_1,1_2)
cat<<-EOF

ssl.qat.obi.aol.com:443,9,1_2
tls.prod.obi.aol.com:443,8,1_2
checkout.aol.com:443,0,1
partners.pse.aol.com:443,5,1_2
scare.obi.aol.com:443,0,1_1
aol.xbus.prod.services.aol.com:443,0,1_2
api.qat.obi.aol.com:443,0,1_2
partners-prod.pse.aws.oath.cloud:4443,5,1_2
EOF
}

update it with number of certificate and re run the job
if the count is correct, just re run the job.
++
OBI applications accounts are getting 403 forbidden error.

login into AWS console FE dev or related applications

1. WAF - IP sets - Yakl - any IPs are populated or blank
2. If it is blank, open lambda - select wakl lambda
3. in another window Amazon Event bridge - Rules - Targets - constant - view - copy the constant
4. {
5. "AthenzDomain": "subscriptions.obi-fe.aws.dev",
6. "Service": "wakl",
7. "IPSets": "0270ff3a-2a83-42ba-8034-cd67dfda186f",
8. "PrefixLists": ""
9. }
10. go back to Wakl lambda, Select test - paste the above in Event JSON - Enter Test in Event name and click on Test
11. Check now, IP sets populate the IPs or not.
12. Check the application URL.
13. check in other accounts as well - Frontends dev, prod and Services
14. https://git.ouryahoo.com/public-cloud-platforms/wakl
15. ++

Update python version in remote curl

PSE PROD - get admin account
RemoteCurl
https://git.ouryahoo.com/OBI/obi_ops/tree/remotecurl/infra/remotecurl
Tf module is in below
https://git.ouryahoo.com/SCC-devops/remoteCurl

after install the Remotecurl lambda, test it with below URL

{“url”:”http://10.97.17.147:80//”}

got error like Error locking state: Error curing the state lock : 2 errors occurred
check in PROD account in AWS console, under Dynamo DB

++
selfhelp pipeline got failed after updating the IAM role.

need to check ecr_arn under deploy/selfhelp-iam/us-east-1/dev.tfvars

++
mcare pipeline got failed.
https://jenkins.legacy.obieng.com:8443/login?from=%2Fview%2Ffargate-pipeline%2Fjob%2Fmcare-pipeline%2F
error : docker: failed to register layer: symlink ../416e0ffe6b5a2bb8695a8b43509946754de5cb20a35d2c0565aa2653e8183ce6/diff /var/lib/docker/overlay2/l/MUGURGJ2CDMLERFZIRPS7TL6UB: no such file or directory.

Issue was some how files under /var/lib/docker deleted manually
after bouncing the host [root@ip-10-99-28-90 ec2-user]
files are there, issue resolved. pipeline completed successful
++

#41716: [Jenkins] Project : QA-ACM-Renew-SSL-Certificates with status: FAILURE

2022/06/01 10:07:39 fetch groups: dek: group: customer-care.voc.aws.dev.tls, error: Unauthorized to access key-group from RKS
kek: group: customer-care.voc.aws.dev.tls, error: Unauthorized to access key-group from RKS

added obi.dev.legacy-jenkins in the athenz

++
++++++++++++++++++++++++++++++++++++

Selfhelp stage deployment, other 3 regions are getting below error

[2022-06-02T14:37:59.746Z] ### [20220602-143759] Info: Running HealthCheck - http://10.20.120.232:80/kb/api/v1/healthcheck
[2022-06-02T14:38:02.262Z] ### [20220602-143802] Info: http 503 from http://10.20.120.232:80/kb/api/v1/healthcheck
[2022-06-02T14:38:02.262Z] ### [20220602-143802] Info: Wait for 5

seconds

in cloud watch Athenz certificate pointing to PROD one
[2022-06-01 18:13:52.464] ERROR [main] c.o.a.Utils: Missing Athenz public certificate /var/lib/sia/certs/subscriptions.frontends.aws.prod.selfhelp-prod.cert.pem or private key /var/lib/sia/keys/subscriptions.frontends.aws.prod.selfhelp-prod.key.pem files. Waiting 482122 ms

checked the stopped task under ECS, image id (starts with sha) taking old PRODUCTION image, verify it from Jenkins job **APP_DOCKERSHA256**
Reroute the traffic of running job and kill the task in code deploy in all problematic regions.
Build the jenkins pipeline
++
Jmeter all OBI01 Jobs getting failed with below error

<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html>
<head>
<title>503 Service Unavailable</title>
</head>
<body>
<h1>Service Unavailable</h1>
* The server is temporarily unable to service your request due to maintenance downtime or capacity problems. Please try again later. *

Login into OBI01 sandbox
ssh 10.97.17.113
Find storage space
df -h

Check docker containers status and bounce the services
docker ps -a
docker-compose kill
docker-compose kill -d
docker-compose up -d
docker-compose rm -f

if less free space, db image will not come up and unhealthy **aol_obi/sandbox-db**
please do below steps
sudo su
cd /var/lib/docker
rm -rf ./*

cd btrfs/subvolumes
ls | xargs btrfs subvolume delete
docker system prune -a -f
service docker restart
docker-compose pull
docker-compose up -d

Remember, whenever we are bouncing services in obi01

we should do

export COMPOSE_PROJECT_NAME=obi

and then bring up the services
https://git.ouryahoo.com/OBI/obi_ops/blob/main/obi_sandbox/obi01-v2-sandbox/sandbox-userdata.yml#L137 check the lines after that
++

MSCDI-QA-ACS-PIPELINE-MULTIREGION pipeline got failed due to Trivy scan found
Info: trivyFailSeverities = CRITICAL

update trivy_scan_skip step in Jenkinfile

```
  choice(
        name:       'TRIVY_SCAN_SKIP',
         #choices:       ['false','true'], ———old one
         choices:       ['true','false'], ———updated one
         description:    'If enabled it will not make trivy scan fail'
```

++
Pipeline https://jenkins.subscriptions-devops-obi-aws-dev.aws.oath.cloud/job/MSCDI_OBI-TAX-PIPELINE/7231/console got failed
can we make sure tax service has above permission

we need permissions to qa/tax/*/oracle

arn:aws:secretsmanager:us-east-1:742442504506:secret:qa/tax/*/oracle*

update tfvars file (deploy/tax-fg-iam/us-east-1/dev.tfvars) and. deploy/tax-fg-iam/us-east-1/prod.tfvars
https://scm.obieng.com/obi/obi_tax/commit/52029332fa2dd1bac737d94d5406a5424ca6aa55
++
++++++++++++++++++++++++++++++++

Getting error as Production tag already exists while run the pipeline with Prod tag

in Build step, need to give Prod-tag (before that check the particular Jenkins

file in git)
“fatal: tag 'production-20' already exists”

1. check the releases in git path (like https://git.ouryahoo.com/OBI/obi_ac_server/tree/pipeline)
2. if any conflict, like same prod tag available in git
3. clone or pull the latest code in local
4. check the tag versions ——- git tag -n
5. remove that tag ——— git push --delete origin tagname (https://devconnected.com/how-to-delete-local-and-remote-tags-on-git/)
6. run the pipeline with prod tag

==========

How to test the health check path in AWS Lambda
Getting error in anyone of region, while deploying through pipeline,
Error: Running Lambda function remoteCurl in region us-east-2

check the health check URL in AWS console

1. **Go to lambda from AWS console, functions — remotecurl**
2. **Test, enter the health check url**
3. **Take the IP from ECS Task — Clusters—particular cluster name — Tasks — under Network — Private IP**
4. **health check path from pipeline or code**

{
"url": "http://10.12.149.9:80/contact/health/healthcheck**/"**
}

"url": "http://10.12.38.54/obipmservice/common/apiClient_new.html/"

5. **Save and test it,**
6. **If it is return with status code 200 means, it is ok. if 404 means issue is there.**

++++++++++

Getting below error while running the pipeline
12:07:05 ### [20220711-120705] Info: Running HealthCheck - null://10.12.69.195:80/catalog-manager/health/
12:07:06 ### Error: Running Lambda function remoteCurl in region us-east-2
12:07:07
12:07:07 An error occurred (CodeArtifactUserPendingException) when calling the Invoke operation: ERROR: Lambda is initializing your function. It will be ready to invoke shortly.

Issue is, there is protocol not declared. (it showing null://)
https://scm.obieng.com/obi/obi_catalog_manager/merge_requests/189/diffs?commit_id=4790a9dab1dd395a629c79cee2f983a15f185f55

update below things in **deploy/catalogmanager-jenkins/Jenkinsfile-prod.2region**

```
string(
        name:         'HEALTH_CHECK_PROTOCOL',
        defaultValue:   'http',
        description:    'ELB Health Check Protocol'
      )


echo HEALTH_CHECK_PROTOCOL           = $
{params.HEALTH_CHECK_PROTOCOL}

         if (params.HEALTH_CHECK_PROTOCOL.isEmpty()) {
               error '### Error: You must set HEALTH_CHECK_PROTOCOL'
             }
```

==========

PSE cosmo low alert - app-smtp-druid-healthcheck-user_ - Ensure IAM User credentials unused for 90 days or greater are disabled

Follow the steps from the document - DevOps: Rotate-IAM-User-AccessKeys-(SMTP-Password)

==========

Request to whitelist for Elasticsearch Service Cluster (obi-qat-elasticsearch) updated in ticket as These suppressions are still valid, please renew.

JIRA (PCLOUD-5010) Request to whitelist OBI Cloudfront Domains with HTTP connection
These suppressions are still valid, please renew.

++++++++

Report-Open-Public-Endpoints - Pipeline failure

found the issue from pipeline. (https://jenkins.legacy.obieng.com:8443/job/Report-Open-Public-Endpoints/1076/console)
Open :AWS-Account=349874332661 :ELB(network) :Name=scs-sandbox :DNSName=scs-sandbox-c3b394d220b943bd.elb.us-east-1.amazonaws.com :Port=443
Open :AWS-Account=349874332661 :ELB(network) :Name=scs-sandbox :DNSName=scs-sandbox-c3b394d220b943bd.elb.us-east-1.amazonaws.com :Port=8443

Login into Legacy Jenkins. ssh 10.99.28.90
cd /var/lib/jenkins/workspace/Report-Open-Public-Endpoints/output
cat Open_Public_Facing_End_Points.csv
it will show the Open public endpoints

check it in AWS console , if it is valid and unable to remove. Please add the Name (scs-sandbox) in pipeline

1. login into legacy jenkins https://jenkins.legacy.obieng.com:8443/job
2. Open the pipeline **Report-Open-Public-Endpoints**
3. configure - add the name under ALLOWED_ELBS
4. re run the pipeline

==========

QA-ACM-Renew-SSL-Certificates - failure
Issue : CKMS info not available (Not Known) - in certificate Renew Report

add the CKMS details under Default Value in Jenkins Job

1. Login into legacy jenkins
2. configure - add the CKMS details under Default value
3. Re run the pipeline

++++++++++

```
aws ecr describe-repositories --output json | jq -r
'.repositories[].repositoryName'
aws ecr describe-images  --repository-name aol_obi/pm --image-ids
imageTag=latest --region us-east-1 --output json | jq -r
'.imageDetails[].repositoryName'
aws ecr describe-images  --repository-name aol_obi/pm --image-ids
imageTag=latest --region us-east-1 --output json | jq -r
'.imageDetails[].imageDigest'
aws ecr describe-images  --repository-name aol_obi/pm --image-ids
imageTag=latest --region us-east-1 --output json | jq -r
'.imageDetails[].imagePushedAt'
```

==========

Guided help pipeline got failed in 3 regions except us-east-1
Health check path getting failure

1. Checked in TG status (healthy only)
2. run the remote curl lambda

```
{
  "url": "http://10.12.149.9:80/contact/health/healthcheck/"
}

{
  "url": "http://10.10.39.215:80/hvcportal/ping.jsp/"
}
```

3. checked the CW logs for app and httpd container
4. below Error found in app container in CW

[2022-08-02 15:56:11.678] ERROR [main] c.y.h.s.s.SecretManager: No secrets found matching requested resource. Unexpected character ('"' (code 34)): was expecting comma to separate Object entries
at [Source: (String)"{

5. updated the secure parameter store in 3 regions and run the pipeline

==========

Command for merge the our local branch with developer branch in local

git checkout custom_branch && git merge master

==========

Jenkins run out of space, check the Docker logs and clear it

Login into Jenkins ssh 10.99.28.90
sudo su
cd /var/lib/docker
*rm -rf ./**
cd btrfs/subvolumes
ls | xargs btrfs subvolume delete
docker system prune -a -f
service docker restart

++++++++++

How to find who created the secrets in AWS Secret manager

1. *Go to Secret manager in AWS console*
2. *get the arn of particular secrets*
3. *Go to AWS Config - Resources*
4. *Select Resource type as secrets under Resoruces*
5. *Paste the arn under resource identifier and search it*
6. *Click on Resource timeline and find the creator*
7. *or open cloud trail - event history — search with Resource name*
8. *==========*

Assume role commands through terminal

```
echo "#Now My Identity:"
aws sts get-caller-identity

ASSUME_ROLE_RESP=$(aws sts assume-role --role-arn
arn:aws:iam::674961505149:role/subscriptions.frontends.aws.dev.hvcportal-
dev-jenkins --role-session-name jenkins --duration-seconds 1500)

export AWS_ACCESS_KEY_ID=$(echo "${ASSUME_ROLE_RESP}" |jq -r
'.Credentials.AccessKeyId')
export AWS_SECRET_ACCESS_KEY=$(echo "${ASSUME_ROLE_RESP}" |jq -r
'.Credentials.SecretAccessKey')
export AWS_SESSION_TOKEN=$(echo "${ASSUME_ROLE_RESP}" |jq -r
```

'.Credentials.SessionToken')

echo "#Now My Identity changed to:"
aws sts get-caller-identity

To test VPC Peering connection between Frontend dev 674961505149 and service account 514990901328

Test the hvcportal into service account db peering connection

1. *Open Reachability analyser under VPC*
2. *source - Network interface of HVCPortal (*eni-0a25630f7dd8bf019), ECS- clusters- hvcportal-dev - select the running task - under network - ENI id
3. *destination - service account vpc peering id (*pcx-0d6afc4ea2240a814)
4. *Source IP address and destination port are optional*
5. *click on create and analyse path*

run the analysis and check the status.

==========

==========

Merge the main/working developer branch into local branch (temporary branch)

```
$ git checkout mscdi
$ git pull
$ git checkout <temp branch>
$ git merge mscdi
$ git push
```

https://www.togaware.com/linux/survivor/Git_Merge_Master_into.html

==========

==========

Ensure to
Automation for find
Report public end points to find exclude list and validate and reason for that
don't exclude internal customer
instances
ycpi onprem subnet
move into git

==========

HelpCRT

telnet dev.helpcachetool.media.corp.yahoo.com 443

1:07

https://dev.helpcachetool.media.corp.yahoo.com/

curl -v https://dev.helpcachetool.media.corp.yahoo.com
——

cd /var/lib/docker
————————————————————

hvcportal
PROD DB
Password : YuiogyzsT67%UifDH6w4nLE1GXdsr

User. : INQIM

tns entry
=========

```
INQPROD1 =
  (DESCRIPTION =
    (ADDRESS = (PROTOCOL = TCP)(HOST = inqprod1.us-
east-1.db.subscriptions-services-aws-prod.aws.oath.cloud)(PORT = 3021))
    (CONNECT_DATA =
      (SERVER = DEDICATED)
      (SERVICE_NAME = INQPROD1)
    )
  )
```

==========
==========
If any error while running pipeline
ERROR: Permission to corp-platform/hvcportal.git denied to svc-pse-jenkins-dev.

send a request in yahoo-help-deployment
@dfisk. @ljzhang
Could you please add read/write permissions to this user svc-pse-jenkins and svc-pse-jenkins-dev for this repo **corp-platform/hvcportal??** (edited)
==========
==========
Error in pipeline
Error: commit-id from Docker label of qa image (36cb26dd8810310f870cb5911e061b1446acf745) should match commit-id of current pipeline run (ba52d141a0ad23014280522013d7edbaa59c5ee1) to create new production tag

Build the image first, run the QA tag and then PROD tag (in Dev pipeline)
==========
==========

After deploying the application, user may ask the **DNS endpoint**
share the Load balance DNS of that particular application
==========
==========
DNS creation

get the Record name from, where the application deployed (account, like frontend prod or services dev).
open Route53 - Hosted Zones - under records check the particular application
copy the Record name : prod.helpcrt.subscriptions-frontends-aws-prod.aws.oath.cloud

Login into DNS DB - https://dns.ops.yahoo.com/
create a single record
Name : prod.helpcachetool.media.corp.yahoo.com. (sample)
TTL 1m
Type CNAME
canonical name : Record name from Route53
Description - like *STAGE - Yahoo help Cache Refresher Tool on AWS*
==========
==========
pseprod account don't have lock table so need below steps

terraform init \
-backend-config="bucket=384335117118-terraform-state-us-east-1" \
-backend-config="key=deploy/automations-iam/terraform.tfstate" \
-backend-config="region=us-east-1" \
-backend-config="encrypt=1"

terraform apply -var-file=us-east-1/obi.awsprod.tfvars

==========
==========
If add any services or members is Athenz, need to do through code
sample : https://git.ouryahoo.com/SCC-devops/athenz-config/pull/421
adding subscriptions.devops.aws.dev.jenkins-worker to https://ui.athenz.ouroath.com/domain/ce-self-help.ceawsprod/role/aws.ce.s3.uploader/members ? hoping to add here and re-trigger the build
==========
=====
new tasks are getting recycling while deploying in fargate

[Thu Oct 27 14:16:04.658066 2022] [proxy_http:error] [pid 110] [client 10.10.13.109:1030] AH01114: HTTP: failed to make connection to backend: localhost

[Thu Oct 27 14:16:04.669090 2022] [proxy:error] [pid 111] (111)Connection

refused: AH00957: HTTP: attempt to connect to 127.0.0.1:8080 (localhost) failed

check the Tomcat port, it should be the health check port
==========
Could not download module "autoscaling" (main.tf:115) source code from
16:14:01 "git@git.ouryahoo.com:MSCDI/core_deployment_modules.git?ref=v2.1.7": error
16:14:01 downloading
16:14:01 'ssh://git@git.ouryahoo.com/MSCDI/core_deployment_modules.git?ref=v2.1.7':
16:14:01 /usr/bin/git exited with 128: Cloning into
16:14:01 'us-east-1/.terraform/modules/autoscaling'...
16:14:01 Host key verification failed.
16:14:01 fatal: Could not read from remote repository.
16:14:01
16:14:01 Please make sure you have the correct access rights
16:14:01 and the repository exists.

Get a help from John Amico
==========
[1m[31mError: [0m[0m[1mmodifying ELBv2 Listener (arn:aws:elasticloadbalancing:ap-southeast-1:674961505149:listener/app/selfhelp-dev-alb/b8872401cbb41af7/81eac2bca43ce63f): AccessDenied: User: arn:aws:sts::674961505149:assumed-role/subscriptions.frontends.aws.dev.selfhelp-dev-jenkins/jenkins is not authorized to perform: elasticloadbalancing:ModifyListener on resource: arn:aws:elasticloadbalancing:ap-southeast-1:674961505149:listener/app/selfhelp-dev-alb/b8872401cbb41af7/81eac2bca43ce63f because no identity-based policy allows the elasticloadbalancing:ModifyListener action

first deploy the service module through terminal

Jenkins doesn't have permission to update/modify listener
==========
Jmeter OBI01 jobs are getting failed below error
rg.apache.http.conn.HttpHostConnectException: Connect to iso-m01.dev.obi.aol.com:80 [iso-m01.dev.obi.aol.com/10.97.17.113] failed: Connection refused (Connection refused)

verified below points
OBI01 sandbox is up and running
Docker images are running past 12hrs (docker ps -a)
Able to connect legacy sandbox to OBI sandbox

Disk space is available (df -H)

Issue was : Bastion issue, restated the bastion server.
++++++

t16ZGXck2Z3KcUZ+jq+TY8xpi9BO96NaZsYxQFcc+CyPRRppf6Q+2kt3r9McwS
HokL3WQz83ASc=

Deploy it again and run destroy
==========
create a record in Route53 under hosted zones for NLB application.
aws console — particular account— Route53 — hosted zones — particular account public/private zone
click create record
record name like <dev.help-crmws>.subscriptions-services.....
record type : A - Routes traffic to an IPV4 address and some .....
Alias
Route traffic to Alias to NLB
Routing policy - simple routing
click create record
==========
while deploying service module
Error: [0m[0m[1mdeleting Target Group: ResourceInUse: Target group 'arn:aws:elasticloadbalancing:us-east-1:514990901328:targetgroup/gdpr-client-dev-TG-1/92ec77055acbe5e7' is currently in use by a listener or a rule

destroy service module through terminal and deploy it again through terminal and run pipeline
==========
aws subscription accounts git repo
https://git.ouryahoo.com/CRM-OPS/subscriptions.tpp.aws
==========
SNS encryption key for tpp account
arn:aws:kms:us-east-1:109119144360:key/171613b2-4fa8-47d2-b7f6-45c66d909796
arn:aws:kms:us-east-1:652262461506:key/3471071d-61d8-40dd-ba76-8379b9eb68e6
==========
Update Athenz CA certificate bundle
use this document https://docs.google.com/document/d/1Os576tU91jfnfjTzDgvE7zn9b9j8RV9E_zPLrpedFHs/edit
keytool --list --keystore cacerts --storepass changeit | grep SHA-256 |awk '{print $4}' | sort | uniq -c
keytool --list --keystore cacerts --storepass changeit | grep SHA-256
==========
Unable to LB and getting “cannot be deleted because deletion protection is enabled”

https://docs.aws.amazon.com/elasticloadbalancing/latest/application/application-load-balancers.html#deletion-protection

==========

While destroying common module, getting below error

Error: Error loading state:
    AccessDenied: Access Denied
        status code: 403, request id: M9AM8VW8SY76T0XG, host id: /WKIdyIAmVgXLx251pybnhdr2BUx71xriaBUUM86441UiNjnmDCnt1nsFDL5eDF/uBv4qOh5EEE=

Terraform failed to load the default state from the "s3" backend.
State migration cannot occur unless the state can be loaded. Backend modification and state migration has been aborted. The state in both the source and the destination remain unmodified. Please resolve the above error and try again.

1. run the --dry-run --clean-state, dry run result is " No infrastructure changes"
2. now, run the destroy

==========

Legacy jenkins Build images available in below path of legacy jenkins server 10.99.28.90

/var/lib/jenkins/workspace

command for find file size
du -h --max-depth 1
du -h --max-depth 1 | egrep -v "^0" | egrep G

==========

https://jira.ouryahoo.com/browse/PCLOUD-6397
Alert Suppressions Request for AWS-6083, AWS-6020
Hi Brittany Bahk , expired suppression is still valid. it will be used for the purpose mentioned in this original ticket description.

==========

Error: error updating IAM policy arn:aws:iam::559354210775:policy/in-app-help-stage/in-app-help-stage-iam-logs-provisioner-policy: AccessDenied: User: arn:aws:sts::559354210775:assumed-role/fed.power.user/gsrinivasan is not authorized to perform: iam:CreatePolicyVersion on resource: policy arn:aws:iam::559354210775:policy/in-app-help-stage/in-app-help-stage-iam-logs-provisioner-policy with an explicit deny in an identity-based policy
        status code: 403, request id: e67a2fe9-9b28-4ca4-a4d8-c6ea76b4ff9f

run fedadmin and get the admin access or run like awsfed --profile=subscriptions-frontends-aws-dev --account=674961505149 --

role=sso/fed.admin.user -n
not power user access
==========
==========
Folder copy
cp -pR <source> <destination >
++
PSE Dev remote curl lambda - source code path https://git.ouryahoo.com/OBI/obi_ops/blob/main/infra/remotecurl/main.tf
Need to deploy through terraform in command line
==========
=======
Unable to resolve legacy Jenkins
This site can't be reachedhttps://jenkins.legacy.obieng.com:8443/loginError is unreachable.
ERR_ADDRESS_UNREACHABLE
check the tunnel entries in config file
cat ~/.ssh/config
also check host file and needed to add 127.0.0.1 jenkins.legacy.obieng.com to the /etc/hosts file.
==========
=====
After Rehydration of Legacy Jenkins and BRR Jenkins, while doing ssh from Legacy to BRR Jenkins getting below error
[ec2-user@ip-10-99-28-90 .ssh]$ ssh 10.97.16.34
***@@@

***etlqa IP* 10.195.138.30**
obi01 10.97.17.113
==========

An error occurred (CodeArtifactUserFailedException) when calling the Invoke operation: ERROR: Lambda cannot initialize the provided container image. Verify the image.

Go to AWS console of particular account remoteculr lambda (check the region) and check the image tag. If the image is older and already removed
  click on *Deploy new image*
wait for successful image update.
==========
SlackDB - MySql workbench
OBI_SLACK_DB_USERNAME="slackdb_user"
OBI_SLACK_DB_PASSWORD="s7ack3rpa55"
--user=slackdb_user --password=<> --host=obi-dev-mysql.cbozdq3qfv90.us-east-1.rds.amazonaws.com --port=3306 --database=slackdb
==========
Tomcat version update from 9.0.68 to 9.0.70 on Webapp-base and webapp-base-secure images under https://git.ouryahoo.com/OBI/obi_docker/

git pull and create a new branch for this update
update the tomcat version on both docker files of both webapp-base and webapp-base-secure and push the changes into git

Go to OBI Delivery pipeline https://jenkins.subscriptions-devops-obi-aws-dev.aws.oath.cloud/job/OBI_Delivery_Pipeline/
above pipeline is using https://git.ouryahoo.com/OBI/obi_gradle/blob/pipeline/Jenkinsfile
  crypto, esb, auth, vgw, bps, pgw (https://ouryahoo.slack.com/archives/GKUSCF24D/p1673965222198409)
for stub separate git and pipeline
replay the last build job and replace below file and verify only webapp-base and webapp-base-secure image are build and check the branch (not main branch, it will be your new branch)
Downloads/Jenkinsfile-webapp-baseAndwebapp-base-secure
after successful build deploy those services with new image, click on build with parameters on obi_delivery_pipeline, in the build step give particular service, like esb, and deploy that service. Like other services as well.
https://git.ouryahoo.com/OBI/obi_docker/pull/665 - PR
==========
=

Centos8 image
docker pull docker.ouroath.com:4443/docker.io/centos:centos8
docker images
docker run -it --entrypoint=/bin/bash docker.ouroath.com:4443/docker.io/centos

error in centos 8 - Error: Failed to download metadata for repo 'appstream': Cannot prepare internal mirrorlist: No URLs in mirrorlist
dnf --disablerepo '*' --enablerepo=extras swap centos-linux-repos centos-stream-repos
dnf distro-sync

https://haydenjames.io/fix-error-failed-to-download-metadata-for-repo-appstream-centos-8/
yum install wget -y
wget https://www.openssl.org/source/openssl-3.0.7.tar.gz
tar -xf openssl-3.0.7.tar.gz
cd openssl-3.0.7
openssl version -a

==========
If trivy scan is getting fail with this error ***If your scanning is slow, please try '--security-checks vuln' to disable secret scanning***
https://jenkins.subscriptions-devops-obi-aws-dev.aws.oath.cloud/job/OBI_AUTH_PIPELINE/14/console
replay the failed job and remove this line ***make -f Makefile-auth all-scan***

if other type of build pipeline,
```
// Stage: Scan Docker Image (using Trivy)
      stage('Scan-Image') {
         when {expression {params.BUILD_STEP == '' || params.BUILD_STEP == 'BUILD'}}
         steps {
            script {
               // Scan Image using Trivy
               dockerUtils.scanImage(params.IMAGE_NAME, params.TRIVY_FAIL_ON_SEVERITIES, params.TRIVY_FAIL_SEVERITIES, params.TRIVY_IGNORE_UNFIXED, params.TRIVY_SCAN_SKIP)
            }
         }
      }
```

remove the ***params.BUILD_STEP == 'BUILD***

like when {expression {params.BUILD_STEP == ''}}
==========

==========
Scan the vulnerability of below images
Jira ticket. https://jira.ouryahoo.com/browse/PSECBUGS-67041

arn:aws:ecr:us-east-1:742442504506.dkr.ecr.us-east-1.amazonaws.com/aol_obi/demoapp@sha256:ac3a91bfe3083adf55087264c93796434cbfff6e69bdff3b2d3555e659c29587
arn:aws:ecr:us-east-1:742442504506.dkr.ecr.us-east-1.amazonaws.com/aol_obi/email-api@sha256:a52960d4347ee03f3d99a36dc1bd10373948e376f8bbf53372f356545085e6b3
arn:aws:ecr:us-east-1:742442504506.dkr.ecr.us-east-1.amazonaws.com/aol_obi/email-batch@sha256:a1c361c4a03937bb5e1103b1e32fbfb042454ec163a03dc0a6133acef9c6891e
arn:aws:ecr:us-east-1:742442504506.dkr.ecr.us-east-1.amazonaws.com/aol_obi/paymentech@sha256:55830a7f6b2668de03eac18f3732e2f8b2c5dee258dd4743e21684c663fdf99b
arn:aws:ecr:us-east-1:742442504506.dkr.ecr.us-east-1.amazonaws.com/aol_obi/pgw@sha256:995e7d5d540b039f0237e863e090ecf48f3e5e1d7a514d3080314ff6319fb213
arn:aws:ecr:us-east-1:742442504506.dkr.ecr.us-east-1.amazonaws.com/aol_obi/pm@sha256:b285b57f268c91534f415b17aa176c1bdfa99c2a95021b4c91648e061e83cf50
arn:aws:ecr:us-east-1:742442504506.dkr.ecr.us-east-1.amazonaws.com/aol_obi/report-portal@sha256:bb80f56db4ead4992a9bae066bd50b8a2d6410dbccab12063807e47e8400594c

Login Into legacy jenkins ssh 10.99.28.90
docker pull 742442504506.dkr.ecr.us-east-1.amazonaws.com/aol_obi/email-batch@sha256:a1c361c4a03937bb5e1103b1e32fbfb042454ec163a03dc0a6133acef9c6891e

/usr/local/bin/trivy --ignore-unfixed --exit-code 1 -severity CRITICAL

/usr/local/bin/trivy --ignore-unfixed --exit-code 1 -severity CRITICAL 742442504506.dkr.ecr.us-east-1.amazonaws.com/aol_obi/email-batch@sha256:a1c361c4a03937bb5e1103b1e32fbfb042454ec163a03dc0a6133acef9c6891e
==========
==========
========

Selfhelp
issues inventory - whom to contact - how to test - checking logs
ecr cleanup - increase build - low level testing - legal functionality
next week - visualisation
==========
==========
aol_obi/oracle-xe - build pipeline - https://jenkins.legacy.obieng.com:8443/job/build__oracle-xe__mtly/
oracle sandbox build pipeline - https://jenkins.legacy.obieng.com:8443/job/build__sandbox-db-base__mtly/
==========
==========
OBI QA SQL DB credentials
DB_URL=jdbc
oracle
thin:@obiardb.qat.obi.aol.com:1522:ORCL
DB_USER=obi_qatenv
DB_PASSWORD=0b2Q4t4me
LOG_DB_URL=jdbc
oracle
thin:@obiardb.qat.obi.aol.com:1522:ORCL
LOG_DB_USER=BPS_SERVICES_QAT
LOG_DB_PASSWORD=0b2Q4t4me

OBI01 DB login ID : **obi**
Password : **obir3d3nv**
==========
==========
crypto - https://jira.ouryahoo.com/browse/OBI-2470
auth - https://jira.ouryahoo.com/browse/OBI-2471
bps - https://jira.ouryahoo.com/browse/OBI-2472
esb - https://jira.ouryahoo.com/browse/OBI-2473
vgw - https://jira.ouryahoo.com/browse/OBI-2474

OBI Prod install doc : https://docs.google.com/document/d/1SwhZM63pmtOIajPinfNhSduasWycKYWBg0WPMjpe9IA/edit

@brew1 @alewis We have updated install doc for below services to deploy in Prod tomorrow (26th Jan 2023). Please install.
crypto, auth, bps, esb, vgw
==========
==========
Prod Deployment pipeline get failed with below error
Error: Running Lambda function remoteCurl in region us-east-1
Invalid base64: "{"url":"https://10.10.54.134:443/ping"}"
change the worker node and deploy it

NODE_LABEL = mscdi-jenkins-prod-worker change it to below one and try.
NODE_LABEL = pse-worker-loki
==========
script for find the number of last builds in Jenkins jobs

```
[root@ip-10-99-28-90 jobs]# cat x.sh
ls -1 | while read x; do
        num=$( ls -l "${x}/builds/" 2>/dev/null | egrep "^d" | wc -l );
        if [ $num -ge 100 ]; then
                echo "$x :$num";
        fi
done
[root@ip-10-99-28-90 jobs]#
```

==========
https://jenkins.legacy.obieng.com:8443/job/obi_batch_gpt_transport_service/4/console
Caused by: java.io.IOException: Failed to deploy file. Status code: 403 Response message: Artifactory returned the following errors:
Not enough permissions to delete/overwrite artifact 'obi-release:com/aol/obi/batch/gpt/transport/service/obi-gpt-transport-service/0.0.37/obi-gpt-transport-service-0.0.37.jar' (user: 'token:obi_headless' needs DELETE permission). Status code: 403
Please try updating the obi-release version and try
https://git.ouryahoo.com/OBI/obi_batch_gpt_transport_service/pull/73.
changed version.
change the version, raise the PR and merged it, after that run the pipeline.
==========
Any tab space issue in Make file, check the space using blow command
:set list
==========
Build the image in legacy jenkins server and create a test pipeline

```
cd base_openjdk17
docker build -t jdk17 .
docker tag jdk17:latest 742442504506.dkr.ecr.us-east-1.amazonaws.com/aol_obi/base_openjdk17:latest
docker push 742442504506.dkr.ecr.us-east-1.amazonaws.com/aol_obi/base_openjdk17:latest
exit 0

echo "Build APP Image for testing"
APP=webapp-base-secure
make APP
docker tag 742442504506.dkr.ecr.us-east-1.amazonaws.com/aol_obi/
```

APP:latest 742442504506.dkr.ecr.us-east-1.amazonaws.com/aol_obi/APP:test
docker push 742442504506.dkr.ecr.us-east-1.amazonaws.com/aol_obi/APP:test

exit 0

Post rehydration of OBI01 sandbox, trying to connect etlqa and etl getting below error
also from legacy jenkins to OBI01

```
@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@
@    WARNING: REMOTE HOST IDENTIFICATION HAS CHANGED!     @
@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@
IT IS POSSIBLE THAT SOMEONE IS DOING SOMETHING NASTY!
Someone could be eavesdropping on you right now (man-in-the-middle attack)!
It is also possible that a host key has just been changed.
The fingerprint for the RSA key sent by the remote host is
SHA256:TB87r0mNTzO+fQ/v5qCXZKBwsdXgTqNkrkHYutJ0dAc.
Please contact your system administrator.
Add correct host key in /home/ec2-user/.ssh/known_hosts to get rid of this message.
Offending RSA key in /home/ec2-user/.ssh/known_hosts:9
RSA host key for 10.195.138.30 has changed and you have requested strict checking.
Host key verification failed.
```

Login into OBI01 server
vi ~/.ssh/known_hosts
Remove lines starts from 10.195.138.30 and 10.195.137.217

An error occurred (AccessDenied) when calling the AssumeRole operation: User: arn:aws:sts::665975628511:assumed-role/obi.dev.legacy-jenkins-service/i-06c98c50b063d1d7f is not authorized to perform: sts:AssumeRole on resource: arn:aws:iam::580173953382:role/subscriptions.obi-obi.prod.aws.prod.deploy.jenkins-worker
+ chmod 755 /home/ec2-user//awsenvvars-obi.prod-superset
check with John Amico if any changes in ccmd-dev jenkins
https://ouryahoo.slack.com/archives/D02KPEY8ES2/p1678894271229579

==========

1. Create an IAM user in Account S
2. Add inline policy with Account T ID and name in Resource
   {
3. "Version": "2012-10-17",
4. "Statement": [
5. {
6. "Effect": "Allow",
7. "Action": "sts:AssumeRole"
8. }
9.]
10. }

11. Create an IAM role in Account T with principle of Account S ID and name
12. Attach the policy to IAM user permission to list the LBs

```
{
   "Version": "2012-10-17",
   "Statement": [
      {
         "Effect": "Allow",
         "Action": "elasticloadbalancing:*",
         "Resource":
"arn:aws:elasticloadbalancing:region:Target_account_number:loadbalancer/*"
      },
      {
         "Effect": "Allow",
         "Action": [
            "elasticloadbalancing:DescribeLoadBalancers",
            "elasticloadbalancing:RegisterInstancesWithLoadBalancer"
         ],

         "Resource": "*"
      }
   ]
}
```

==========

list ecr images

aws ecr list-images --repository-name aol_obi/superset --filter tagStatus=TAGGED --region us-east-1 --registry-id 742442504506

Any Jenkins jobs stuck with ***Waiting for next available executor***

check the node in Jenkins file https://git.ouryahoo.com/OBI/obi-prod-utils/blob/superset_prod/Jenkinsfile-superset#L4

Pipeline failure with error ***aws: error: argument operation: Invalid choice, valid choices are:***

check the pipeline version - mscdi-jenkins-lib@v2.4.0

Pipeline failure with health check remote curl error, check the pipeline branch and put [] in testUtils.healthCheckRemoteCurl

https://git.ouryahoo.com/OBI/obi_mcare_turnilo/pull/121

Learning from Superset Prod pipeline creation

1. Wrongly deployed through Legacy Jenkins instead of obi-aws-prod and corrected it
2. Updated the IAM role for Prod - Asked Angel to create a IAM role in OBI-Prod (obi-reporting-prod) account ***subscriptions.obi-***

obi.prod.aws.prod.deploy.jenkins-worker

1. https://ouryahoo.slack.com/archives/D03P24X9V43/p1678829970139069

3. Updated the pipeline library, using 'obi-common-lib@one-branch'
4. An error occurred (ClientException) when calling the DescribeTaskDefinition operation: Unable to describe task definition.

Updated the taskRole and taskdefinition in appBlueGreen groovy script with superset details

4. Unable to list out the images in pipeline - updated credentials file path Jenkinsfile script
5. Lamda invoke error - remotecurl function name mismatch - updated function name in appBlueGreen groovy script.

==========
==========
Pipelines are getting abort before ##### Current Running count for obi-fargate-ncid-dev-blue-service : 1 #####
go to configure and disable the poll scm option and run the pipeline.
Difference between poll scm and build trigger
"Poll SCM" polls the SCM periodically for checking if any changes/ new commits were made and shall build the project if any new commits were pushed since the last build, whereas the "build" shall build the project periodically irrespective to whether or not any changes were made.
==========
==========
Steps to pull the image, run the container, login into container and check the war file path for Prod tag
Login into Anil sandbox ssh 10.97.17.114
docker pull
docker run -itd --name <application name> <image uri from ECR>
docker-compose up -d <application name>
docker exec -it <container ID> /bin/bash/
check the war file path (mostly it will be /data/servers/tomcat/webapps/<app name>.war
exit from container
remove any old war file in local path rm -f *.\war
docker cp <container ID>:/data/servers/tomcat/webapps/authservice.war .
docker cp 519e1c9f840f:/data/servers/tomcat/webapps/<app name>.war .
echo /data/servers/tomcat/webapps/bpsservice.war | rev | cut -d'.' -f1 | rev
unzip -p *.war META-INF/MANIFEST.MF
==========
BRR Jenkins and Legacy Jenkins rehydration, getting error while doing files coping using scp,
run bash (type bash) then run the scp command
zsh: no matches found: 10.97.16.34:/home/ec2-user/.ssh/*
scp: Connection closed
==========

SCS Pipeline failure with below error
04:29:57 An error occurred (ClusterNotFoundException) ***when calling the ListTasks operation: Cluster not found.***
04:29:57 ### Info: 0 tasks listed. Retry again.
04:29:57 ### [20230331-042956] Info: TaskARN - arn:aws:ecs:us-east-2:349874332661:task/scs-us-east-2-dev/404c8e7117104663a35d8c91c7b31d43
04:29:57
04:29:57 An error occurred (ClusterNotFoundException) when calling the ListTasks operation: Cluster not found.
04:29:57 ### Error: 0 tasks listed. Exit.

Intermittent issue, just rerun the pipeline
==========
Let's encrypt Legacy Jenkins certificate

scp is not working
subsystem request failed on channel 1
scp: Connection closed
copy the .pem files manually
==========
Team Org structure under Jagadeesh
https://thestreet.ouryahoo.com/thestreet/ls/profile/5594693166694400?details=true
==========
Add large file (number of lines more than 500) in slack
click on + in slack and search snippet and paste the content
==========
youtrack old images removal
pull the image in Anil sandbox, tag it with new name and push the image
then, bounce the obiyoutrack and ccmsyoutrack services in PSE Dev account
(Stop the service anyone and do another one after first one is come up)
==========
epay prod pipeline failure due to tasks were recycling with below error
2023-04-19 18:12:39 ERROR o.s.o.j.LocalContainerEntityManagerFactoryBean - buildNativeEntityManagerFactory(): Failed to initialize JPA EntityManagerFactory: [PersistenceUnit: bps] Unable to build Hibernate SessionFactory; nested exception is org.hibernate.tool.schema.spi.SchemaManagementException: Schema-validation: missing table [epay_notification_log]
issue was
the value of SPRING_JPA_HIBERNATE_DDLAUTO="validate" in Prod, but it is

“none” in dev, after changed it into “none” tasks are up and pipeline also good.
==========
==========
Before removing https-okta image, check the ncid service in pse dev/prod, it may use this https-okta image, run the ncid pipeline for to use new image.

NCID prod pipeline failure https://jenkins.legacy.obieng.com:8443/job/obi-prod-ncid-bluegreen-pipeline/
++ aws lambda invoke --function-name remoteCurl --payload eyJ1cmwiOiJodHRwOi8vMTAuOTguMTMwLjY4Ly9pbmRleC5odG1sIn0K outputfile.txt
+ healthCheck=
rerun the pipeline, no need to change anything.
==========
==========
Newrelic version update in base images - PR https://git.ouryahoo.com/OBI/obi_docker/pull/654/files
springboot-base-java17/Dockerfile
springboot-base-secure-java17/Dockerfile
springboot-base-secure/Dockerfile
springboot-base/Dockerfile
webapp-base-java17/Dockerfile
webapp-base-secure-java17/Dockerfile
webapp-base-secure/Dockerfile
webapp-base/Dockerfile
==========
==========
Jenkins: SSL-CERT-TESTS failures
Error : ssl.qat.obi.aol.com ? It was expecting 9 but received only 0
rerun the job, mostly it will be success
==========
==========
Alert suppression request https://jira.ouryahoo.com/browse/PCLOUD-9003
==========
==========
Druid - Old image delete
Druid Prod - check with Angel and ask her to bounce

also login into ec2 instance and check

(oath_tools) anildall@VVRW60QNK4 automations % ssh -J 3.213.56.201:2222 ec2-user@10.96.138.170
Authenticating "anildall" to login into the bastion "ip-192-168-0-45.ec2.internal", touch YubiKey if flashing
Authenticating "anildall" to forward the connection to "ec2-user@10.96.138.170:22", touch YubiKey if flashing
Last login: Wed Jun 14 12:39:25 2023 from 192.168.0.45

[ec2-user@ip-10-96-138-170 ~]$ docker image inspect 742442504506.dkr.ecr.us-east-1.amazonaws.com/aol_obi/druid:production | jq -r '.[].RepoDigests'
[
 "742442504506.dkr.ecr.us-east-1.amazonaws.com/aol_obi/druid@sha256:a4918f63b346af484d3dbc87cd9c94249b2602b580b0c504df21472b9ea62ea8"
]
[ec2-user@ip-10-96-138-170 ~]$

the ip 10.96.138.170 may change if she rehydrates

==========
==========
httpd-okta - delete old images
run the prod pipeline - https://jenkins.legacy.obieng.com:8443/view/pipelines_fargate_prod/job/obi-prod-ncid-bluegreen-pipeline/build?delay=0sec
with httpd-okta image
==========
==========
Reg. OBI01HP,BPS~JSON~REGRESSION~obi_tmore_3ds.jmx test failure
login into ssh 10.97.17.113
vi docker-compose

Add these to pgw: section of docker-compose file

OBI_PGW_MODE: "sandbox"
OBI_PGW_ACCT_USERNAME: "obi-qa-testing+default_api1.oath.com"
OBI_PGW_ACCT_PASSWORD: "LNNJT72NMP9DMUBU"
OBI_PGW_ACCT_SIGNATURE: "AQyh.DuUyWPFHE5r0CU1gBdGXHw2Ahb7P1deXsq4DjJsfuFl0FwwfLmB"
OBI_PGW_ACCT_CERTKEY: ""

OBI_PGW_TMORE_ACCT_USERNAME: "obi-qa-testing+trademore_api1.oath.com"
OBI_PGW_TMORE_ACCT_PASSWORD: "7FU5V9BEMX8VZKN4"
OBI_PGW_TMORE_ACCT_SIGNATURE: "AuaofqQd2e-2NuLkob0HpzqE3dYDAzozdNjGRuMAv1mJ5pnNPhNlQz0i"
OBI_PGW_TMORE_NOSHIPPING_FLAG: "0"

After saving the changes run the below commands:
export COMPOSE_PROJECT_NAME=obi
docker-compose stop pgw
docker-compose up -d pgw

==========
==========
Report-Audit-IAMAccessKeys with status: FAILURE

app-smtp-druid-healthcheck-user rotation
delete the user from IAM users in PSEDEV account
open Druid health check lambda
verify the email user id and password in Environmental variables under configuration
Open SES (Amazon simple email service)
check on this also
==========
==========
While do **Prod tag** in Legacy jenkins
Error saving credentials: error storing credentials - err: exit status 1, out: `not implemented`
rm /home/ec2-user/.docker/config.json
cp -p /home/ec2-user/.docker/config.json.bkup /home/ec2-user/.docker/config.json

if error like *Error response from daemon: Head "https://976186898275.dkr.ecr.us-east-1.amazonaws.com/v2/obi/sonarqube/manifests/latest": no basic auth credentials*
denied: Your authorization token has expired. Reauthenticate and try again.

do *cp -p /home/ec2-user/.docker/config.json.bkup /home/ec2-user/.docker/config.json*
==========
==========
Sonarqube image update in Repo
Run the job from Legacy jenkins
https://jenkins.legacy.obieng.com:8443/job/build__sonar__monthly/
It will update the image in us-east-1 only, so need to below steps in Legacy jenkins server 10.99.28.90
pull the image : docker pull 976186898275.dkr.ecr.us-east-1.amazonaws.com/obi/sonarqube:latest
tag the image : docker tag 976186898275.dkr.ecr.us-east-1.amazonaws.com/obi/sonarqube:latest 976186898275.dkr.ecr.us-east-2.amazonaws.com/obi/sonarqube:latest
delete the latest image from us-east-2 through console
push the image docker push 976186898275.dkr.ecr.us-east-2.amazonaws.com/obi/sonarqube:latest
==========
==========
While do Prod tag for particular service using https://jenkins.subscriptions-devops-obi-aws-dev.aws.oath.cloud/job/PRODUCTION_TAG/
ERROR: Couldn't find any revision to build. Verify the repository and branch configuration for this job.
Cloning repository git@git.ouryahoo.com:OBI/obi_tokenization_service.git

check the particular service git repo branch (if its main but in Jenkins

configured as pipeline) https://git.ouryahoo.com/OBI/obi-prod-utils/pull/35
==========
==========
Legacy Jenkins workspace path
/var/lib/jenkins/workspace
==========
==========
OBI
Open Business Infrastructure (OBI) platform is kind of monetization engine for AOL/Yahoo and its affiliates by providing generic capabilities for business integration. Monetization means both collecting money from as well as paying money to customers, affiliates, publishers, and others. Open Business Infrastructure API's provide payment (both to as well as from), subscription and contracts, ordering, product catalog and other functionality.
==========
==========
==========
Beyond compare activation issue
rm "/Users/$(whoami)/Library/Application Support/Beyond Compare/registry.dat"
==========
==========
==========
Getting below error while deploying through Jenkins

aws: error: argument --min-capacity: expected one argument
check the green and blue services
==========
==========
==========
calisio
gaaco
==========
==========
==========
Steps to deploy PM service in QA
Image build - only builds the app, docker image and publishes to ECR (https://jenkins.legacy.obieng.com:8443/job/obi_token_service_build/)
Application in QA
Run both below pipelines
https://jenkins.legacy.obieng.com:8443/job/deploy_obi_js_in_non_prod_cdn/ and https://jenkins.subscriptions-devops-obi-aws-dev.aws.oath.cloud/job/OBI_Delivery_Pipeline/ select build option as (QA-PM)
after successful deploy, check the services are running with latest qa image and run SMOKE tests in Jmeter.
==========

==========
Gap tools container
docker run -v ssh-agent:/ssh-agent -v ~/git:/git -v ~/.aws:/root/.aws -v ~/.ssh:/root/.ssh -e SSH_AUTH_SOCK=/ssh-agent/ssh-agent.sock -it --entrypoint=/bin/bash docker.ouroath.com:4443/gap-tools:3-latest -i

```
run_local.sh --env-deploy remotecurl \
        --profile federate \
        --state-bucket-name 349874332661-terraform-state-us-east-1 \
        --state-region us-east-1 \
        --state-lock-table terraform_locks \
        --state-key scs/deploy/scs-fg-dev-service/remotecurl/ \
        --tf-var-file us-east-1/dev.tfvars \
        --dry-run
```

from MSCDI container

```
run_terraform.sh --env-deploy infrastructure/remotecurl \
        --profile federate \
        --state-bucket-name 349874332661-terraform-state-us-east-1 \
        --state-region us-east-1 \
        --state-lock-table terraform_locks \
        --state-key scs/deploy/scs-fg-dev-service/remotecurl/ \
        --tf-var-file us-east-1/dev.tfvars \
        --dry-run
```

import security group, like we can import other services
--tf-cmd 'terraform import -var-file=us-east-?/env.tfvars <resource/module> <>' --clean-state

```
run_terraform.sh --env-deploy infrastructure/remotecurl \
        --profile federate \
        --state-bucket-name 349874332661-terraform-state-us-east-1 \
        --state-region us-east-1 \
        --state-lock-table terraform_locks \
        --state-key infrastructure/remotecurl/ \
        --tf-cmd 'terraform import -var-file=us-east-1/dev.tfvars
module.remotecurl.aws_security_group.remotecurl sg-08c38b905561b0264' \
        --clean-state

run_terraform.sh --env-deploy deploy/catalogmanager-common \
        --state-bucket-name 742442504506-terraform-state-us-east-1 \
        --state-region us-east-1 \
        --state-lock-table terraform_locks \
```

```
        --state-key catalogmanager/deploy/catalogmanager-common \
        --tf-cmd 'terraform import -var-file=us-east-1/dev.tfvars <resource/
module> <>' \
        --clean-state
```

==========
==========
==========

move S3 files from one path to another path forcefully
aws s3 mv <source path> <destination path> --sse

++++++++++
++++++++++
++++++++++

while doing waf rules update through terraform,
Error: Unsupported block type

on .terraform/modules/web_acl/modules/wafv2_web_acl/main.tf line 66, in resource "aws_wafv2_web_acl" "main":
66: dynamic "excluded_rule" {

Blocks of type "excluded_rule" are not expected here.

check the main.tf having aws version, if not please add and do the terraform apply
also check with coredeployment module version, it should be 2.2.1

```
provider "aws" {
      region     = var.region
      version = "4.54.0"
}
```

https://git.ouryahoo.com/OBI/obi_ops/pull/408

==========
==========
==========

New bastion creation with Calypso profile

1. For new bastion creation:
   bastion-cli setup --domain <your athenz domain> --region <your region> --enable-agent-forwarding=true --enable-calypso=true [--bastion-calypso-profile <your preferred calypso profile>]

Note: Bastion will create a default calypso profile named after bastion service, if one doesn't exist

2. For existing bastions, run bastion-cli update command to update the bastion infrastructure
   bastion-cli update --domain <your athenz domain> --region <your region> --enable-agent-forwarding=true --enable-

calypso=true [--bastion-calypso-profile <your preferred calypso profile>]]

3. [Optional] SSH into bastion itself/port forwarding using bastion
   Add your team member user ids in login users in the bastion Calypso profile

4. [Optional] For screwdriver (e.g. packer build) use cases:
   1. Bastion Calypso profile change:
      1. Add the user unix.screwdrv as a headless user in the bastion Calypso profile and ensure the outgoing permission is checked

2. Application Calypso profile change:
   1. Choose a headless user (e.g. unix.screwdrv) as the SSH target user (Onboard a new headless user)
   2. Add the formatted screwdriver principle (screwdriver:<pipeline ID>:<AWS account ID>) to the Additional Authorized Principals and check the incoming permission under the headless user section in the application Calypso profile

3. Athenz policy change:
   1. Add an Athenz policy to allow ssh_login on your target instance with that headless user you use as the SSH target user

5. Command updates:
   1. Add a "-A" flag in all your ssh/scp commands, or config your ssh config to enable agent forwarding
      ssh -A -J <bastion>:2222 <target instance>
      ssh -A -J screwdriver:<pipelineID>@<bastion>:2222 <target headless user>@<target instance>
   2. For scp commands:
      1. If your openssh version is >= 8.7, add a "-O" flag to the scp command
         scp -O -A -J <bastion>:2222 <file> <target instance>:<path>
         scp -O -A -J screwdriver:<pipelineID>@<bastion>:2222 <file> <headless user>@<target instance>:<path>
      2. For old openssh version < 8.4 (e.g. screwdriver), scp doesn't support "-A" flag, you could use this workaround with a "-S" flag and a customized SSH script.
         scp -S myssh.sh <file> <target headless user>@<instance>:<path>

#!/bin/bash

ssh -A -J screwdriver:<pipelineID>@<bastion>:2222 "$@"

ssh -A -J 52.205.138.40:2222 10.10.252.225

==========

==========

port forwarding

ssh -L [LOCAL_IP:]LOCAL_PORT:DESTINATION:DESTINATION_PORT [USER@]SSH_SERVER

ssh 10.97.17.121 -N -L 8080:localhost:80 10.97.17.121

==========

==========

Pipeline failures with below ecs:DescribeServices

[1m[31mError: [0m[0m[1mreading ECS service (arn:aws:ecs:us-east-1:742442504506:service/vertexo9-us-east-1-dev/vertexo9): AccessDeniedException: User: arn:aws:sts::742442504506:assumed-role/subscriptions.obi-core.aws.dev.vertexo9-jenkins/jenkins is not authorized to perform: ecs:DescribeServices on resource: arn:aws:ecs:us-east-1:742442504506:service/vertexo9-us-east-1-dev/vertexo9 because no identity-based policy allows the ecs:DescribeServices

removed below condition from generic2-jenkins.json file

```
        ],
        "Condition": {
            "ForAnyValue:IpAddress": {
                "aws:SourceIp": ${jenkins_nat_ip}
            }
        }
```

Refer : https://scm.obieng.com/obi/obi_tax/merge_requests/60/diffs

==========

==========

Error while running iam/common/service module

Error: Failed to download module


Could not download module "service-roles" (main.tf:123) source code from "git::ssh://git@git.ouryahoo.com/MSCDI/core_deployment_modules.git?ref=v2.1.7":
error downloading 'ssh://git@git.ouryahoo.com/MSCDI/core_deployment_modules.git?ref=v2.1.7': /usr/bin/git exited with 128: Cloning into '.terraform/modules/service-roles'...
Warning: Permanently added 'git.ouryahoo.com' (RSA) to the list of known hosts.
git@git.ouryahoo.com: Permission denied (publickey).
fatal: Could not read from remote repository.

Please make sure you have the correct access rights
and the repository exists.

Add ssh key in git repo. **https://docs.github.com/en/enterprise-server@3.7/authentication/connecting-to-github-with-ssh/checking-for-existing-ssh-keys**
copy the ssh key from ~/.ssh/id_rsa.pub
go to git repo settings in browser, delete the old ssh key from ssh and GPG keys
click New ssh key tab and paste the above one.
==========
==========
MSCDI-OBI-HELPCHATBOT-ANALYTICS-DEV - pipeline failure
15:53:36 [0mCould not download module "autoscaling" (main.tf:105) source code from
15:53:36 "git@git.ouryahoo.com:MSCDI/core_deployment_modules.git?ref=v2.1.7": error
15:53:36 downloading
15:53:36 'ssh://git@git.ouryahoo.com/MSCDI/core_deployment_modules.git?ref=v2.1.7':
15:53:36 /usr/bin/git exited with 128: Cloning into
15:53:36 'us-east-1/.terraform/modules/autoscaling'...
15:53:36 Host key verification failed.
15:53:36 fatal: Could not read from remote repository.
15:53:36
15:53:36 Please make sure you have the correct access rights
15:53:36 and the repository exists.

start stub pipeline and once it checks out code, it means when node came up it could download/access enterprise git
start helpchatbot pipeline
==========
==========

centos7 image from docker.ouroath.com. https://git.ouryahoo.com/OBI/obi_mcare_turnilo/pull/137/files
==========
==========
post rehydration BRR-Jenkins - error log. egrep cloud-init /var/log/messages | egrep -i error



export path
export PATH=/usr/local/bin:/usr/bin:/usr/local/sbin:/usr/sbin:/home/ec2-user/.local/bin:/home/ec2-user/bin:/home/ec2-user/apache-maven-3.8.8/bin

if any wrong path or getting reset the path while logoff and login into the host check this file ***vi /etc/profile.d/maven.sh***

export MAVEN_VERSION="/home/ec2-user/apache-maven-3.8.8"
export M2_HOME=/home/ec2-user/apache-maven-${MAVEN_VERSION}
export PATH=${M2_HOME}/bin:${PATH}

==========

==========

application names
http1.0,
tomcat
how to check tomcat version
login into any one of application container
sh /data/servers/tomcat/bin/version.sh