OBI_Prod_alerts & Jmeter failures

TLS-ConnectTimeoutException-alarm" in US East (N. Virginia)

TLS is under FE Prod (AWS Console)
CW—>All Alarms —> Select particular alarm (Like TLS-ConnectTimeout….)
Client on view in metrics
Select Time window (select local time zone) enter the time before and after 15mins
Actions—>View Logs—>particular log will show —> View as text—> check the details under orange

/fargate/service/fargate-scs-fg-prod-logs

etldev 10.195.137.217
etlqa 10.195.138.30
Legacy Jenkins 10.99.28.90
OBI01 10.97.17.113
Anil 10.97.17.114
DB details URL
https://confluence.ouryahoo.com/pages/viewpage.action?pageId=199973475

If BPSPRD or OBIAR DB is not connecting or get Listener error, please check the R53 URL in below file
vi ~/.ssh/config

after updating the above file, do the yinit, . ~/.profile and hptunnel
hptunnel and hptunnel_lite functions are in ~/.profile file
ps -ef |grep ssh
ssh -A -vfNT dbprod

pkill -f 10.99.28.90
pkill -f dbbastion psedev prodbatch
Basic DB Queries

```
select * from OBI_transaction_log
where transaction_id = '1019515714232ed046c:17f6dce75fd:7e1f'
--and API_name = 'purchaseOffer'
and created_dt > sysdate-3
order by created_dt desc;

select * from OBI_read_api_log
where transaction_id = '10195157203-8319b44:1779145bcf4:7bb5'
and created_dt > sysdate-3
order by created_dt desc;
```

select * from external_transaction_log
where transaction_id = '10195157203-8319b44:1779145bcf4:7bb5'
and created_dt > sysdate-3
order by created_dt desc;

select * from trans_Vendor_log where guid = 'bucksrose' and
trx_id='10195157197-1ddb6ecb:177be44ab4c:2ebe';
trans_Vendor_log
external_transaction_log

Important columns
DEV_ID
API_NAME
REQUEST
RESPONSE
RESPONSE TIME >30000ms (30sec for vendors generally indicates it is timeout)

BPSPRD: jFOKbsNI6OwVKrI1xVWpGrozKo8iN%
OBIAR : DQJyzFf1N2JAWJGO84STx8oWa2JMr%

ALTER USER gsrinivasan IDENTIFIED BY obipwd_02191976 replace obipwd_**19021976**

ALTER USER gsrinivasan IDENTIFIED BY "obipwd_11252007" replace "jFOKbsNI6OwVKrI1xVWpGrozKo8iN%**"**

ALTER USER gsrinivasan IDENTIFIED BY <new password> replace <old password>

BPSPRD DB password is : obipwd_**02191976** (Modified date 09 Aug 2023)

OBIAR DB password is : obipwd_**02191976** (Modified date 09 Aug 2023)

Next renew date is 1st Nov 2023

Legacy Jenkins Jobs
SQL-Report-FailedSubscribeCallsSKUwise
SQL-Report-ESB-BPS-Error-Count
SQL-Report-PendingPaymentsBeyond15Days

query for mscdj/scs-fg-prod/prod-OBIErrorOccurred-alarm

fields @message

| sort @timestamp
| filter @logStream like /(?i)(scs-fg)/
| filter @message like /(?i)(\"errors\":\[\{\"code\")/

query for ConnectTimeoutException-alarm
fields @message
| sort @timestamp
| filter @logStream like /(?i)(scs-fg)/
| filter @message like /(?i)(ConnectTimeoutException)/

query for Null pointer exception alarm
fields *@message*, *@logStream*
| sort *@timestamp*
| filter *@logStream* like /(?i)(scs-fg)/
| filter *@message* like "NullPointerException"

https://git.ouryahoo.com/OBI/obi_scs/wiki/Alarm-CloudWatch-Searches
https://mcarenew.ops.aol.com/mCareNew/merchants/yhoo/accounts/yx4ufx2gku5pnmrjblhtbiqqke/arstatus

https://superset.obi-prod.aws.oath.cloud/superset/dashboard/17/

OBIErrorOccurred-alarm
6ekegsgf4okbltrlgztft22isu
224eyqa7st4w7ejfn4g2mdphvm
4n4nk7gjfj5drgxnsp2xvyvzfy
statusCode":"400","statusText":"Invalid request","errors":
[{"code":"OM-2221","text":"Account failed Eligibility Checks"}]}

unable to find valid certification path to requested target

d-90674e59ac_controllers

Document : https://docs.google.com/document/d/1WtFJvPxet9gMePxAg6-72hwYQYW0twaC2TWz5hd9pU0/edit#

=== TRANSLOG ERRORS
select *
from obi_transaction_log
where created_dt > (sysdate - 1/24) and (status_obi_code='OBI-1200' or status_obi_code='OBI-1300' or status_obi_code='PAYBWS-324')

=== READ API ERRORS
select *
from obi_read_api_log

```
where created_dt > (sysdate - 1/24) and (status_obi_code='OBI-1200' or
status_obi_code='OBI-1300')


=== PAYMENT AUTH ERRORS
select *
from obi_payment_auth_log
where created_dt > (sysdate - 1/24) and duration > 10000


=== QUEUED EVENTS
select *
from daily_settlement_events_v1
where event_status = 'QUEUED' and EVENT_STARTAT >
TO_TIMESTAMP(to_char(sysdate-1/24,'dd-mon-yy hh:mi:ss'))


=== EPAY Cert/Timeout Error
select *
from epay_transaction_log
where created_dt > (sysdate - 1/24) and OBI_REQUEST_ID is not null and
http_response_code is null


=== EPAY Auth Error
select *
from epay_transaction_log etl, obi_transaction_log otl
where etl.OBI_REQUEST_ID=otl.TRANSACTION_ID and etl.created_dt >
(sysdate - 1/24) and etl.http_response_code=412


=== EPAY ERROR 500
select *
from epay_transaction_log
where created_dt > (sysdate - 1/24) and OBI_REQUEST_ID is not null and
http_response_code=500


=== EPAY ERROR 406
select *
from epay_transaction_log
where created_dt > (sysdate - 1/24) and http_response_code=406


=== EPAY Card Purged or Deniedlisted
select *
from epay_transaction_log
```

where created_dt > (sysdate - 1/24) and http_response_code=404 and merchant_id <>'yhoo'

==== EPAY Duplicate Request (multiple OSBs)
select *
from epay_transaction_log
where created_dt > (sysdate - 2/24) and http_response_code=400

=== Billing Event Notifications
select *
from daily_settlement_events_v1
where event_status = 'FAILED' and event_attempt >= 5 and event_startat > TO_TIMESTAMP(to_char(sysdate-1/24,'dd-mon-yy hh:mi:ss'))

=== Subscription Event Notifications
select *
from event_subscription_status
where event_status = 'FAILED' and event_attempt >= 5 and event_startat > TO_TIMESTAMP(to_char(sysdate-1/24,'dd-mon-yy hh:mi:ss'))

select * from events_log where event_id = 'yhoo39741441SWITCHED';

select *
from epay_transaction_log
where created_dt > (sysdate - 2/24) and http_response_code=406 and response not like '%E4006%';

exclude E6058 giftcard failures

depath in available capacity
internal failures
timezone

UPDATE EVENT_SUBSCRIPTION_STATUS SET
    EVENT_STATUS = 'QUEUED'
WHERE EVENT_ID = 'yhoo46259896ACTIVE_INTRIAL';

++

SQL Developer - Query builder - BPSPRD DB

```
select tvl.Product_SKU,SUBSTR(tvl.end_point,INSTR(tvl.end_point, '/',8)+1,
(INSTR(tvl.end_point, '/', 9)-INSTR(tvl.end_point, '/',8)-1)) as
Domain_name,sum(case when tvl.HTTP_STATUS not between 200 and 299
then 1 else 0 end) as Failures,sum(case when tvl.HTTP_STATUS between 200
and 299 and tvl.Resp_time > 30000 then 1 else 0 end) as
Slow_Response,count(1) as Total,ROUND(((sum(case when tvl.HTTP_STATUS
not between 200 and 299 then 1 else 0 end)+sum(case when tvl.HTTP_STATUS
between 200 and 299 and tvl.Resp_time > 30000 then 1 else 0 end))/
count(1))*100,0) as Percentage
from trans_vendor_log tvl
where tvl.ACTION = 'SUBSCRIBE' and tvl.created_dt > sysdate-1
group by tvl.Product_SKU,SUBSTR(tvl.end_point,INSTR(tvl.end_point, '/',8)+1,
(INSTR(tvl.end_point, '/', 9)-INSTR(tvl.end_point, '/',8)-1))
having sum(case when tvl.HTTP_STATUS not between 200 and 299 then 1 else
0 end) > 0 or sum(case when tvl.HTTP_STATUS between 200 and 299 and
tvl.Resp_time > 30000 then 1 else 0 end) >0 or sum(case when tvl.resp_desc in
('Subscribe failed','Redeem token failed') then 1 else 0 end) > 0
order by failures desc,slow_response desc,tvl.Product_SKU;


=== TRANSLOG ERRORS
select * from obi_transaction_log where created_dt > (sysdate - 1/24) and
(status_obi_code='OBI-1200' or status_obi_code='OBI-1300' or
status_obi_code='PAYBWS-324' );

=== READ API ERRORS
select * from obi_read_api_log where created_dt > (sysdate - 1/24) and
(status_obi_code='OBI-1200' or status_obi_code='OBI-1300');

=== PAYMENT AUTH ERRORS
select * from obi_payment_auth_log where created_dt > (sysdate - 1/24) and
duration > 10000;

=== QUEUED EVENTS
select * from daily_settlement_events_v1 where event_status = 'QUEUED' and
EVENT_STARTAT > TO_TIMESTAMP(to_char(sysdate-1/24,'dd-mon-yy
hh:mi:ss'));

=== EPAY Cert/Timeout Error
select * from epay_transaction_log where created_dt > (sysdate - 1/24) and
OBI_REQUEST_ID is not null and http_response_code is null;

=== EPAY Auth Error
select * from epay_transaction_log etl, obi_transaction_log otl where
etl.OBI_REQUEST_ID=otl.TRANSACTION_ID and etl.created_dt > (sysdate -
1/24) and etl.http_response_code=412;
```

=== EPAY ERROR 500
select * from epay_transaction_log where created_dt > (sysdate - 3/24) and OBI_REQUEST_ID is not null and http_response_code=500;

=== EPAY ERROR 406
====select * from epay_transaction_log where created_dt > (sysdate - 1/24) and http_response_code=406;

select * from epay_transaction_log where created_dt > (sysdate - 1/24) and http_response_code=406 and response not like '%E4006%' and response not like '%E6058%' and response not like '%E4008%';
====select * from epay_transaction_log where created_dt > (sysdate - 1/24) and http_response_code=406 and response not like '%E6058%';

=== EPAY Card Purged or Deniedlisted
select * from epay_transaction_log where created_dt > (sysdate - 1/24) and http_response_code=404 and merchant_id <>'yhoo';

==== EPAY Duplicate Request (multiple OSBs)
select *from epay_transaction_log where created_dt > (sysdate - 3/24) and http_response_code=400;

=== Billing Event Notifications
select * from daily_settlement_events_v1 where event_status = 'FAILED' and event_attempt >= 5 and event_startat > TO_TIMESTAMP(to_char(sysdate-12/24,'dd-mon-yy hh:mi:ss'));

=== Subscription Event Notifications
select * from event_subscription_status where event_status = 'FAILED' and event_attempt >= 5 and event_startat > TO_TIMESTAMP(to_char(sysdate-1/24,'dd-mon-yy hh:mi:ss'));

select * from epay_transaction_log where created_dt > (sysdate - 1/24) and http_response_code=500;

====EPAY Error 0053
select * from obi_transaction_log where created_dt > sysdate -15 and status<> 200 and status_obi_code='PAY-0053';
select * from obi_transaction_log where created_dt > (sysdate - 2/24) and status<> 200 and status_obi_code='PAY-0053';

select * from events_log where event_id = 'yhoo46436219ACTIVE_INTRIAL';

select * from obi_transaction_log otl where otl.transaction_id in

```
('10195157226-82040b8:18a1c511c2a:-422d');
select * from obi_transaction_log otl where otl.transaction_id in
('10195158247223cfa7:1899811e708:-343e');
select * from obi_transaction_log otl where otl.transaction_id in
('10195158229-30220634:1870ea31172:358a');
select * from obi_transaction_log otl, epay_transaction_log etl  where
otl.transaction_id=etl.OBI_REQUEST_ID and etl.created_dt > (sysdate - 1/24)
and etl.response like '%E6002%';

== To Repost subscription event notification
UPDATE EVENT_SUBSCRIPTION_STATUS SET
    EVENT_STATUS = 'QUEUED'
WHERE EVENT_ID = 'yhoo46259896ACTIVE_INTRIAL';

== To get EPAY Duplicate Request (multiple OSBs) - Error Name or Address
should not contain credit card numbers
SELECT * FROM OBI_TRANSACTION_LOG
WHERE TRANSACTION_ID IN (
SELECT OBI_REQUEST_ID FROM EPAY_TRANSACTION_LOG
WHERE
       CREATED_DT >= (sysdate - 3)
       AND json_value(RESPONSE, '$."error"."message"') = 'Name or Address
should not contain credit card numbers'
       AND HTTP_RESPONSE_CODE = '400');


SELECT
   WH.WEBHOOK_NAME || CASE WH.WEBHOOK_NAME
      WHEN 'PAYMENT' THEN ': Billing Event Notifications'
      WHEN 'SUBSCRIPTION' THEN ': Subscription Event Notifications'
      WHEN 'ASC' THEN ''
   END TITLE,
   count(M.MESSAGE_ID) FAILED_MESSAGES
FROM OBI_WEBHOOKS WH
       LEFT JOIN  OBI_WEBHOOK_MESSAGES M ON WH.ID = M.WEBHOOK_ID
   AND M.MESSAGE_STATE = 'FAILED'
   AND CAST(MESSAGE_START_AT as TIMESTAMP WITH LOCAL TIME ZONE)
BETWEEN TRUNC(systimestamp-1.0/24, 'HH')
       AND CAST(TRUNC(systimestamp, 'HH') AS TIMESTAMP) - interval
'0.000001' SECOND
GROUP BY WH.ID, WH.WEBHOOK_NAME, WH.EVENT_SOURCE,
M.MESSAGE_STATE
ORDER BY WH.ID;


SELECT
   WH.WEBHOOK_NAME || CASE WH.WEBHOOK_NAME
```

```
      WHEN 'PAYMENT' THEN ': Billing Event Notifications FAILED_MESSAGES'
      WHEN 'SUBSCRIPTION' THEN ': Subscription Event Notifications
FAILED_MESSAGES'
      WHEN 'ASC FAILED_MESSAGES' THEN ''
   END,
   count(M.MESSAGE_ID)
FROM OBI_WEBHOOKS WH
       LEFT JOIN  OBI_WEBHOOK_MESSAGES M ON WH.ID = M.WEBHOOK_ID
   AND M.MESSAGE_STATE = 'FAILED'
   AND MESSAGE_START_AT > TO_TIMESTAMP(to_char(sysdate-1/24,'dd-
mon-yy hh:mi:ss'))
GROUP BY WH.ID, WH.WEBHOOK_NAME, WH.EVENT_SOURCE,
M.MESSAGE_STATE
ORDER BY WH.ID;

SELECT
   WH.WEBHOOK_NAME || CASE WH.WEBHOOK_NAME
      WHEN 'PAYMENT' THEN ': Billing Event Notifications'
      WHEN 'SUBSCRIPTION' THEN ': Subscription Event Notifications'
      WHEN 'ASC' THEN ''
   END,
   count(M.MESSAGE_ID)
FROM OBI_WEBHOOKS WH
       LEFT JOIN  OBI_WEBHOOK_MESSAGES M ON WH.ID = M.WEBHOOK_ID
   AND M.MESSAGE_STATE = 'FAILED'
   AND MESSAGE_START_AT > TO_TIMESTAMP(to_char(sysdate-1/24,'dd-
mon-yy hh:mi:ss'))
GROUP BY WH.ID, WH.WEBHOOK_NAME, WH.EVENT_SOURCE,
M.MESSAGE_STATE
ORDER BY WH.ID;

SELECT
   WH.WEBHOOK_NAME || CASE WH.WEBHOOK_NAME
      WHEN 'PAYMENT' THEN ': Billing Event Notifications'
      WHEN 'SUBSCRIPTION' THEN ': Subscription Event Notifications'
      WHEN 'ASC' THEN ''
   END,
   count(M.MESSAGE_ID)
FROM OBI_WEBHOOKS WH
       LEFT JOIN  OBI_WEBHOOK_MESSAGES M ON WH.ID = M.WEBHOOK_ID
   AND M.MESSAGE_STATE = 'FAILED'
   AND CAST(MESSAGE_START_AT as TIMESTAMP WITH LOCAL TIME ZONE)
BETWEEN TRUNC(systimestamp-1.0/24, 'HH')
      AND CAST(TRUNC(systimestamp, 'HH') AS TIMESTAMP) - interval
'0.000001' SECOND
GROUP BY WH.ID, WH.WEBHOOK_NAME, WH.EVENT_SOURCE,
M.MESSAGE_STATE
```

```
ORDER BY WH.ID;

SELECT
   WH.WEBHOOK_NAME,
   count(M.MESSAGE_ID)
FROM OBI_WEBHOOKS WH
       LEFT JOIN  OBI_WEBHOOK_MESSAGES M ON WH.ID = M.WEBHOOK_ID
   AND M.MESSAGE_STATE = 'RUNNING'
   AND CAST(MESSAGE_START_AT as TIMESTAMP WITH LOCAL TIME ZONE)
BETWEEN TRUNC(systimestamp-1.0/24, 'HH')
      AND CAST(TRUNC(systimestamp, 'HH') AS TIMESTAMP) - interval
'0.000001' SECOND
GROUP BY WH.ID, WH.WEBHOOK_NAME, WH.EVENT_SOURCE,
M.MESSAGE_STATE
ORDER BY WH.ID;

Select * from OBI_WEBHOOK_MESSAGES where MESSAGE_ID=1037829;

Select * From OBI_WEBHOOK_MESSAGES where message_start_at between
timestamp '2022-09-26 10:00:00.000000' and timestamp '2022-09-27
14:59:59.000000' and message_state in ('RUNNING', 'FAILED');

SELECT * FROM EVENTS_LOG WHERE EVENT_ID = 'e-0403c66e-ed37-47a4-
be25-c78e1eda0601verint'
ORDER BY ID DESC ;

====Query for check the deliver message status
SELECT EVENT_ID, MESSAGE_START_AT,
      json_value(MESSAGE_PAYLOAD, '$.event.guid') GUID,
      json_value(MESSAGE_PAYLOAD, '$.event.offerId') OFFER_ID
FROM OBI_WEBHOOK_MESSAGES
WHERE MESSAGE_START_AT BETWEEN timestamp '2022-09-26 03:00:00'
AND timestamp '2022-09-28 23:30:00'
AND  HANDLER_ID = 17 AND MESSAGE_STATE = 'FAILED'
ORDER BY MESSAGE_START_AT DESC ;

====Query for check message state as queued running and completed
SELECT * FROM OBI_WEBHOOK_MESSAGES
WHERE
     MESSAGE_START_AT < CAST(TRUNC(systimestamp-1.0/24, 'HH') AS
TIMESTAMP)
   AND MESSAGE_STATE IN ('QUEUED')
ORDER BY MESSAGE_START_AT DESC;

select * from ORA_DBA.event_subscription_status where
event_startat>sysdate-3 and merchant_id='yhoo' and event_status='FAILED'
order by event_startat desc;
```

```
select * from ORA_DBA.daily_settlement_events_v1 where
event_startat>sysdate-3 and merchant_id='rivalscom' and
event_status='FAILED' order by event_startat desc;


SET colsep ,
select REPLACE(NVL(SUBSTR(tvl.end_point,INSTR(tvl.end_point, '/',8)+1,
(INSTR(tvl.end_point, '/', 9)-INSTR(tvl.end_point,
'/',8)-1)),SUBSTR(tvl.end_point,INSTR(tvl.end_point, '//',9)+8,
(LENGTH(tvl.end_point))-1)),'/','') as Domain_name,Count(*) as Success
from trans_vendor_log tvl
where tvl.ACTION = 'SUBSCRIBE' and to_char(cast(tvl.created_dt as date),'DD-
MM-YYYY') = to_char(cast(sysdate -8 as date),'DD-MM-YYYY')
and tvl.HTTP_STATUS between 200 and 299
group by NVL(SUBSTR(tvl.end_point,INSTR(tvl.end_point, '/',8)+1,
(INSTR(tvl.end_point, '/', 9)-INSTR(tvl.end_point,
'/',8)-1)),SUBSTR(tvl.end_point,INSTR(tvl.end_point, '//',9)+8,
(LENGTH(tvl.end_point))-1))
order by Success desc,Domain_name;

ALTER SESSION SET ISOLATION_LEVEL=READ COMMITTED;
-- EventService: Current queue state
SELECT
   CONCAT('MESSAGES-', BUS_ID) QUEUE_NAME,
   CASE WHEN MESSAGE_START_AT > SYSTIMESTAMP THEN 'RETRY' ELSE
MESSAGE_STATE END AS MESSAGE_STATE,
   count(*) NUM_RECORDS
FROM OBI_WEBHOOK_MESSAGES S
WHERE MESSAGE_START_AT BETWEEN TRUNC(SYSDATE, 'DD') AND
TRUNC(SYSDATE, 'DD') + 10
  AND MESSAGE_STATE IN ('QUEUED', 'RUNNING', 'FAILED', 'COMPLETED',
'IGNORED')
GROUP BY MESSAGE_STATE, BUS_ID,
       CASE WHEN MESSAGE_START_AT > SYSTIMESTAMP THEN 'RETRY' ELSE
MESSAGE_STATE END
ORDER BY BUS_ID, MESSAGE_STATE;

select count(*) from cat_allowed_bin;
== Epay testing post prod install
select * from obi_transaction_log where created_dt>sysdate-0.01 and
source_guid='yhoo';

SELECT * from external_transaction_log where TRANSACTION_ID = :1;

select * from trans_vendor_log where created_dt>sysdate-0.5 and
vendor_id=3 order by created_dt desc;
select * from trans_vendor_log where vendor_id=3083 and
```

created_dt>sysdate-2 and action='SUBSCRIBE';
select * from sub_t where created_dt>sysdate-1 and product_id in (select product_id from cat_vendor_prod where vendor_id=3083);
select * from sub_t where created_dt>sysdate-1 and offer_id=1003755;

++++++

OBI01 DB login ID : **obi**
Password : **obir3d3nv**

+ DB_URL=jdbc:oracle:thin:@iso-m01.dev.obi.aol.com:1521:xe
+ DB_USER=obi
+ DB_PASSWORD=obir3d3nv
+ LOG_DB_URL=jdbc:oracle:thin:@iso-m01.dev.obi.aol.com:1521:xe
+ LOG_DB_USER=obi
+ LOG_DB_PASSWORD=obir3d3nv

OBIAR_DB_NAME=@//iso-m01.dev.obi.aol.com:1521/xe
OBIAR_HOST=iso-m01.dev.obi.aol.com
+ OBIAR_PORT=1521
+ OBIAR_SERVICE=xe
+ OBIAR_USER=obi
+ OBIAR_PASSWD=obir3d3nv
==========
==========
Jmeter matrix like, billing, promo any one getting failed and others are success, just rerun the those failed jobs.
==========
==========
Other than Billing related QA failures like
QAIHP,BPS~GPS~GATHR~REGRESSION~epay_Legacy_COF_v2.jmx
1. take the full requestID
2. login into FE Dev (ESB), search cloudwatch with request ID in particular time window (1hr or 2hr based on last test was run)
3. check util.Http4ClientUtil - check one by one like endpoint, sending service request, Return status code 400
4. then, login into Core dev and search cloud watch log for BPS service with same request ID
5. Check any ERROR captured, expand it and found any exception, click on the link which is near to that error (blue in colour) which leads to the near by issue
6. Again check where the ERROR starts on from new link, copy and paste it OBI eng channel
   ==========
   ==========
   =======
7. 2023-03-21 12:26:00,865 INFO [pool-3-thread-5] client4.HttpClientUtil [] - *** sending request to service: svu 60000 https://bps.subscriptions-obi-core-aws-dev.aws.oath.cloud/bpsservice/singlevu?api=purchaseOffer&RequestId=10195153143259c6cc5:18700a1df72:-746a&TargetGUID=sim-aol-

citestwxtejo&DeveloperId=GPSSalesForce&SourceGUID=GPS&ip=3.226.23.138,10.195.152.165&statusCode=400 {Connection=close, Content-Type=application/json}

==========

==========

QA jobs are failing with authoriser error

```
{
   "requestId": "10195153250-403fcf63:1878058fbc1:44dc",
   "statusCode": "400",
   "statusText": "Invalid request",
   "errors": [
      {
         "code": "PAYBWS-324",
         "text": "Generic Exception in Authorizer"
      }
```

Reason : Paymentech VPN down
check the CW logs for auth service in core dev account
error looks below
com.jpmc.cms.sdk.framework.exceptions.DispatcherException: No destination available
com.jpmc.cms.sdk.proxy.ProxyServer - Failed to read new message from: 10.12.38.123:52804 <--> 206.253.180.139:8002

check the mail "App server connectivity issues" **which Jag sent to Paymentech team**

==========

==========

Jmeter failures in QA

login into etlqa (10.195.138.30)
need to remove .rec files from the path ***/billing/projects/obi_ar/AI/run***
cd /billing/projects/obi_ar/AI/run
ls -lrt *rec
delete those rec files
======= START: /billing/projects/obi_ar/AI/run/obi_ar_daily_billing.ksh -bid 1 -sid 2 -run_dt 2023-07-07 -bill_dt 2023-07-07 ============
process failed: /billing/projects/obi_ar/AI/run/obi_ar_daily_billing.ksh -bid 1 -sid 2 -run_dt 2023-07-07 -bill_dt 2023-07-07
please check log at /billing/data/staging/obi_ar/2001/logs/obi_ar_billing.2023-07-07.lo.

below error fixed by Sangeeta - **typo for postReceive process**
QAIHP,BPS~JSON~REGRESSION~yahoo_APro_UK.jmx
process failed: /billing/projects/obi_ar/AI/run/runBilling-1.0.0-SNAPSHOT/bin/runBilling 2023-10-04 -s genericPostReceive -bid 3 --sid 2 --base_recv_filename batch.recv --mode RECEIVE
please check log at /billing/data/staging/obi_ar/2003/logs/

obi_ar_billing.2023-10-04.lo

==========
==========
QAIHP,BPS~JSON~REGRESSION~obi_deleteInstrwithCommitPromo.jmx
QAIHP,BPS~JSON~REGRESSION~obi_CommitPenalty.jmx
above tests failures with duplicate order ID error
Remove old files like below
ec2-user@etlqa.ec2.internal:/billing/projects/obi_ar/AI/run/paymentbatch/qualifypurchase/input_dir
->ls -lrt
total 20

-rw-r--r-- 1 ec2-user ec2-user 503 Jul 14 14:31 obi_camp_gps_charges_2023-07-14.dat
-rw-r--r-- 1 ec2-user ec2-user 503 Jul 15 01:50 obi_camp_gps_charges_2023-07-15.dat
-rw-r--r-- 1 ec2-user ec2-user 503 Jul 16 01:43 obi_camp_gps_charges_2023-07-16.dat
-rw-r--r-- 1 ec2-user ec2-user 503 Jul 17 08:54 obi_camp_gps_charges_2023-07-17.dat
==========
==========
QAIHP,BPS~JSON~REGRESSION~obi_gps_pmSurharge.jmx - **No files received from Paymentech**
process failed: ssh ec2-user@10.12.38.6 << black_receive /home/ec2-user/billing/projects/obi_ar/AI/run/paymentbatch/gpt_java/bin/recv120HP-462553.ksh 2001 1 2 black_receive
please check log at /billing/data/staging/obi_ar/2001/logs/obi_ar_billing.2023-08-22.lo

QAIHP,BPS~JSON~REGRESSION~obi_vzc.jmx - **No files received from Paymentech**
process failed: ssh ec2-user@10.12.38.6 << black_receive /home/ec2-user/billing/projects/obi_ar/AI/run/paymentbatch/gpt_java/bin/recv120HP-462553.ksh 2001 1 2 black_receive
please check log at /billing/data/staging/obi_ar/2001/logs/obi_ar_billing.2023-08-22.lo

 ======= START: /billing/projects/obi_ar/AI/run/runBilling-1.0.0-SNAPSHOT/bin/runBilling -s genericPostReceive 2023-09-29 --bid 1 --sid 2 --base_recv_filename batch.recv -mode RECEIVE ============
process failed: /billing/projects/obi_ar/AI/run/runBilling-1.0.0-SNAPSHOT/bin/runBilling -s genericPostReceive 2023-09-29 --bid 1 --sid 2 --base_recv_filename batch.recv -mode RECEIVE
please check log at /billing/data/staging/obi_ar/2001/logs/obi_ar_billing.2023-09-29.lo

==========
==========
request comes to esb -> bps ->auth (crypto,payment tech)

QA failures with below error
process failed: /billing/projects/obi_ar/AI/run/
obi_ar_daily_billing_tax_activity_load.ksh -bid 1 -sid 2 -run_dt 2023-08-22
-tax_reverse_flag N -test_flag N

login into etlqa ssh 10.195.138.30
check log at /billing/data/staging/obi_ar/2001/logs/
obi_ar_billing.2023-08-22.log

press shift+g go to end of file
Could not access ifile "Paymentech_Send_File":

Failed checking access on file: No such file or directory
Path = "file://etlqa.ec2.internal/billing/data/staging/obi_ar/2001/output/2001.obi_combined_sendfile.23-08-22"

also because of tax end point cert failures, check the Tax service in Qa, if service is running fine, run the qa pipeline, only deploy, not build
https://jenkins.subscriptions-devops-obi-aws-dev.aws.oath.cloud/job/MSCDI_OBI-TAX-PIPELINE/
==========
==========
QA failures with
status code Response Assertion false Test failed: text expected to contain /"status":"BILLED"/

because of some data issue, might be billing jobs didn't run fully, so bills were not in "billed" or "closed" status.
sometimes, due to some timing issue, post rerun those jobs will get success.
==========
==========
Vendor list

0 default
2 McAfee
3 iolo
4 Raxco (PerfectSpeed)
9 Authentium
19 RepDef
263 MPS
1150 Symantec
1430 SnappCloud

1431 AolLifeLock
2289 SentryBay
2290 PrivateWifi
2369 LastPass_V1
3011 Priceline
3013 RedBox
3055 AARP
3057 blueridgenetworks
3063 LastPass
3065 LSLifelock
3067 Reputation Lifestore
3068 Access_pi
3070 VerizonWireless
3072 iCracked
3073 MyLifeProtected
3074 aonbenefitsolutions
3075 GO90
3076 CMI
3079 DesktopClient
3081 Aol.com
3083 IdentityGuard
3087 rivalscom
3090 yhoo
3097 YFIN
3098 Restaurant
3099 LastPass1
3101 ISPNetscape
3102 YhooMailPro
3105 HuffPo
3110 Asurion
3112 AOLSupport
3114 Malwarebytes
3115 Experian
3117 NordVpn
3118 Peacock
3119 ysportsap
3122 Meredith
9010 FantasyPremium

==========

==========

It was the usual: conflicting Web subs causing OBI purchase offers to fail, along with a couple cases of OBI giving bad responses(small OBI outage from the looks of it)

Conflicting web subscriptions (user purchased other apple account) causing OBI purchase offer to fail.
And there was small OBI outage causes a couple of cases of OBI giving bas

responses.
==========
==========
Jmeter having many QA failures with below error
Address verification failed Instrument does not have a valid address
Check with Priyanka, if Smarty street credentials changed or not?
==========
==========

{
"requestId": "17218017671588e9:18ae2edfda2:-7008",
"statusCode": "400",
"statusText": "Invalid request",
"errors": [
{
"code": "OM-1125",
"text": "Invalid Instrument ID 10984433."
}

023-10-01 00:52:39,872 DEBUG [http-nio-8080-exec-5] service.CommonProcessServiceImpl [.yhoo.sim-yho-i36ba4dbjcjf.17218017671588e9:18ae2edfda2:-7aea] - json request api: purchaseOffer :

{"purchaseOfferParam":{"eventSource":"c5fe9a6c-d09b-45f0-a418-48e1ae82e975","paymentInstrumentId":"10984433","contactEmail":"obiqar@aol.com","attributes":{"Attribute":[{"attributeName":"source_system_id","attributeValue":"z12467"}]},"overrideTrialCheck":false},"purchaseOfferItems":{"PurchaseOfferItem":[{"offerId":"1005343","productId":"1005920"}]}}

023-10-01 00:52:39,875 DEBUG [http-nio-8080-exec-5] service.ObiMessage [.yhoo.sim-yho-i36ba4dbjcjf.17218017671588e9:18ae2edfda2:-7aea] -

{"purchaseOfferParam":{"eventSource":"c5fe9a6c-d09b-45f0-a418-48e1ae82e975","paymentInstrumentId":"10984433","trialCheckId":null,"contactEmail":"obiqar@aol.com","promoCode":null,"tosAcceptedDate":null,"tosName":null,"batchMode":null,"promoAmount":null,"cvv":null,"safeTech":null,"authRule":null,"shippingAddress":null,"serviceAddress":null,"endDate":null,"paymentMethod":null,"attributes":{"attribute":[{"attributeName":"source_system_id","attributeValue":"z12467","attributeType":null}]},"threeDS":null,"threeDSInfo":null,"authTransactionId":null,"overrideTrialCheck":false,"storedCredentialId":null},"purchaseOfferItems":{"purchaseOfferItem":[{"offerId":"1005343","productId":"1005920","discountAmount":null,"purchaseOfferSeq":null,"promoAmount":null,"offerSubscriptionId":null,"discount":null,"trial":null,"salePrice":null,"fromOfferSubId":null,"promoCode":null,"attributes":null

}]}}

8:11