

Naukri Automation

The complete user guide

Install. Configure. Preview. Apply with intent.

A practical manual for Windows, macOS, and Linux, with ready-to-copy prompts for Codex, Claude, Grok, Antigravity, and other AI assistants.

Includes every section of the user guide and all 10 AI prompt templates, plus the validation report and project links.

Edition: 21 September 2026

<https://github.com/alamurharsha24/naukri-automation>

Contents

1. Start here	3
Get the project	3
Requirements and workflow	3
Important command difference	3
How to use this manual	3
2. Complete user guide	4
What you receive	4
First-time setup, step by step	4
Installation commands	4
Profile field reference	6
AI keys and answer behavior	7
Daily operation and stopping	7
Troubleshooting	8
Updating and sharing	8
Scope and verification	8
3. AI assistant prompts	9
1. Full setup without submissions	9
2. Build my profile accurately	9
3. Validate installation	9
4. Preview matching jobs	9
5. First real application	9
6. Later limited run	10
7. Fix an error	10
8. Use without an AI API key	10
9. Package my code for sharing	10
10. Get help from a chat-only assistant	10
What a good completion report contains	10
4. Validation and limits	11
Verified on this computer	11
Release checks	11
Not verified	11
Reproduce	11
5. Project links and attribution	12

1. Start here

Get the project

Open the repository link on the cover. Choose Code > Download ZIP and extract it. Or use Git:

```
git clone https://github.com/alamuruharsha24/naukri-automation.git
cd naukri-automation
```

Requirements and workflow

You need Python 3.10+, a supported desktop operating system, internet access, your own Naukri account, and a local resume. AI provider keys are optional. Setup creates local configuration; login captures your own session; doctor checks the installation; preview reads results; apply --confirm submits real applications. Review the platform's current terms before running automation. Challenges and account restrictions stop the workflow. Keep passwords, session cookies, resumes, and API keys private.

Important command difference

Use the new CLI commands in this guide. The legacy command `python naukri_apply.py` starts real applications immediately and must not be used as a test.

How to use this manual

Follow chapter 2 in order for your first setup. Chapter 3 contains prompts to give an AI assistant. Chapter 4 records the original validation and its limits. PDF links are clickable, and commands and prompts are selectable text.

2. Complete user guide

What you receive

The share ZIP contains reusable Python source, generic configuration templates, tests, and this documentation. Each person supplies their own profile, resume, session, and optional API keys. There is no shared account or hosted service. You can use a terminal directly or ask an AI coding assistant to operate the same commands.

First-time setup, step by step

1. Install Python 3.10+ and extract the ZIP into a folder you control.
2. Open a terminal in the extracted folder containing `naukri.py`.
3. Create a virtual environment and install the packages and browser using the platform-specific commands in the next section.
4. Run `python naukri.py init`. Existing local configuration is preserved.
5. Edit `profile.yaml` in a text editor. Replace the example roles, skills, qualifications, and work narrative with actual facts. Keep YAML indentation; use spaces instead of tabs.
6. Copy your resume into this folder and set its filename in the profile. Ensure your Naukri account also has the intended resume.
7. Optionally edit `.env` with your own provider key. Do not paste keys into an AI conversation. Leave a key blank if unused. Use one assignment per line; quoted values are accepted, inline comments after values are not.
8. Run `python naukri.py login`. Complete login yourself in the visible browser. Once logged in, return to the terminal and press Enter. Do not give the assistant your password or OTP.
9. Run `python naukri.py doctor --browser-smoke`. Correct each FAIL. A missing-key warning is acceptable if you want manual free-text answers.
10. Run `python naukri.py preview`. Confirm the search results suit you before using the real apply command.
11. For a first live run, set both application and attempt limits to 1, keep the browser visible, and run `python naukri.py apply --confirm`.
12. Inspect the result on Naukri and in the local application log. Increase limits only after the results and screening answers look correct.

Installation commands

macOS / Linux

```
python3 --version
python3 -m venv .venv
source .venv/bin/activate
python -m pip install -r requirements.txt
python -m playwright install chromium
python naukri.py init
```

For future terminal sessions, return to the folder and run `source .venv/bin/activate`. Alternatively use `.venv/bin/python` wherever the guide says `python`. Some Linux distributions require a separate Python venv package. Missing browser libraries can be installed with `python -m playwright install`

`--with-deps chromium`; that may require administrator privileges.

Windows PowerShell

```
py -3 --version
py -3 -m venv .venv
.\.venv\Scripts\python.exe -m pip install -r requirements.txt
.\.venv\Scripts\python.exe -m playwright install chromium
.\.venv\Scripts\python.exe naukri.py init
.\.venv\Scripts\python.exe naukri.py login
.\.venv\Scripts\python.exe naukri.py doctor --browser-smoke
.\.venv\Scripts\python.exe naukri.py preview
```

Use `.\.venv\Scripts\python.exe` for all later Python commands. This avoids PowerShell activation restrictions. Quote folder paths containing spaces when using `cd`.

Profile field reference

Field(s)	Meaning and valid input
target_roles	Non-empty YAML list of desired job titles.
role_required_keywords	Mapping from exact target role to acceptable phrases in a job title. Update when changing roles.
current_city, relocate_cities	Your current city and list of places you actually accept relocating to.
work_mode	onsite_or_hybrid, remote_only, or flexible. Remote detection uses listing text and is imperfect.
night_shift_ok, weekend_ok	Actual booleans true or false, without quotes.
total_experience_years	Non-negative number, decimals allowed. Search URLs use its integer portion.
current_employer	Current employer; use an empty string if unemployed.
current_title_official, current_title_functional	Real official title and plain description of your work.
notice_period_days, immediately_available	Real notice and availability. Keep these consistent.
current_ctc_lpa, expected_ctc_lpa	Required non-negative numbers in lakhs per annum. Null examples must be replaced.
ctc_disclosure_policy	negotiable produces discussion-oriented text; real_numbers uses supplied figures. Numeric-only forms may still need intervention.
highest_qualification, certifications	Real education text and list of certifications.
skills_primary, skills_adjacent	Lists of real skills, separating strong and lighter experience.
work_history_narrative	Two to four factual sentences, with concrete projects and duties.
company_exclude, company_include_only	Company text filters; empty include list allows all companies.
seniority_floor_years, seniority_ceiling_years	Accepted experience-range overlap, not a claim about your personal experience.
job_freshness_days	Positive whole number for the site's age filter.
salary_floor_lpa	Optional numeric salary threshold; null disables it. Unknown salary may still pass.
stop_after_n_applications	Maximum confirmed applications per run.
stop_after_n_attempts	Maximum counted Apply clicks per run. Keep low initially.
daily_application_limit	Confirmed applications allowed per local calendar day based on the log.
min_delay_seconds_between_applications, max_delay_seconds_between_applications	Non-negative delay bounds; minimum must not exceed maximum. Preserve the example pacing initially.

Field(s)	Meaning and valid input
human_input_timeout_seconds	Positive whole seconds to wait for a manual answer. No answer skips the listing.
max_pages_per_role	Positive whole number; use 1 for initial preview.
browser_mode	visible recommended; minimized is OS dependent; headless has no interactive browser window.
resume_file_name	Existing resume path. Relative paths resolve from the project folder through the main CLI.

The template is a starting point, not a valid applicant. Review every placeholder. For a fresher, zero professional experience and no current employer may be appropriate only if accurate. Do not claim that total experience equals experience in every skill.

AI keys and answer behavior

Get keys from [Google AI Studio](#) or [Groq Console](#). The API provider is separate from whichever assistant helps you set up the code. An assistant subscription does not automatically configure API access for this script.

Gemini is tried first when configured; quota/unavailability errors can fall back to Groq. Model IDs can be overridden in `.env`; consult the [Gemini catalog](#) and [Groq catalog](#). Costs, access, and limits may change.

Common answers are supplied from your profile. The provider receives only allowlisted professional fields plus screening question and job title/company context. AI output can still be wrong. Unsupported questions or provider failures request manual input in an interactive terminal; noninteractive terminals skip. Certain human answers are remembered locally in `learned_answers.json`; sensitive fields use fresh input. Review or remove stale remembered answers when your circumstances change, especially salary and notice period.

Daily operation and stopping

Run doctor if configuration changed, preview as needed, then apply explicitly. Keep only one instance running for an account. Do not delete the application log to evade the daily cap. Duplicate matching is title/company based; it may merge distinct openings with the same labels.

Ctrl+C interrupts the current operation. An interrupted click or an uncertain log entry may represent a real application. Check Naukri manually before re-running. A page challenge stops the run; do not repeatedly retry it.

`applications_log.csv` records timestamp, source, title, company, status, and reason. `applied` means explicit confirmation was detected; `skipped` means the workflow did not complete normally; `uncertain` means no reliable confirmation; `stopped` means a run-level stop signal. These are automation observations, not authoritative server records. Screenshots saved for uncertain cases can contain personal information.

Troubleshooting

Problem	Action
Python or py not found	Install Python, reopen the terminal, and check the installation's PATH setting.
Module not found	Install requirements using the same virtual-environment Python used to run the script.
Chromium executable missing	Run <code>python -m playwright install chromium</code> in that environment.
Browser launch denied inside an AI sandbox	Use an approved local execution environment or run the command yourself in a normal terminal.
Invalid YAML / profile FAIL	Check indentation, unquoted numeric values, booleans, required salaries, and bounds.
Resume missing	Correct the filename/path; do not point at someone else's resume.
Session missing or login page appears	Run login again, complete login, and press Enter only afterward. Doctor checks structure, not live authentication.
Provider/model unavailable	Verify the key locally and choose an available model from official docs, or use manual answers.
No matching jobs	Inspect preview reasons; check roles, keywords, city and experience filters. Zero results can also mean changed selectors or a blocked page.
No input accepted by assistant terminal	Run the live workflow in an interactive local terminal.
Application uncertain	Check Naukri history manually before retrying.
Browser selectors stopped working	Request a code fix with a redacted error and minimal redacted HTML. Do not upload raw sessions, resumes, or screenshots publicly.
Daily limit reached	Wait until the next local calendar day; review the log rather than deleting it.

Updating and sharing

Keep a private backup of your local profile and resume. Preserve them while updating source. Reinstall requirements and Chromium after dependency updates, run tests, then doctor and preview.

To share your customized code, keep public templates generic, run tests, and run `python scripts/package_share.py`. Send only the resulting ZIP. Each recipient repeats setup with their own account. The archive contains no Git history. A file allowlist prevents accidental inclusion of local account files, but you must still avoid putting personal data into public source or templates.

Scope and verification

The supported entry point is `naukri.py`. Legacy LinkedIn and resume-refresh scripts are included for source completeness but are not part of the validated onboarding workflow. Resume refresh deletes before re-uploading and should be requested and supervised separately.

See [VALIDATION.md](#) for what was actually tested. No claim is made that live submissions work for every account or that every named AI assistant was exercised. See [AI_PROMPTS.md](#) for ready-to-use instructions.

3. AI assistant prompts

Use these prompts with Codex, Claude, Grok, Antigravity, or another assistant. Open the extracted project folder first. For any assistant that does not automatically read project instructions, explicitly provide AGENTS.md, README.md, and this guide. Local execution requires file and terminal tools; a chat-only assistant can guide you through commands instead.

Never send API keys, passwords, OTPs, session JSON, or unredacted personal documents in prompts. Replace bracketed placeholders below before use. Grok is an assistant; Groq is a separate runtime API provider supported by this project.

1. Full setup without submissions

Set up this Naukri automation project on my computer. Read AGENTS.md, README.md, and docs/USER_GUIDE.md first. Detect my operating system and use an isolated Python virtual environment. Preserve all existing local files. Install requirements and Chromium, run `python naukri.py init`, and help me fill the profile with my real facts. Ask for missing facts instead of guessing. I will enter secrets locally and complete browser login myself. Run the offline tests, `doctor --browser-smoke`, and preview once setup is ready. Do not submit applications or run resume refresh. Report what passed and what still needs manual verification. If you cannot execute locally, give me the exact commands for my operating system, one stage at a time.

2. Build my profile accurately

Read `profile.example.yaml` and explain the fields I need to fill. My target roles are [roles], city is [city], experience is [years], and acceptable work locations are [locations]. Ask me for the remaining required facts. Help update my local `profile.yaml` without inventing experience, salary, availability, qualifications, or skills. Keep initial run and attempt limits at 1, `max_pages_per_role` at 1, and `browser_mode` visible. Keep example pacing. Do not print my complete profile or resume in the conversation. Do not apply to jobs.

3. Validate installation

Read AGENTS.md. Run the project tests and `python naukri.py doctor --browser-smoke` using this project's virtual environment. Fix code or installation issues where possible without changing my personal facts. Do not submit applications, refresh my resume, or expose secrets. Separate local validation from live website/API validation in your report.

4. Preview matching jobs

Run `python naukri.py preview` and summarize which listings match my configured roles and filters. Do not click Apply. If login has expired, help me launch manual login. Explain excluded results and suggest profile filter changes for my review without inventing qualifications.

5. First real application

I authorize one real Naukri application in this run. Read AGENTS.md. Set `stop_after_n_applications` and `stop_after_n_attempts` to 1, preserve my other profile facts, and keep the browser visible. Check the local setup, then run `python naukri.py apply --confirm`. I will answer manual screening questions in the terminal. Stop on restrictions or challenges. Report confirmed versus uncertain results, and do not refresh my resume.

Only use this prompt when you intend to send a real job application. Your saved profile and generated answers affect what is submitted.

6. Later limited run

I authorize a real run of up to [N] confirmed applications and [M] attempts using my existing profile. Keep my existing daily ceiling and pacing, and do not run another instance concurrently. Check that the limits are valid, then run `python naukri.py apply --confirm`. Use my actual facts and stop on platform restrictions. Summarize confirmed, skipped, and uncertain outcomes without exposing personal data.

7. Fix an error

Read AGENTS.md and docs/VALIDATION.md. Diagnose this redacted error: [error text with secrets and personal information removed] Reproduce with an offline test or local HTML fixture where possible. Preserve current user edits and keep preview free of submission actions. Do not disable stop signals, fabricate success, or retry live applications as a test. Explain the change and run the relevant tests.

8. Use without an AI API key

Help me use the project with manual terminal answers for free-text questions. I do not want to configure an API key. Explain that common profile answers still work and unsupported questions pause for input. Check whether my terminal is interactive. Do not print or remove existing keys automatically; explain how I can leave the key fields blank locally and unset any inherited provider-key environment variables myself. Run checks and preview only, with no submissions.

9. Package my code for sharing

Review only public code/templates for accidental personal information. Run the offline tests, then `python scripts/package_share.py`. Inspect the ZIP manifest and verify that it excludes `.env`, `profile.yaml`, session files, resumes, logs, screenshots, virtual environments, and Git history. Check that README.md, AGENTS.md, and both user/prompt guides are included. Give me the final ZIP path and validation results. Do not publish or send it to anyone, and do not zip the full working folder.

10. Get help from a chat-only assistant

I have the Naukri Automation share ZIP and use [Windows/macOS/Linux]. You do not have access to my computer. Use the attached README and user guide to walk me through installation, profile setup, manual login, validation, and preview. Give commands I can run myself and explain expected output. Do not ask for secrets. Do not assume you ran a command. Wait until I explicitly request real applications before giving that stage.

What a good completion report contains

Ask for the commands actually run, test results, the archive path if created, and any missing verification. A local smoke test is not proof that a job was submitted. A script must detect explicit confirmation before counting success; uncertain results need manual inspection. Compatibility here means common files and commands an assistant can follow, not a tested native plugin for every product.

4. Validation and limits

Prepared on 2026-09-21 for the shareable edition.

Verified on this computer

- 25 offline unittest cases passed on macOS, covering existing answer rules, sensitive-field routing, confirmation detection, profile privacy, provider fallback, filters, deduplication, daily counting, and delay bounds.
- New checks cover invalid configuration types/limits, preserving existing files during init, explicit CLI submission opt-in, quoted .env values, noninteractive input, and share-file exclusions.
- Mocked preview test confirms that a matching result does not visit a job detail page, click Apply, or write an application log, even when the daily submission ceiling has already been reached.
- `python naukri.py doctor --browser-smoke` passed: dependencies, existing local profile, resume presence, session structure, installed Chromium, and local browser DOM interaction. No credentials or profile contents are included in this report.
- Chromium initially failed under the execution sandbox's macOS process restrictions; the approved local run passed outside that sandbox.

Release checks

The release ZIP is built from an explicit allowlist. The final preparation checks extract it into a fresh temporary folder, run all tests and CLI help there, and inspect the archive for required public files and excluded private files. The clean ZIP intentionally has no configured profile, session, resume, keys, or virtual environment: recipients must run setup.

Not verified

- No live application, resume refresh, or LinkedIn action was performed during this preparation.
- The saved login was checked structurally, not against live Naukri; API keys were checked for presence, not provider authentication or billing.
- Windows and Linux execution have not been run locally. A GitHub Actions matrix is provided for Python 3.10/3.12 on Windows/macOS/Linux; it has not been executed on a remote repository as part of this delivery.
- Named AI assistant products were not individually tested. They can use the same Markdown instructions and Python commands if they have the required tools.
- Site selectors, network restrictions, provider model availability, AI answer accuracy, and account-specific screening remain live dependencies.

Reproduce

```
python -m pip install -r requirements.txt
python -m unittest discover -s tests -v
python naukri.py --help
python naukri.py doctor --browser-smoke
python scripts/package_share.py
```

Doctor requires your own configured profile, resume, and captured session to pass fully. Its browser smoke uses local HTML and sends no application. Run `python naukri.py preview` to check live search/login after setup. A real submission requires a separately intended live run.

5. Project links and attribution

GitHub repository

<https://github.com/alamurharsha24/naukri-automation>

Latest README

<https://github.com/alamurharsha24/naukri-automation#readme>

User guide source

https://github.com/alamurharsha24/naukri-automation/blob/main/docs/USER_GUIDE.md

Prompt guide source

https://github.com/alamurharsha24/naukri-automation/blob/main/docs/AI_PROMPTS.md

Automated check results

<https://github.com/alamurharsha24/naukri-automation/actions>

Original project

<https://github.com/Hemanth-kumar-N-arya/naukri-job-apply-ai>

Distributed under the MIT license. Original license is preserved in the repository. This manual describes the shareable edition; live site behavior and third-party services can change.