3.ONLINE BUS TICKET BOOKING

```
<!DOCTYPE html>
<html>
<head>
<title>Bus Ticket Booking</title>
<style>
body{font-family:Arial;background:#eee;text-align:center}
header{background:#234;color:white;padding:20px}
button,input,select{padding:10px;margin:5px}
.bus{background:white;margin:15px;padding:15px}
</style>
</head>
<body>

<header>
<h1>🚌 Bus Ticket Booking System</h1>
<button onclick="home()">Home</button>
<button onclick="search()">Search Bus</button>
<button onclick="login()">Login</button>
<button onclick="register()">Register</button>
<button onclick="booking()">My Booking</button>
<button onclick="admin()">Admin</button>
</header>

<div id="app">
<h2>Welcome to Bus Booking</h2>
<p>Search and book your bus ticket easily.</p>
</div>

<script>
function home(){
app.innerHTML="<h2>Welcome</h2><p>Book your bus tickets online.</p>";
}
```

```
function search(){
app.innerHTML=`
<h2>Search Bus</h2>
<input placeholder="From">
<input placeholder="To">
<input type="date">
<input type="time">
<button onclick="alert('Bus Found')">Search</button>
<div class="bus"><h3>Volvo Bus</h3>
<p>Chennai to Bangalore</p><p>Seats Available: 20</p>
<button onclick="book()">Book Ticket</button></div>`;
}

function book(){
alert("Ticket booked successfully!");
}

function login(){
app.innerHTML=`
<h2>Login</h2>
<input placeholder="Username">
<input type="password" placeholder="Password">
<button onclick="alert('Login Successful')">Login</button>
<p>Forgot Password? | Change Password</p>`;
}

function register(){
app.innerHTML=`
<h2>Registration</h2>
<input placeholder="Name"><input placeholder="Email">
<input placeholder="Password">
<button onclick="alert('Registered Successfully')">Register</button>`;
}
```

```
function booking(){
app.innerHTML=`
<h2>My Booking</h2><p>Bus: Volvo</p>
<p>Route: Chennai to Bangalore</p>
<button onclick="alert('Booking Cancelled')">Cancel Ticket</button>`;
}

function admin(){
app.innerHTML=`
<h2>Admin Panel</h2>
<input placeholder="Bus Type">
<input placeholder="Route">
<input placeholder="Available Seats">
<button onclick="alert('Bus Updated')">Update Bus</button>
<button onclick="alert('Report Generated')">Generate Report</button>
<p>Admin manages buses, users, comments and reports.</p>`;
}
</script>
</body>
</html>
```

OUTPUT:

