

MySQL Workbench

Genesis_2520630112_K

File Edit View Query Databases Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bookflow_db
- bookflow_db
- student_management
- student_info_db
- sys

SQL File 6*

```
51 SELECT class.name, class_info.address
52 FROM class
53 INNER JOIN class_info
54 ON class.id = class_info.id;
55
56
57
58 SELECT *
59 FROM class
60 NATURAL JOIN class_info;
61
62
63 -- Add none unmatched records
64 INSERT INTO class VALUES
65 (5, 'ashish');
```

Result Grid

	id	name	address
1	1	abhi	DELHI
2	2	adam	MUMBAI
3	3	alex	CHENNAI

No object selected

Result 4

Output

Action Output

#	Time	Action	Message	Duration / Fetch
4	12:36:19	CREATE TABLE class (id INT, name VARCHAR(30))	0 row(s) affected	0.047 sec
5	12:36:21	CREATE TABLE class_info (id INT, address VARCHAR(30))	0 row(s) affected	0.031 sec
6	12:36:23	INSERT INTO class VALUES (1, 'abhi'), (2, 'adam'), (4, 'alex')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.015 sec
7	12:36:23	INSERT INTO class_info VALUES (1, 'DELHI'), (2, 'MUMBAI'), (3, 'CHENNAI')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.031 sec
8	12:36:29	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 2000	0 row(s) returned	0.000 sec / 0.000 sec
9	12:37:01	DROP TABLE class	0 row(s) affected	0.047 sec
10	12:37:06	CREATE TABLE class (id INT, name VARCHAR(30))	0 row(s) affected	0.031 sec
11	12:37:10	INSERT INTO class VALUES (1, 'abhi'), (2, 'adam'), (3, 'alex'), (4, 'anu')	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.016 sec
12	12:37:19	SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 2000	3 row(s) returned	0.000 sec / 0.000 sec
13	12:37:45	SELECT class.name, class_info.address FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 2000	3 row(s) returned	0.000 sec / 0.000 sec
14	12:37:58	SELECT * FROM class NATURAL JOIN class_info LIMIT 0, 2000	3 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

12:38 PM 28-Aug-26

MySQL Workbench

Genesh_2520630112_K

File Edit View Query Databases Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bookRow2_db
- bookRow_db
- student_management
- student_info_db
- sys

SQL File 6*

Limit to 2000 row

```
76 ON class.id = class_info.id;
77
78
79 -- LEFT JOIN = unmatched records from class
80 * SELECT *
81 FROM class
82 LEFT JOIN class_info
83 ON class.id = class_info.id
84 WHERE class_info.id IS NULL;
85
86
87 -- RIGHT OUTER JOIN
88 * SELECT *
89 FROM class
90 RIGHT OUTER JOIN class_info
```

Result Grid

Filter Rows: | Export: | Wrap Cell Content: 13

	id	name	id	address
1	1	abhi	1	DELHI
2	2	adam	2	MUMBAI
3	3	alen	3	CHENNAI
4	4	anu	0000	0000
5	5	ashish	0000	0000

No object selected

Result's

Output

Action Output

#	Time	Action	Message	Duration / Fetch
7	12:36:29	INSERT INTO class_info VALUES (1, 'DELHI'), (2, 'MUMBAI'), (3, 'CHENNAI');	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.031 sec
8	12:36:39	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 2000	9 row(s) returned	0.000 sec / 0.000 sec
9	12:37:01	DROP TABLE class	0 row(s) affected	0.047 sec
10	12:37:06	CREATE TABLE class (id INT, name VARCHAR(30))	0 row(s) affected	0.031 sec
11	12:37:10	INSERT INTO class VALUES (1, 'abhi'), (2, 'adam'), (3, 'alen'), (4, 'anu')	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.016 sec
12	12:37:19	SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 2000	3 row(s) returned	0.000 sec / 0.000 sec
13	12:37:45	SELECT class.name, class_info.address FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 2000	3 row(s) returned	0.000 sec / 0.000 sec
14	12:37:58	SELECT * FROM class NATURAL JOIN class_info LIMIT 0, 2000	3 row(s) returned	0.000 sec / 0.000 sec
15	12:38:10	INSERT INTO class VALUES (5, 'ashish')	1 row(s) affected	0.016 sec
16	12:38:14	INSERT INTO class_info VALUES (7, 'NOIDA'), (8, 'PANIPAT')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.032 sec
17	12:38:17	SELECT * FROM class LEFT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 2000	5 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

ENG IN 70% 12:38 PM 28-Aug-26

MySQL Workbench

Genesh_2520630112_K

File Edit View Query Databases Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bookflow2_db
- bookflow_db
- student_management
- student_info_db
- sys

SQL File 6*

Limit to 2000 row

```
76 ON class.id = class_info.id;
77
78
79 -- LEFT JOIN - unmatched records from class
80 * SELECT *
81 FROM class
82 LEFT JOIN class_info
83 ON class.id = class_info.id
84 WHERE class_info.id IS NULL;
85
86
87 -- RIGHT OUTER JOIN
88 * SELECT *
89 FROM class
90 RIGHT OUTER JOIN class_info
```

Result Grid

Filter Rows: 13

id	name	id	address
4	anu	1234	1234
5	ashish	1234	1234

No object selected

Administration Schemas Information

Object Info Session

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
8	12:36:39	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 2000	9 row(s) returned	0.000 sec / 0.000 sec
9	12:37:01	DROP TABLE class	0 row(s) affected	0.047 sec
10	12:37:08	CREATE TABLE class (id INT, name VARCHAR(30))	0 row(s) affected	0.031 sec
11	12:37:19	INSERT INTO class VALUES (1, 'abhi'), (2, 'adam'), (3, 'alex'), (4, 'anu')	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.016 sec
12	12:37:19	SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 2000	3 row(s) returned	0.000 sec / 0.000 sec
13	12:37:45	SELECT class.name, class_info.address FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 2000	3 row(s) returned	0.000 sec / 0.000 sec
14	12:37:58	SELECT * FROM class NATURAL JOIN class_info LIMIT 0, 2000	3 row(s) returned	0.000 sec / 0.000 sec
15	12:38:10	INSERT INTO class_info VALUES (5, 'ashish')	1 row(s) affected	0.016 sec
16	12:38:14	INSERT INTO class_info VALUES (7, 'NOIDA'), (8, 'PANIPAT')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.032 sec
17	12:38:17	SELECT * FROM class LEFT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 2000	5 row(s) returned	0.000 sec / 0.000 sec
18	12:38:29	SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id WHERE class_info.id IS NULL LIMIT 0, 2000	2 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Genesh_2520630112_K

File Edit View Query Databases Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bookflow2_db
- bookflow_db
- student_management
- student_info_db
- sys

SQL File 6*

```
86
87 -- RIGHT OUTER JOIN
88 * SELECT *
89 FROM class
90 RIGHT OUTER JOIN class_info
91 ON class.id = class_info.id;
92
93
94 -- RIGHT JOIN - unmatched records from class_info
95 * SELECT *
96 FROM class
97 RIGHT JOIN class_info
98 ON class.id = class_info.id
99 WHERE class.id IS NULL;
100
...
```

Result Grid

id	name	id	address
7	NOIDA		
8	PANIPAT		

No object selected

Result 7

Output

Action Output

#	Time	Action	Message	Duration / Fetch
9	12:37:01	DROP TABLE class	0 row(s) affected	0.047 sec
10	12:37:05	CREATE TABLE class (id INT, name VARCHAR(30))	0 row(s) affected	0.031 sec
11	12:37:10	INSERT INTO class VALUES (1, 'adhi'), (2, 'adent'), (3, 'alex'), (4, 'ani')	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.016 sec
12	12:37:19	SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 2000	3 row(s) returned	0.000 sec / 0.000 sec
13	12:37:45	SELECT class.name, class_info.address FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 2000	3 row(s) returned	0.000 sec / 0.000 sec
14	12:37:58	SELECT * FROM class NATURAL JOIN class_info LIMIT 0, 2000	3 row(s) returned	0.000 sec / 0.000 sec
15	12:38:10	INSERT INTO class VALUES (5, 'ashish')	1 row(s) affected	0.016 sec
16	12:38:14	INSERT INTO class_info VALUES (7, 'NOIDA'), (8, 'PANIPAT')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.032 sec
17	12:38:17	SELECT * FROM class LEFT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 2000	5 row(s) returned	0.000 sec / 0.000 sec
18	12:38:29	SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id WHERE class_info.id IS NULL LIMIT 0, 2000	2 row(s) returned	0.000 sec / 0.000 sec
19	12:38:42	SELECT * FROM class RIGHT JOIN class_info ON class.id = class_info.id WHERE class.id IS NULL LIMIT 0, 2000	2 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

ENG IN

12:38 PM 28-Aug-26

MySQL Workbench

Genesis_2520630112_K

File Edit View Query Databases Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bookRow2_db
- bookRow_db
- student_management
- student_info_db
- sys

SQL File 6*

```
146 * INSERT INTO first_table VALUES
147 (1, 'abhi'),
148 (2, 'adam');
149
150 * INSERT INTO second_table VALUES
151 (2, 'adam'),
152 (3, 'chester');
153
154
155 -- UNION
156 * SELECT +
157 FROM first_table
158
159 UNION
160
```

Result Grid

	id	name
1	1	abhi
2	2	adam

No object selected

first_table 9 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
15	12:38:10	INSERT INTO class VALUES (5, 'ashish')	1 row(s) affected	0.016 sec
16	12:38:14	INSERT INTO class_info VALUES (7, 'NOIDA'), (8, 'PANIPAT')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.032 sec
17	12:38:17	SELECT * FROM class LEFT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 2000	5 row(s) returned	0.000 sec / 0.000 sec
18	12:38:23	SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id WHERE class_info.id IS NULL LIMIT 0, 2000	2 row(s) returned	0.000 sec / 0.000 sec
19	12:38:42	SELECT * FROM class RIGHT JOIN class_info ON class.id = class_info.id WHERE class.id IS NULL LIMIT 0, 2000	2 row(s) returned	0.000 sec / 0.000 sec
20	12:38:55	SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id LIMIT 0, 2000	5 row(s) returned	0.000 sec / 0.000 sec
21	12:39:29	CREATE TABLE first_table (id INT, name VARCHAR(30))	0 row(s) affected	0.034 sec
22	12:39:24	CREATE TABLE second_table (id INT, name VARCHAR(30))	0 row(s) affected	0.047 sec
23	12:39:27	INSERT INTO first_table VALUES (1, 'abhi'), (2, 'adam')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.016 sec
24	12:39:30	INSERT INTO second_table VALUES (2, 'adam'), (3, 'chester')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.016 sec
25	12:39:33	SELECT * FROM first_table LIMIT 0, 2000	2 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

ENG IN

12:39 PM 28-Aug-26

MySQL Workbench

Genesh_2520630112_K

File Edit View Query Databases Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bookRow2_db
- bookRow_db
- student_management
- student_info_db
- sys

SQL File 6*

Limit to 2000 row

```
161 SELECT *
162 -- Execute the selected portion of the script or everything, if there is no selection
163
164
165 -- UNION with selected column
166 SELECT name
167 FROM first_table
168
169 UNION
170
171 SELECT name
172 FROM second_table;
173
174
175 -- UNION ALL
```

Result Grid

name

alchi

adam

No object selected

first_table (0)

Output

#	Time	Action	Message	Duration / Fetch
17	12:38:17	SELECT * FROM class LEFT OUTER JOIN class_info ON class_id = class_info_id LIMIT 0, 2000	5 row(s) returned	0.000 sec / 0.000 sec
18	12:38:29	SELECT * FROM class LEFT JOIN class_info ON class_id = class_info_id WHERE class_info_id IS NULL LIMIT 0, 2000	2 row(s) returned	0.000 sec / 0.000 sec
19	12:38:42	SELECT * FROM class RIGHT JOIN class_info ON class_id = class_info_id WHERE class_id IS NULL LIMIT 0, 2000	2 row(s) returned	0.000 sec / 0.000 sec
20	12:38:55	SELECT * FROM class LEFT JOIN class_info ON class_id = class_info_id LIMIT 0, 2000	5 row(s) returned	0.000 sec / 0.000 sec
21	12:39:20	CREATE TABLE first_table (id INT, name VARCHAR(30))	0 row(s) affected	0.094 sec
22	12:39:24	CREATE TABLE second_table (id INT, name VARCHAR(30))	0 row(s) affected	0.047 sec
23	12:39:27	INSERT INTO first_table VALUES (1, 'alchi'), (2, 'adam')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.016 sec
24	12:39:30	INSERT INTO second_table VALUES (2, 'adam'), (3, 'chester')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.016 sec
25	12:39:33	SELECT * FROM first_table LIMIT 0, 2000	2 row(s) returned	0.000 sec / 0.000 sec
26	12:39:42	FROM second_table	ErrorCode: 1064 You have an error in your SQL syntax check the manual that corresponds to your MySQL server versi...	0.000 sec
27	12:39:50	SELECT name FROM first_table LIMIT 0, 2000	2 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

ENG IN

12:39 PM 28-Aug-26

MySQL Workbench

Genesh_2520630112

File Edit View Query Databases Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bookflow2_db
- bookflow_db
- student_management
- student_info_db
- sys

SQL File 6*

Limit to 2000 row

```
186 SELECT COUNT(*)
187 FROM (
188     SELECT *
189     FROM first_table
190
191     UNION ALL
192
193     SELECT *
194     FROM second_table
195 ) AS A
196
197
198 -- INTERSECT
199 SELECT *
200 FROM first_table
```

Result Grid

File Rows: | Export: | Wrap Cell Content: 23

COUNT(*)

4

No object selected

Result 12

Read Only

Output

#	Time	Action	Message	Duration / Fetch
19	12:38:42	SELECT * FROM class RIGHT JOIN class_info ON class.id = class_info.id WHERE class.id IS NULL LIMIT 0, 2000	2 row(s) returned	0.000 sec / 0.000 sec
20	12:38:55	SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id LIMIT 0, 2000	5 row(s) returned	0.000 sec / 0.000 sec
21	12:39:29	CREATE TABLE first_table (id INT, name VARCHAR(30))	0 row(s) affected	0.094 sec
22	12:39:24	CREATE TABLE second_table (id INT, name VARCHAR(30))	0 row(s) affected	0.047 sec
23	12:39:27	INSERT INTO first_table VALUES (1, 'abhi'), (2, 'adam')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.016 sec
24	12:39:30	INSERT INTO second_table VALUES (2, 'adam'), (3, 'chester')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.016 sec
25	12:39:33	SELECT * FROM first_table LIMIT 0, 2000	2 row(s) returned	0.000 sec / 0.000 sec
26	12:39:42	FROM second_table	Error Code: 1064 You have an error in your SQL syntax; check the manual that corresponds to your MySQL server versi...	0.000 sec
27	12:39:58	SELECT name FROM first_table LIMIT 0, 2000	2 row(s) returned	0.000 sec / 0.000 sec
28	12:40:07	SELECT * FROM second_table LIMIT 0, 2000	2 row(s) returned	0.016 sec / 0.000 sec
29	12:40:14	SELECT COUNT(*) FROM (SELECT * FROM first_table UNION ALL SELECT * FROM second_table) AS A...	1 row(s) returned	0.000 sec / 0.000 sec

Object Info | Session

Windows Taskbar: Search, 68% battery, 12:40 PM 28-Aug-26

MySQL Workbench

Genesh_2520630112

File Edit View Query Databases Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

backRow_upd
sys

SQL File 5*

Limit to 2000 row

```
102 FROM students
103 GROUP BY city
104 HAVING COUNT(*) > 2;
105
106 SELECT department,
107         AVG(marks) AS average_marks
108 FROM students
109 GROUP BY department
110 HAVING AVG(marks) BETWEEN 70 AND 90;
111
112 SELECT department,
113         MAX(marks) AS highest_marks
114 FROM students
115 GROUP BY department
116 ORDER BY highest_marks DESC;
```

Result Grid

student_id	name	department	age	marks	city
101	ganesh	CSIT	19	92	Hyderabad
102	mohesh	CSE	20	85	Delhi
103	sunish	CSIT	19	78	Hyderabad
104	lithesh	ECE	21	67	Chennai
105	kaushik	CSE	20	95	Mumbai
106	charan	CSIT	22	88	Bangalore
107	chennan	ECE	20	73	Chennai
108	Rani	CSE	21	81	Delhi
109	Divya	CSIT	19	96	Mumbai

students 5 students 6 students 7 students 8

Apply Revert

Output

#	Time	Action	Message	Duration / Fetch
43	12:28:17	SELECT * FROM students WHERE department = 'CSIT' LIMIT 0, 2000	0 row(s) returned	0.000 sec / 0.000 sec
44	12:28:24	SELECT * FROM students WHERE city = 'Hyderabad' LIMIT 0, 2000	0 row(s) returned	0.000 sec / 0.000 sec
45	12:28:42	INSERT INTO students VALUES (101,'Priyanka','CSIT',19,92,'Hyderabad'), (102,'Rahul','CSE',20,85,'Delhi'), (103,'Anen...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.015 sec
46	12:28:49	SELECT * FROM students LIMIT 0, 2000	10 row(s) returned	0.000 sec / 0.000 sec
47	12:29:40	SELECT * FROM students WHERE marks > 80 LIMIT 0, 2000	6 row(s) returned	0.000 sec / 0.000 sec
48	12:29:55	SELECT * FROM students WHERE department = 'CSIT' LIMIT 0, 2000	4 row(s) returned	0.000 sec / 0.000 sec
49	12:30:11	SELECT * FROM students ORDER BY marks LIMIT 0, 2000	10 row(s) returned	0.000 sec / 0.000 sec
50	12:30:29	SELECT department, COUNT(*) AS total_students LIMIT 0, 2000	Error Code: 1054 Unknown column 'department' in 'field list'	0.000 sec
51	12:30:36	SELECT AVG(marks) AS average_marks FROM students LIMIT 0, 2000	1 row(s) returned	0.016 sec / 0.000 sec
52	12:30:41	SELECT MAX(marks) AS highest_marks FROM students LIMIT 0, 2000	1 row(s) returned	0.000 sec / 0.000 sec
53	12:30:55	FROM students GROUP BY department ORDER BY highest_marks DESC	Error Code: 1064 You have an error in your SQL syntax check the manual that corresponds to your MySQL server vers...	0.000 sec

Object Info Session

ENG IN

12:31 PM 28-Aug-26

MySQL Workbench

Genesh_2520630112_K

File Edit View Query Databases Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bookflow2_db
- bookflow_db
- student_management
- student_info_db
- sys

SQL File 6.sql

Limit to 2000 row

```
16 (2, 'adam'),
17 (4, 'alex');
18
19 • INSERT INTO class_info VALUES
20 (1, 'DELHI'),
21 (2, 'MUMBAI'),
22 (3, 'CHENNAI');
23 • SELECT *
24 FROM class
25 CROSS JOIN class_info;
26
27
28 -- Recreate class table with additional data
29 • DROP TABLE class;
30
```

Administration Schemas

Information

No object selected

	id	name	id	address
▶	4	alex	1	DELHI
▶	2	adam	1	DELHI
▶	1	abhi	1	DELHI
▶	4	alex	2	MUMBAI
▶	2	adam	2	MUMBAI
▶	1	abhi	2	MUMBAI
▶	4	alex	3	CHENNAI
▶	2	adam	3	CHENNAI
▶	1	abhi	3	CHENNAI

Result Grid

File Rows: 13

Export

Wrap Cell Content: 13

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	12:36:04	CREATE DATABASE bookflow_db	Error Code: 1067. Can't create database 'bookflow_db'; database exists	0.000 sec
2	12:36:14	CREATE DATABASE bookflow3_db	1 row(s) affected	0.016 sec
3	12:36:14	USE bookflow3_db	0 row(s) affected	0.060 sec
4	12:36:18	CREATE TABLE class (id INT, name VARCHAR(30))	0 row(s) affected	0.047 sec
5	12:36:21	CREATE TABLE class_info (id INT, address VARCHAR(30))	0 row(s) affected	0.031 sec
6	12:36:25	INSERT INTO class VALUES (1, 'abhi'), (2, 'adam'), (4, 'alex')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.015 sec
7	12:36:29	INSERT INTO class_info VALUES (1, 'DELHI'), (2, 'MUMBAI'), (3, 'CHENNAI')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.031 sec
8	12:36:33	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 2000	9 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Windows Taskbar: Search, 70% battery, 12:36 PM 28-Aug-26

MySQL Workbench

Genesh_2520630112_K

File Edit View Query Databases Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bookflow3_db
- bookflow_db
- student_management
- student_info_db
- sys

SQL File 6*

```
41
42
43
44 * SELECT *
45 FROM class
46 INNER JOIN class_info
47 ON class.id = class_info.id;
48
49
50 -- INNER JOIN with selected columns
51 * SELECT class.name, class_info.address
52 FROM class
53 INNER JOIN class_info
54 ON class.id = class_info.id;
55
56
```

Result Grid

	id	name	id	address
1	1	abhi	1	DELHI
2	2	adam	2	MUMBAI
3	3	alex	3	CHENNAI

No object selected

Result 2 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
2	12:36:14	CREATE DATABASE bookflow3_db	1 row(s) affected	0.016 sec
3	12:36:14	USE bookflow3_db	0 row(s) affected	0.000 sec
4	12:36:18	CREATE TABLE class (id INT, name VARCHAR(30))	0 row(s) affected	0.047 sec
5	12:36:21	CREATE TABLE class_info (id INT, address VARCHAR(30))	0 row(s) affected	0.031 sec
6	12:36:25	INSERT INTO class VALUES (1, 'abhi'), (2, 'adam'), (3, 'alex')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.015 sec
7	12:36:29	INSERT INTO class_info VALUES (1, 'DELHI'), (2, 'MUMBAI'), (3, 'CHENNAI')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.031 sec
8	12:36:39	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 2000	9 row(s) returned	0.000 sec / 0.000 sec
9	12:37:01	DROP TABLE class	0 row(s) affected	0.047 sec
10	12:37:05	CREATE TABLE class (id INT, name VARCHAR(30))	0 row(s) affected	0.031 sec
11	12:37:10	INSERT INTO class VALUES (1, 'abhi'), (2, 'adam'), (3, 'alex'), (4, 'anvi')	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.016 sec
12	12:37:19	SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 2000	3 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

12:37 PM
28-Aug-26

MySQL Workbench

Genesh_2520630112_K

File Edit View Query Databases Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bookflow3_db
- bookflow_db
- student_management
- student_info_db
- sys

SQL File 6*

```
46 INNER JOIN class_info
47 ON class.id = class_info.id;
48
49
50
51 SELECT class.name, class_info.address
52 FROM class
53 INNER JOIN class_info
54 ON class.id = class_info.id;
55
56
57 -- NATURAL JOIN
58 SELECT *
59 FROM class
60 NATURAL JOIN class_info;
```

Result Grid

	name	address
1	akhi	DELHI
2	adam	MUMBAI
3	alex	CHENNAI

No object selected

Administration Schemas Information

Result 3 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
3	12:36:14	USE bookflow3_db	0 row(s) affected	0.000 sec
4	12:36:18	CREATE TABLE class (id INT, name VARCHAR(30))	0 row(s) affected	0.047 sec
5	12:36:21	CREATE TABLE class_info (id INT, address VARCHAR(30))	0 row(s) affected	0.031 sec
6	12:36:25	INSERT INTO class VALUES (1, 'akhi'), (2, 'adam'), (3, 'alex')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.015 sec
7	12:36:29	INSERT INTO class_info VALUES (1, 'DELHI'), (2, 'MUMBAI'), (3, 'CHENNAI')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.031 sec
8	12:36:39	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 2000	9 row(s) returned	0.000 sec / 0.000 sec
9	12:37:01	DROP TABLE class	0 row(s) affected	0.047 sec
10	12:37:06	CREATE TABLE class (id INT, name VARCHAR(30))	0 row(s) affected	0.031 sec
11	12:37:10	INSERT INTO class VALUES (1, 'akhi'), (2, 'adam'), (3, 'alex'), (4, 'anu')	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.016 sec
12	12:37:13	SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 2000	3 row(s) returned	0.000 sec / 0.000 sec
13	12:37:45	SELECT class.name, class_info.address FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 2000	3 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Genesh_2520630112

File Edit View Query Databases Server Tools Scripting Help

Navigator week1 week2 SQL File 4

Limit to 2000 row

Schemas

Filter objects

bankflow_db

sys

101

102 • SELECT subject, AVG(marks) AS avg_marks

103 FROM student_marks

104 GROUP BY subject;

105

106 • SELECT subject, COUNT(*) AS num_students

107 FROM student_marks

108 GROUP BY subject;

109

110 • SELECT subject, AVG(marks) AS avg_marks

111 FROM student_marks

112 GROUP BY subject

113 HAVING AVG(marks) > 90;

114

115 • SELECT subject, COUNT(*) AS num_students

Result Grid

subject num_students

Math 5

No object selected

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
26	12:21:51	SELECT SUM(marks) AS total_marks FROM student_marks LIMIT 0, 2000	1 row(s) returned	0.000 sec / 0.000 sec
27	12:21:57	SELECT AVG(marks) AS average_marks FROM student_marks LIMIT 0, 2000	1 row(s) returned	0.016 sec / 0.000 sec
28	12:22:01	SELECT MAX(marks) AS highest_marks FROM student_marks LIMIT 0, 2000	1 row(s) returned	0.000 sec / 0.000 sec
29	12:22:07	SELECT MIN(marks) AS lowest_marks FROM student_marks LIMIT 0, 2000	1 row(s) returned	0.000 sec / 0.000 sec
30	12:22:17	SELECT * FROM student_marks WHERE marks > 85 LIMIT 0, 2000	7 row(s) returned	0.000 sec / 0.000 sec
31	12:22:35	SELECT * FROM student_marks WHERE marks >= 90 LIMIT 0, 2000	5 row(s) returned	0.015 sec / 0.000 sec
32	12:22:49	SELECT * FROM student_marks WHERE marks >= 90 LIMIT 0, 2000	5 row(s) returned	0.000 sec / 0.000 sec
33	12:22:59	SELECT * FROM student_marks WHERE marks BETWEEN 80 AND 90 LIMIT 0, 2000	4 row(s) returned	0.000 sec / 0.000 sec
34	12:23:13	SELECT * FROM student_marks WHERE name LIKE 'P%' LIMIT 0, 2000	1 row(s) returned	0.000 sec / 0.000 sec
35	12:23:20	SELECT * FROM student_marks WHERE name IN ('Ravi', 'Sita', 'Vijay') LIMIT 0, 2000	3 row(s) returned	0.015 sec / 0.000 sec
36	12:23:31	SELECT subject, COUNT(*) AS num_students FROM student_marks GROUP BY subject HAVING COUNT(*) > 1 LIMIT 0, 2000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

12:23 PM 28-Aug-26

MySQL Workbench

Genesh_2520630112

File Edit View Query Databases Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

backRow_upd

sys

SQL File 5.txt

Limit to 2000 row

```
22 ((110,'Varun','ECE',22,59,'Hyderabad'));
```

```
23 SELECT * FROM students;
```

```
24
```

```
25 SELECT *
```

```
26 FROM students
```

```
27 WHERE marks > 80;
```

```
28
```

```
29 SELECT *
```

```
30 FROM students
```

```
31 WHERE department = 'CSIT';
```

```
32
```

```
33 SELECT *
```

```
34 FROM students
```

```
35 WHERE city = 'Hyderabad';
```

```
36
```

Result Grid

student_id	name	department	age	marks	city
101	ganesh	CSIT	19	92	Hyderabad
102	mohesh	CSE	20	85	Delhi
103	surahs	CSIT	19	78	Hyderabad
104	lithesh	ECE	21	67	Chennai
105	kaushik	CSE	20	95	Mumbai
106	charan	CSIT	22	88	Bangalore
107	chervani	ECE	20	73	Chennai
108	Rani	CSE	21	81	Delhi
109	Divya	CSIT	19	96	Mumbai
110	Varun	ECE	22	59	Hyderabad

students 3

Apply Revert

Output

#	Time	Action	Message	Duration / Fetch
36	12:27:31	SELECT subject COUNT(*) AS num_students FROM student_marks GROUP BY subject HAVING COUNT(*) > 1 LIMIT 1	1 row(s) returned	0.000 sec / 0.000 sec
37	12:27:38	CREATE DATABASE student_management	1 row(s) affected	0.062 sec
38	12:27:38	USE student_management	0 row(s) affected	0.000 sec
39	12:27:42	CREATE TABLE students (student_id INT PRIMARY KEY, name VARCHAR(50), department VARCHAR(30), ...	0 row(s) affected	0.083 sec
40	12:27:47	INSERT INTO students VALUES (101,'ganesh','CSIT',19,92,'Hyderabad'), (102,'mohesh','CSE',20,85,'Delhi'), (103,'sur...	Error Code: 1064 You have an error in your SQL syntax; check the manual that corresponds to your MySQL server versi...	0.000 sec
41	12:27:52	SELECT * FROM students LIMIT 0, 2000	0 row(s) returned	0.000 sec / 0.000 sec
42	12:28:11	SELECT * FROM students WHERE marks > 80 LIMIT 0, 2000	0 row(s) returned	0.000 sec / 0.000 sec
43	12:28:17	SELECT * FROM students WHERE department = 'CSIT' LIMIT 0, 2000	0 row(s) returned	0.000 sec / 0.000 sec
44	12:28:24	SELECT * FROM students WHERE city = 'Hyderabad' LIMIT 0, 2000	0 row(s) returned	0.000 sec / 0.000 sec
45	12:28:42	INSERT INTO students VALUES (101,'Priyanka','CSIT',19,92,'Hyderabad'), (102,'Rahul','CSE',20,85,'Delhi'), (103,'Anan...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.015 sec
46	12:28:49	SELECT * FROM students LIMIT 0, 2000	10 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Windows Taskbar: 12:29 PM 28-Aug-26

MySQL Workbench

Genesh_2520630112

File Edit View Query Databases Server Tools Scripting Help

Navigation

Limit to 2000 row

22 (110,'Varun','ECE',22,59,'Hyderabad');

23 SELECT * FROM students;

24

25 SELECT *

26 FROM students

27 WHERE marks > 80;

28

29 SELECT *

30 FROM students

31 WHERE department = 'CSIT';

32

33 SELECT *

34 FROM students

35 WHERE city = 'Hyderabad';

36

Schemas

filter objects

backRow_upd

sys

Administration

Schemas

Information

No object selected

Result Grid

File Rows:

Edit

Export/Import

Wrap Cell Contents

student_id	name	department	age	marks	city
101	ganesh	CSIT	19	92	Hyderabad
102	Rahul	CSE	20	85	Delhi
103	Shrisha	CSE	20	59	Mumbai
104	Anjun	CSIT	22	88	Bangalore
105	Ravi	CSE	21	81	Delhi
106	Doya	CSIT	19	56	Mumbai

students 5

students 6

Apply

Revert

Output

Action Output

#	Time	Action	Message	Duration / Fetch
37	12:27:39	CREATE DATABASE student_management	1 row(s) affected	0.062 sec
38	12:27:39	USE student_management	0 row(s) affected	0.000 sec
39	12:27:42	CREATE TABLE students (student_id INT PRIMARY KEY, name VARCHAR(50), department VARCHAR(30), ...	0 row(s) affected	0.093 sec
40	12:27:47	INSERT INTO students VALUES (101,'ganesh','CSIT',19,92,'Hyderabad'), (102,'meeshi','CSE',20,85,'Delhi'), (103,'sure...	Error Code: 1064 You have an error in your SQL syntax; check the manual that corresponds to your MySQL server versi...	0.000 sec
41	12:27:52	SELECT * FROM students LIMIT 0, 2000	0 row(s) returned	0.000 sec / 0.000 sec
42	12:28:11	SELECT * FROM students WHERE marks > 80 LIMIT 0, 2000	0 row(s) returned	0.000 sec / 0.000 sec
43	12:28:17	SELECT * FROM students WHERE department = 'CSIT' LIMIT 0, 2000	0 row(s) returned	0.000 sec / 0.000 sec
44	12:28:24	SELECT * FROM students WHERE city = 'Hyderabad' LIMIT 0, 2000	0 row(s) returned	0.000 sec / 0.000 sec
45	12:28:42	INSERT INTO students VALUES (101,'Priyanka','CSIT',19,92,'Hyderabad'), (102,'Rahul','CSE',20,85,'Delhi'), (103,'Arun...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.015 sec
46	12:28:49	SELECT * FROM students LIMIT 0, 2000	10 row(s) returned	0.000 sec / 0.000 sec
47	12:29:40	SELECT * FROM students WHERE marks > 80 LIMIT 0, 2000	5 row(s) returned	0.000 sec / 0.000 sec

Object Info

Session

Windows Taskbar

12:29 PM 28-Aug-26

MySQL Workbench

Genesh_2520630112_K

File Edit View Query Databases Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

bankflow_db

sys

SQL File Editor

Limit to 2000 rows

```
22 [(110,'Varun','ECE',22,59,'Hyderabad')];
23 SELECT * FROM students;
24
25 SELECT *
26 FROM students
27 WHERE marks > 80;
28
29 SELECT *
30 FROM students
31 WHERE department = 'CSIT';
32
33 SELECT *
34 FROM students
35 WHERE city = 'Hyderabad';
36
```

Administration Schemas

Information

No object selected

student_id	name	department	age	marks	city
101	ganesh	CSIT	19	92	Hyderabad
109	Ananya	CSIT	19	79	Hyderabad
100	Anjan	CSIT	22	88	Bangalore
109	Ditya	CSIT	19	96	Mumbai

students 5 students 6 students 7

Output

Action Output

#	Time	Action	Message	Duration / Fetch
39	12:27:39	USE studentmanagement	0 row(s) affected	0.000 sec
39	12:27:42	CREATE TABLE students (studentId INT PRIMARY KEY, name VARCHAR(50), department VARCHAR(30),	0 row(s) affected	0.093 sec
40	12:27:47	INSERT INTO students VALUES (101,'ganesh','CSIT',19,92,'Hyderabad'), (102,'madhesh','CSE',20,85,'Delhi'), (103,'sure...	Error Code: 1064 'You have an error in your SQL syntax; check the manual that corresponds to your MySQL server versi...	0.000 sec
41	12:27:52	SELECT * FROM students LIMIT 0, 2000	0 row(s) returned	0.000 sec / 0.000 sec
42	12:28:11	SELECT * FROM students WHERE marks > 80 LIMIT 0, 2000	0 row(s) returned	0.000 sec / 0.000 sec
43	12:28:17	SELECT * FROM students WHERE department = 'CSIT' LIMIT 0, 2000	0 row(s) returned	0.000 sec / 0.000 sec
44	12:28:24	SELECT * FROM students WHERE city = 'Hyderabad' LIMIT 0, 2000	0 row(s) returned	0.000 sec / 0.000 sec
45	12:28:42	INSERT INTO students VALUES (101,'Priyanka','CSIT',19,92,'Hyderabad'), (102,'Rahul','CSE',20,85,'Delhi'), (103,'Anan...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.015 sec
46	12:28:49	SELECT * FROM students LIMIT 0, 2000	10 row(s) returned	0.000 sec / 0.000 sec
47	12:29:40	SELECT * FROM students WHERE marks > 80 LIMIT 0, 2000	5 row(s) returned	0.000 sec / 0.000 sec
48	12:29:55	SELECT * FROM students WHERE department = 'CSIT' LIMIT 0, 2000	4 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

12:30 PM 28-Aug-26

MySQL Workbench

Genesh_2520630112

File Edit View Query Databases Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

backflow_db

sys

SQL File 5*

Limit to 2000 row

```
32
33 SELECT *
34 FROM students
35 WHERE city = 'Hyderabad';
36
37 SELECT *
38 FROM students
39 ORDER BY marks DESC;
40
41 SELECT *
42 FROM students
43 ORDER BY marks;
44
45 SELECT AVG(marks) AS average_marks
46 FROM students;
```

Administration Schemas

Information

No object selected

student_id	name	department	age	marks	city
110	Varun	ECE	22	59	Hyderabad
104	Kiran	ECE	21	67	Chennai
107	Meena	ECE	20	73	Chennai
103	Ananya	CSIT	19	70	Hyderabad
108	Ravi	CSE	21	61	Delhi
102	Rahul	CSE	20	85	Delhi
106	Anjun	CSIT	22	88	Bangalore
101	Genesh	CSIT	19	92	Hyderabad
105	Sneha	CSE	20	95	Mumbai
students 5	students 6	students 7	students 8	students 9	students 10

Apply Revert

Output

#	Time	Action	Message	Duration / Fetch
39	12:27:42	CREATE TABLE students (student_id INT PRIMARY KEY, name VARCHAR(50), department VARCHAR(100), ...	0 row(s) affected	0.093 sec
40	12:27:47	INSERT INTO students VALUES (101,'genesh','CSIT',19,92,'Hyderabad'), (102,'mahesh','CSE',20,85,'Delhi'), (103,'sure...	Error Code: 1064 You have an error in your SQL syntax; check the manual that corresponds to your MySQL server versi...	0.000 sec
41	12:27:52	SELECT * FROM students LIMIT 0, 2000	0 row(s) returned	0.000 sec / 0.000 sec
42	12:28:11	SELECT * FROM students WHERE marks > 80 LIMIT 0, 2000	0 row(s) returned	0.000 sec / 0.000 sec
43	12:28:17	SELECT * FROM students WHERE department = 'CSIT' LIMIT 0, 2000	0 row(s) returned	0.000 sec / 0.000 sec
44	12:28:24	SELECT * FROM students WHERE city = 'Hyderabad' LIMIT 0, 2000	0 row(s) returned	0.000 sec / 0.000 sec
45	12:28:42	INSERT INTO students VALUES (101,'Priyanka','CSIT',19,92,'Hyderabad'), (102,'Rahul','CSE',20,85,'Delhi'), (103,'Anen...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.015 sec
46	12:28:49	SELECT * FROM students LIMIT 0, 2000	10 row(s) returned	0.000 sec / 0.000 sec
47	12:28:49	SELECT * FROM students WHERE marks > 80 LIMIT 0, 2000	6 row(s) returned	0.000 sec / 0.000 sec
48	12:28:55	SELECT * FROM students WHERE department = 'CSIT' LIMIT 0, 2000	4 row(s) returned	0.000 sec / 0.000 sec
49	12:30:11	SELECT * FROM students ORDER BY marks LIMIT 0, 2000	10 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

12:30 PM 28-Aug-26