Name: Ganesh Jumade

Roll No: 622

PRN: 202201070057

Batch: F2

```
from google.colab import drive
drive.mount('/content/drive')
     Mounted at /content/drive
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
from pandas import Series, DataFrame
# Reading the tips.csv file
df1=pd.read_csv('/content/drive/MyDrive/Colab Notebooks/tips.csv')
df1.head()
                             sex smoker day
        total_bill tip
                                                time size
                                                        2
     0
              16.99 1.01 Female
                                     No Sun Dinner
              10.34 1.66
                                         Sun Dinner
                                                        3
                            Male
                                     No
                                         Sun Dinner
                                                        3
                                     No
 Saved successfully!
                                         Sun Dinner
                                                        2
                                     No
              24.59 3.61 Female
                                     No Sun Dinner
                                                        4
```

df1.tail()

	total_bill	tip	sex	smoker	day	time	size
239	29.03	5.92	Male	No	Sat	Dinner	3
240	27.18	2.00	Female	Yes	Sat	Dinner	2
241	22.67	2.00	Male	Yes	Sat	Dinner	2
242	17.82	1.75	Male	No	Sat	Dinner	2
243	18.78	3.00	Female	No	Thur	Dinner	2

```
df1.columns
```

```
Index(['total_bill', 'tip', 'sex', 'smoker', 'day', 'time', 'size'], dtype='object')
```

df1.info()

```
RangeIndex: 244 entries, 0 to 243
Data columns (total 7 columns):
# Column
                Non-Null Count Dtype
    total_bill 244 non-null
                                float64
1
                244 non-null
     tip
                244 non-null
                                object
2
     sex
3
     smoker
                244 non-null
                                object
     day
                244 non-null
                                object
                244 non-null
                                object
    time
                244 non-null
                                int64
    size
dtypes: float64(2), int64(1), object(4)
memory usage: 13.5+ KB
```


<class 'pandas.core.frame.DataFrame'>

7/6/23, 2:49 PM df1.describe()


	total_bill	tip	size
count	244.000000	244.000000	244.000000
mean	19.785943	2.998279	2.569672
std	8.902412	1.383638	0.951100
min	3.070000	1.000000	1.000000
25%	13.347500	2.000000	2.000000
50%	17.795000	2.900000	2.000000
75%	24.127500	3.562500	3.000000
max	50.810000	10.000000	6.000000

```
a=pd.DataFrame(df1['day'].value_counts())
a.reset_index(inplace=True)
plt.bar(a['index'],a['day'])
```

## <BarContainer object of 4 artists>




plt.scatter(df1['total\_bill'],df1['tip'])
plt.show()




```
plt.scatter(x='total_bill',y='tip',data=df1)
fig=plt.figure(figsize=(5,4))
ax=fig.add_axes([1,1,1,1])
```

```
ax.legend(labels=('sun','mon','tue'))
plt.show()
```



plt.xlabel('Day')

plt.show()



Customization that is available for the Bar Chart -

color: For the bar faces

edgecolor: Color of edges of the bar

linewidth: Width of the bar edges

import matplotlib.pyplot as plt

width: Width of the bar



Histogram A histogram is basically used to represent data provided in a form of some groups. It is a type of bar plot where the X-axis represents the bin ranges while the Y-axis gives information about frequency. The hist() function is used to compute and create histogram of x.

```
import matplotlib.pyplot as plt
import pandas as pd
```

```
# initializing the data
x = data['total_bill']


# plotting the data
plt.hist(x)

# Adding title to the plot
plt.title("Tips Dataset")

# Adding label on the y-axis
plt.ylabel('Frequency')

# Adding label on the x-axis
plt.xlabel('Total Bill')

plt.show()
```



Customization that is available for the Histogram -


bins: Number of equal-width bins color: For changing the face color edgecolor: Color of the edges linestyle: For the edgelines alpha: blending value, between 0 (transparent) and 1 (opaque)

```
import matplotlib.pyplot as plt
import pandas as pd

# initializing the data
x = data['total_bill']

# plotting the data
plt.hist(x, bins=25, color='green', edgecolor='blue',
```

```
linestyle='--', alpha=0.5)
# Adding title to the plot
plt.title("Tips Dataset")
# Adding label on the y-axis
plt.ylabel('Frequency')
# Adding label on the x-axis
plt.xlabel('Total Bill')
plt.show()
```



Scatter Plot Scatter plots are used to observe relationships between variables. The scatter() method in the matplotlib library is used to draw a scatter plot.

```
import matplotlib.pyplot as plt
import pandas as pd


# initializing the data
x = data['day']
y = data['total_bill']

# plotting the data
plt.scatter(x, y)

# Adding title to the plot
plt.title("Tips Dataset")

# Adding label on the y-axis
plt.ylabel('Total Bill')

# Adding label on the x-axis
plt.xlabel('Day')
plt.show()
```



Customizations that are available for the scatter plot are -

s: marker size (can be scalar or array of size equal to size of x or y)

c: color of sequence of colors for markers

marker: marker style


plt.show()

linewidths: width of marker border edgecolor: marker border color

alpha: blending value, between 0 (transparent) and 1 (opaque)


Tine Datacet

Pie Chart Pie chart is a circular chart used to display only one series of data. The area of slices of the pie represents the percentage of the parts of the data. The slices of pie are called wedges. It can be created using the pie() method.




Customizations that are available for the Pie chart are -

explode: Moving the wedges of the plot autopct: Label the wedge with their numerical value. color: Attribute is used to provide color to the wedges. shadow: Used to create shadow of wedge.




## → Saving a Plot

For saving a plot in a file on storage disk, savefig() method is used. A file can be saved in many formats like .png, .jpg, .pdf, etc.



```
x = np.linspace(0,10,100)
fig = plt.figure()
plt.plot(x,np.sin(x))
plt.plot(x,np.cos(x))
fig.savefig('Graph1.png')
```



Saved successfully!

• ×