

SCOPEX SECURITY AUDIT REPORT

Developed by Ganesh Kumar | Full-Spectrum Vulnerability Scan

Executive Summary

Target Host: scanme.nmap.org

Scan Timestamp: 2026-06-22 19:46:57

Total Findings Detected: 10

OVERALL RISK RATING: HIGH (Score: 22)

CRITICAL	HIGH	MEDIUM	LOW	INFO
0	1	3	3	3

Detailed Vulnerability Assessment

HIGH (1 finding)

1. [HIGH] Missing Content Security Policy (CSP) Header

Audit Module: Header Scanner

Description: Content Security Policy (CSP) restricts the resources (such as JavaScript, CSS, Images) that the browser is allowed to load for a given page, offering defense-in-depth against XSS.

Evidence / Proof: Header 'content-security-policy' was not found in response.

Remediation Guide: Implement a robust Content Security Policy header. For example: Content-Security-Policy: default-src 'self';

MEDIUM (3 findings)

2. [MEDIUM] Open Port Detected (22/SSH)

Audit Module: Port Scanner

Description: Port 22 running SSH is open on the target host.

Evidence / Proof: Service: SSH

Banner: SSH-2.0-OpenSSH_6.6.1p1 Ubuntu-2ubuntu2.13

Remediation Guide: Ensure this port is firewalled and not exposed to the public internet unless required. If running, ensure it uses secure credentials and up-to-date software versions.

SCOPEX SECURITY AUDIT REPORT

Developed by Ganesh Kumar | Full-Spectrum Vulnerability Scan

3. [MEDIUM] Missing HTTP Strict Transport Security (HSTS) Header

Audit Module:	Header Scanner
Description:	HTTP Strict Transport Security (HSTS) instructs the browser to always connect using HTTPS, preventing SSL stripping attacks.
Evidence / Proof:	Header 'strict-transport-security' was not found in response.
Remediation Guide:	Add the 'Strict-Transport-Security: max-age=31536000; includeSubDomains' header to your web server configuration.

4. [MEDIUM] Missing X-Frame-Options Header

Audit Module:	Header Scanner
Description:	X-Frame-Options prevents the website from being loaded in an iframe or object, which protects users against clickjacking attacks.
Evidence / Proof:	Header 'x-frame-options' was not found in response.
Remediation Guide:	Configure the web server to send X-Frame-Options: DENY or X-Frame-Options: SAMEORIGIN header, or use the CSP frame-ancestors directive.

LOW (3 findings)

5. [LOW] Missing X-Content-Type-Options Header

Audit Module:	Header Scanner
Description:	The X-Content-Type-Options response HTTP header is a marker used by the server to indicate that the MIME types advertised in the Content-Type headers should not be changed and be followed.
Evidence / Proof:	Header 'x-content-type-options' was not found in response.
Remediation Guide:	Configure the web server to send the X-Content-Type-Options: nosniff header.

6. [LOW] Missing Cache-Control Header

Audit Module:	Header Scanner
Description:	The response does not include a Cache-Control header. Without explicit caching directives, browsers and proxies may cache the response, potentially storing sensitive data on disk or in shared caches.
Evidence / Proof:	Cache-Control header was not found in the response.
Remediation Guide:	Add 'Cache-Control: no-store, no-cache, must-revalidate' to responses containing sensitive or user-specific data.

7. [LOW] Web Server Signature Disclosure

Audit Module:	Header Scanner
Description:	The server header discloses details about the web server backend software and potentially its

SCOPEX SECURITY AUDIT REPORT

Developed by Ganesh Kumar | Full-Spectrum Vulnerability Scan

version.

Evidence / Proof: Server: Apache/2.4.7 (Ubuntu)

Remediation Guide: Disable or strip the 'server' header in your web server configuration (e.g., `exposeHeaders / ServerTokens off`).

INFO (3 findings)

8. [INFO] Open Port Detected (80/HTTP)

Audit Module: Port Scanner

Description: Port 80 running HTTP is open on the target host.

Evidence / Proof: Service: HTTP

Banner: None captured

Remediation Guide: Ensure this port is firewalled and not exposed to the public internet unless required. If running, ensure it uses secure credentials and up-to-date software versions.

9. [INFO] Missing Referrer-Policy Header

Audit Module: Header Scanner

Description: The Referrer-Policy HTTP header controls how much referrer information (sent via the Referer header) should be included with requests.

Evidence / Proof: Header 'referrer-policy' was not found in response.

Remediation Guide: Add the Referrer-Policy: strict-origin-when-cross-origin header to web responses.

10. [INFO] Missing Permissions-Policy Header

Audit Module: Header Scanner

Description: Permissions-Policy allows developers to selectively enable, disable, and modify the behavior of various APIs and browser features (camera, geolocation, etc.).

Evidence / Proof: Header 'permissions-policy' was not found in response.

Remediation Guide: Add a Permissions-Policy header configured with restricted features (e.g., `geolocation=(), camera=()`).