Rajalakshmi Engineering College

Name: Ganeshkumar A P

Email: 240801079@rajalakshmi.edu.in

Roll no: 2116240801079 Phone: 9345144827

Branch: REC

Department: I ECE FA

Batch: 2028

Degree: B.E - ECE



NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 5_COD_Question 2

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1: Coding

1. Problem Statement

Mike is learning about Binary Search Trees (BSTs) and wants to implement various operations on them. He wants to write a basic program for creating a BST, inserting nodes, and printing the tree in the pre-order traversal.

Write a program to help him solve this program.

Input Format

The first line of input consists of an integer N, representing the number of values to insert into the BST.

The second line consists of N space-separated integers, representing the values to insert into the BST.

Output Format

The output prints the space-separated values of the BST in the pre-order traversal.

Refer to the sample output for formatting specifications.

Sample Test Case

```
Input: 5
31524
Output: 3 1 2 5 4
Answer
#include <stdio.h>
#include <stdlib.h>
struct Node {
  int data:
  struct Node* left;
  struct Node* right;
};
struct Node* createNode(int value) {
  struct Node* newNode = (struct Node*)malloc(sizeof(struct Node));
  newNode->data = value;
  newNode->left = newNode->right = NULL;
  return newNode;
struct Node* insert(struct Node* root, int value) {
  if (root == NULL) {
    return createNode(value);
  if (value < root->data) {
    root->left = insert(root->left, value);
  } else {
    root->right = insert(root->right, value);
  return root;
```

2116240801019

2116240801019

```
2176240801079
void printPreorder(struct Node* root) {
    if (root == NULL) {
        return;
        .
           printf("%d ", root->data);
           printPreorder(root->left);
           printPreorder(root->right);
        int main() {
           struct Node* root = NULL;
                                                                                             2176240801079
scanf("%d", &n);
          for (int i = 0; i < n; i++) {
  int value;
  scanf("% ~""
             root = insert(root, value);
           }
           printPreorder(root);
           return 0;
        }
                                                                                            2176240801019
        Status: Correct
                                                                                       Marks: 10/10
2116240801
```

2116240801019

2116240801019

2176240801079

2116240801079