

## MEDICAL INVENTORY MANAGEMENT

|                      |                                     |
|----------------------|-------------------------------------|
| <b>Date</b>          | <b>20-06-2025</b>                   |
| <b>Team ID</b>       | <b>LTVIP2025TMID29678</b>           |
| <b>Project Name</b>  | <b>Medical Inventory Management</b> |
| <b>Maximum Marks</b> |                                     |

### CHAPTER - 12 APPENDIX(apex Code):

trigger CalculateTotalAmountTrigger on Order\_Item\_\_c (after insert, after update,  
after delete, after undelete) {

    // Call the handler class to handle the logic

    CalculateTotalAmountHandler.calculateTotal(trigger.new, trigger.old,  
    trigger.isInsert, trigger.isUpdate, trigger.isDelete, trigger.isUndelete);  
}

public class CalculateTotalAmountHandler {

    // Method to calculate the total amount for Purchase Orders based on related  
    Order Items

    public static void calculateTotal(List<Order\_Item\_\_c> newItems,  
    List<Order\_Item\_\_c> oldItems, Boolean isInsert, Boolean isUpdate, Boolean isDelete,  
    Boolean isUndelete) {

        // Collect Purchase Order IDs affected by changes in Order\_Item\_\_c records

        Set<Id> parentIds = new Set<Id>();

        // For insert, update, and undelete scenarios

        if (isInsert || isUpdate || isUndelete) {

            for (Order\_Item\_\_c ordItem : newItems) {

                parentIds.add(ordItem.Purchase\_Order\_Id\_\_c);

            }

        }

        // For update and delete scenarios

        if (isUpdate || isDelete) {

            for (Order\_Item\_\_c ordItem : oldItems) {

                parentIds.add(ordItem.Purchase\_Order\_Id\_\_c);

## MEDICAL INVENTORY MANAGEMENT

```
    }  
}  
  
// Calculate the total amounts for affected Purchase Orders  
Map<Id, Decimal> purchaseToUpdateMap = new Map<Id, Decimal>();  
if (!parentIds.isEmpty()) {  
    // Perform an aggregate query to sum the Amount__c for each Purchase  
Order  
    List<AggregateResult> aggrList = [  
        SELECT Purchase_Order_Id__c, SUM(Amount__c) totalAmount  
        FROM Order_Item__c  
        WHERE Purchase_Order_Id__c IN :parentIds  
        GROUP BY Purchase_Order_Id__c  
    ];  
    // Map the result to Purchase Order IDs  
    for (AggregateResult aggr : aggrList) {  
        Id purchaseOrderId = (Id)aggr.get('Purchase_Order_Id__c');  
        Decimal totalAmount = (Decimal)aggr.get('totalAmount');  
        purchaseToUpdateMap.put(purchaseOrderId, totalAmount);  
    }  
    // Prepare Purchase Order records for update  
    List<Purchase_Order__c> purchaseToUpdate = new  
List<Purchase_Order__c>();  
    for (Id purchaseOrderId : purchaseToUpdateMap.keySet()) {  
        Purchase_Order__c purchaseOrder = new Purchase_Order__c(Id =  
purchaseOrderId, Total_Order_cost__c =  
purchaseToUpdateMap.get(purchaseOrderId));  
        purchaseToUpdate.add(purchaseOrder);  
    }  
    // Update Purchase Orders if there are any changes  
    if (!purchaseToUpdate.isEmpty()) {  
        update purchaseToUpdate;
```

MEDICAL INVENTORY MANAGEMENT

}  
}  
}  
}