

# Rajalakshmi Engineering College

Name: Ganesh Raghav C  
Email: 240701138@rajalakshmi.edu.in  
Roll no:  
Phone: 6382988302  
Branch: REC  
Department: CSE - Section 10  
Batch: 2028  
Degree: B.E - CSE

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 1\_Q1

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### Section 1 : Coding

##### 1. Problem Statement

Gloria is responsible for monitoring the performance of two machines in a factory. She needs to determine which of the two machines is operating closest to the optimal temperature of 100 degrees Celsius using the relational operator.

Assist Gloria in displaying the machine's temperature, which is closer to 100, and the difference from 100.

##### *Input Format*

The first line of input consists of an integer N, representing the temperature of the first machine.

The second line consists of an integer M, representing the temperature of the second machine.

### ***Output Format***

The output prints "The integer closer to 100 is X with a difference of Y" where X is the temperature of the closer machine and Y is the difference from 100.

Refer to the sample output for formatting specifications.

### ***Sample Test Case***

Input: 90

80

Output: The integer closer to 100 is 90 with a difference of 10

### ***Answer***

// You are using Java

```
import java.util.Scanner;
```

```
class M{
```

```
    public static void main(String args[]){
```

```
        Scanner scan=new Scanner(System.in);
```

```
        int a=scan.nextInt();
```

```
        int b=scan.nextInt();
```

```
        int c,d;
```

```
        if(a>100){
```

```
            c=a-100;
```

```
        }
```

```
        else{
```

```
            c=100-a;
```

```
        }
```

```
        if (b>100){
```

```
            d=b-100;
```

```
        }
```

```
        else{
```

```
            d=100-b;
```

```
        }
```

```
        int e=c<d?c:d;
```

```
        int f=c<d?a:b;
```

```
        System.out.print("The integer closer to 100 is "+f+" with a difference of "+e);
```

```
    }
```

```
}
```

**Status :** Correct

**Marks :** 10/10