Practical No. 22: * Write a program to apply following approaches of CSS to a React web Page Inline styling, CSS stylesheets, CSS Modules

IX. Conclusion

In this practical, we implemented three CSS approaches in React: Inline Styling, CSS Stylesheets, and CSS Modules.

Inline styling is used for quick, component-specific design, stylesheets allow reusable and separated styling, and CSS Modules provide scoped styles to avoid conflicts.

This practical helps in selecting suitable styling methods to create well-structured and maintainable React applications.

X. Practical Related Questions – Answers

1. Write a React program that demonstrates all three CSS approaches — Inline, Stylesheet, and CSS Modules.

App.js

```
import React from "react";
import "./App.css";
import styles from "./App.module.css";

function App() {
  const inlineStyle = {
    color: "white",
    backgroundColor: "blue",
    padding: "10px"
  };

  return (
    <div>
      <h1 style={inlineStyle}>Inline Styling</h1>
      <h2 className="heading">Stylesheet Styling</h2>
      <h3 className={styles.title}>CSS Module Styling</h3>
    </div>
  );
}

export default App;
```

App.css

```
.heading {
```

```
  color: green;
  background-color: lightgray;
  padding: 10px;
}
```

App.module.css

```
.title {
  color: red;
  background-color: yellow;
  padding: 10px;
}
```

---

2. Write a program that uses an external CSS file (App.css) to style a heading, paragraph, and button with different colors and padding.

App.js

```
import React from "react";
import "./App.css";

function App() {
  return (
    <div>
      <h1 className="heading">Welcome to React</h1>
      <p className="para">This is a styled paragraph using CSS.</p>
      <button className="btn">Click Me</button>
    </div>
  );
}

export default App;
```

App.css

```
.heading {
  color: blue;
  padding: 10px;
}

.para {
  color: purple;
  padding: 8px;
}

.btn {
  background-color: green;
  color: white;
  padding: 10px 15px;
  border: none;
}
```

XI. Exercise – Answers

1. What is the main difference between CSS Stylesheets and CSS Modules in React?

CSS Stylesheets are global and can cause naming conflicts, whereas CSS Modules are locally scoped and prevent such conflicts by generating unique class names.

---

2. In what type of projects would you prefer CSS Modules over regular Stylesheets?

CSS Modules are preferred in large-scale projects with many components, where avoiding style conflicts and maintaining modular code is important.

---

3. How can you apply the same CSS class from a stylesheet to multiple React components?

By defining the class in a common CSS file and importing that file into multiple components, the same class can be applied using the `className` attribute.