## GangadharGowdJogi

#### **HW#6**

Completed Create API tutorial and installed all the required packages and developed the project. Attached Screenshots for **GET, POST, PATCH and DELETE** API Calls.

Creating npm path and installed the packages.

```
Microsoft Windows[Version 10.0.22631.4037]
(c) Microsoft Corporation. All rights reserved.

D:\Assignments\gangadar\RestAPI\CreateAPI_Node_Week3>nvm -v
1.1.12

D:\Assignments\gangadar\RestAPI\CreateAPI_Node_Week3>node -v
v16.20.2

D:\Assignments\gangadar\RestAPI\CreateAPI_Node_Week3>npm init -y
Wrote to D:\Assignments\gangadar\RestAPI\CreateAPI_Node_Week3\package.json:

{
   "name": "createapi_node_week3",
   "version": "1.0.0",
   "description": "",
   "main": "index.js",
   "scripts": {
        "test": "echo \"Error: no test specified\" && exit 1"
        },
        "keywords": [],
        "author": "",
        "license": "ISC"

D:\Assignments\gangadar\RestAPI\CreateAPI_Node_Week3>
```

```
run `npm fund` for details

found 0 vulnerabilities

D:\Assignments\gangadar\RestAPI\CreateAPI_Node_Week3>npm install nodemon

added 29 packages, and audited 95 packages in 1s

17 packages are looking for funding
    run `npm fund` for details

found 0 vulnerabilities

D:\Assignments\gangadar\RestAPI\CreateAPI_Node_Week3>npm install mongoose

added 20 packages, and audited 115 packages in 4s

18 packages are looking for funding
    run `npm fund` for details

found 0 vulnerabilities

D:\Assignments\gangadar\RestAPI\CreateAPI_Node_Week3>node server.js

Example app listening on port ${port}

^C

D:\Assignments\gangadar\RestAPI\CreateAPI_Node_Week3>node server.js

Example app listening on port ${port}
```


Able to call the localhost from the browser once server started






# **POST API**


URL: localhost:3000/api/players



User#2




#### User#3




## **GET API**


All players



# **GET API for Single Player**




Error code when invalid ID entered to the API




#### **PATCH API**

url: http://localhost:3000/api/players/66e6d4743dea14ee376d1944




**Get API after Patch API** 




## **Delete API**

url: http://localhost:3000/api/players/66e6d4583dea14ee376d1942



Get All players API



## Server.js listening api calls

```
D:\Assignments\gangadar\RestAPI\CreateAPI_Node_Week3>node server.js
Connected to MongoDB
Example app listening on port3000
/api/players GET
/api/players GET
/api/players POST
/api/players POST
/api/players GET
/api/players GET
/api/players/2 GET
/api/players/:66e6d4743dea14ee376d1944 GET
/api/players/:66e6d4743dea14ee376d1944 GET
/api/players/66e6d4743dea14ee376d1944 GET
/api/players/66e6d4783dea14ee376d1942 DELETE
/api/players/66e6d4583dea14ee376d1942 DELETE
/api/players GET
```