



SIMATS Online Programming Lab

C PROGRAMMING



BUCHUPALLI GANGA JAYADEV REDDY
192472248RB



CO1 - Assessment Tools - 1 MCQ

[← Back](#)

QUESTIONS

Q1

Operators and Expressions

1 mark

**Q2**

Operators and Expressions

1 mark

**Q3**

Operators and Expressions

1 mark

**Q4**

Operators and Expressions

1 mark

**Q5**

Operators and Expressions

1 mark

**Q6**

Operators and Expressions

1 mark

**Q7**

Operators and Expressions

1 mark

**Q8**

Operators and Expressions

1 mark

**Q9**

Q1 Operators and Expressions

1 mark

A macro `#define A 10+5` is used in an expression `A*2` without parentheses. What will be the output?

```
#define A 10+5
```

```
printf("%d", A*2);
```

A. 30**B.** 25**C.** 40**D.** Error

Save Answer

Next →

Operators and Expressions
1 mark

Q10 ✓
Operators and Expressions
1 mark

Q11 ✓
Operators and Expressions
1 mark

Q12 ✓
Operators and Expressions
1 mark

Q13 ✓
Operators and Expressions
1 mark

Q14 ✓
Operators and Expressions
1 mark

Q15 ✓
Operators and Expressions
1 mark

Q16 ✓
Operators and Expressions
1 mark

Q17 ✓
Operators and Expressions
1 mark

Q18 ✓
Operators and Expressions
1 mark

Q19 ✓
Operators and Expressions
1 mark

Q20 ✓
Operators and Expressions
1 mark

20/20 answered

© 2026 **SIMATS Online Lab**. All rights reserved.