Abi of TstInV3

name	constant	methodId	signature
getIndex	true	0x81045ead	getIndex() 获取记录数量
getLoc	true	0x88eb4628	getLoc()
getByIndex	false	0x2d883a73	getByIndex(uint256) 根据索引值 [0,n) 获取记录
getOwner	true	0x893d20e8	getOwner()
insertRecord	false	0x7f697836	insertRecord(string,string,int256,int256,string,int256,int256,int256,string)
getByld	false	0xf3bfddb7	getByld(string) 根据 berth_id 获取记录

Abi of TstOutV3

name	constant	methodid	signature
insertRecord	false	0xd7edbe68	insertRecord(string,string,int256,string,string)
getIndex	true	0x81045ead	getIndex()
getLoc	true	0x88eb4628	getLoc()
getByIndex	false	0x2d883a73	getByIndex(uint256)
getOwner	true	0x893d20e8	getOwner()
getById	false	0xf3bfddb7	getById(string)

Abi of TstPayV3

name	constant	methodId	signature
insertRecord	false	0xcb2f28d8	insertRecord(string,int256,int256,int256,string,int256,int256,int256)
getIndex	true	0x81045ead	getIndex()
getLoc	true	0x88eb4628	getLoc()
getByIndex	false	0x2d883a73	getByIndex(uint256)
getOwner	true	0x893d20e8	getOwner()
getById	false	0xf3bfddb7	getById(string)