

30-Day Analysis Report

This week : 26 Aug to 02 Sep 2026

ATHLETE PROFILE

Name: Ganesh
Profile: 44M | 181 cm | 87 kg -> 79 kg
Goal: Body Recomposition -- Fat loss, muscle preservation
Pace: 0.5 kg/week | 15% calorie deficit

Generated on 2026-09-01

WEEKLY TRAINING REPORT

Generated : 2026-09-02 05:01 IST

User : Ganesh | 44M | 181cm | 87kg -> 79kg

This week : 26 Aug to 02 Sep 2026

1. THIS WEEK AT A GLANCE

Sessions : 2 of 5 target

Prior 3 weeks: 3, 2, 2 sessions (avg 2.3)

Overall score: 2/10 -- Below par -- low sessions or major muscle imbalances this week.

Biggest win : Leg Extension (Machine) -- 77kg x 9 reps (e1RM 100.1kg)

Biggest concern: Chest -- 0 sets vs 12 target (12 sets short)

vs last week : Volume UP 21% (10,254 vs 8,506 kg*reps)

2. THIS WEEK -- SESSION BY SESSION

Session 1: Wednesday 26 Aug 2026 08:24 IST | 57 min

Type : Full Body B -- Wednesday

Volume : 5,882 kg*reps | 15 sets

Overhead Press (Barbell): 45kg x 7r x 3 sets (e1RM 55.5kg) vs prior: +0.0kg e1RM

Seated Leg Curl (Machine): 43kg x 9r x 3 sets (e1RM 55.9kg) vs prior: +9.1kg e1RM

Leg Extension (Machine): 77kg x 9r x 3 sets (e1RM 100.1kg) vs prior: +0.0kg e1RM

Bicep Curl (Barbell): 20kg x 10r x 3 sets (e1RM 26.7kg) vs prior: +0.7kg e1RM

Triceps Pushdown: 27.2kg x 11r x 3 sets (e1RM 37.2kg) vs prior: +0.0kg e1RM

Session 2: Friday 28 Aug 2026 11:03 IST | 8 min

Type : Full Body C -- Friday

Volume : 4,372 kg*reps | 11 sets

Bent Over Row (Barbell): 70kg x 8r x 3 sets (e1RM 88.7kg) vs prior: +2.4kg e1RM

Leg Press (Machine): 50kg x 12r x 3 sets (e1RM 70.0kg) vs prior: +0.0kg e1RM

Lat Pulldown (Machine): 66kg x 6r x 2 sets (e1RM 79.2kg) vs prior: +0.0kg e1RM

Rear Delt Reverse Fly (Dumbbell): 10kg x 10r x 3 sets (e1RM 13.3kg) vs prior: -1.0kg e1RM

4-WEEK VOLUME TREND

Wk -3 (05 Aug-12 Aug): [#####] 11,953 kg*reps 3 sess

Wk -2 (12 Aug-19 Aug): [#####....] 10,079 kg*reps 2 sess

Wk -1 (19 Aug-26 Aug): [#####.....] 8,506 kg*reps 2 sess

This wk (26 Aug-02 Sep): [#####...] 10,254 kg*reps 2 sess

3. STRENGTH -- HOW ARE THE LIFTS MOVING?

e1RM = estimated 1-rep max (formula: weight x (1 + reps / 30))

[C] = compound lift | [I] = isolation

[C] Bent Over Row (Barbell)

Best this week : 70kg x 8 reps (e1RM 88.7kg)
 vs prior : UP +2.4kg vs 14 Aug
 Next session : 72.5kg x 8 reps

[C] Lat Pulldown (Machine)

Best this week : 66kg x 6 reps (e1RM 79.2kg)
 vs prior : SAME as 14 Aug
 Next session : 66kg x 6 reps

[C] Leg Press (Machine)

Best this week : 50kg x 12 reps (e1RM 70.0kg)
 vs prior : SAME as 14 Aug
 Next session : 50kg x 12 reps

[C] Overhead Press (Barbell)

Best this week : 45kg x 7 reps (e1RM 55.5kg)
 vs prior : SAME as 12 Aug
 Next session : 45kg x 7 reps

[I] Bicep Curl (Barbell)

Best this week : 20kg x 10 reps (e1RM 26.7kg)
 vs prior : UP +0.7kg vs 12 Aug
 Next session : 21.25kg x 10 reps

[I] Leg Extension (Machine)

Best this week : 77kg x 9 reps (e1RM 100.1kg)
 vs prior : SAME as 12 Aug
 Next session : 77kg x 9 reps

[I] Rear Delt Reverse Fly (Dumbbell)

Best this week : 10kg x 10 reps (e1RM 13.3kg)
 vs prior : DOWN -1.0kg vs 14 Aug
 Next session : 9.5kg x 10 reps

* FLAGS: 0kg logged -- check entry

[I] Seated Leg Curl (Machine)

Best this week : 43kg x 9 reps (e1RM 55.9kg)
 vs prior : UP +9.1kg vs 19 Aug
 Next session : 44.25kg x 9 reps

[I] Triceps Pushdown

Best this week : 27.2kg x 11 reps (e1RM 37.2kg)
 vs prior : SAME as 05 Aug
 Next session : 27.2kg x 11 reps

4. ARE THE RIGHT MUSCLES GETTING ENOUGH WORK?

Muscle Group | Sets this wk | Target/wk | Gap | Status

* +-----+-----+-----+-----

Chest		0		12		12		CRITICAL
Back		5		14		9		CRITICAL
Shoulders		3		10		7		CRITICAL
Traps		0		6		6		CRITICAL

Rear Delts		3		8		5		CRITICAL
Biceps		6		8		2		LOW
Triceps		3		8		5		CRITICAL
Legs		9		14		5		CRITICAL
Core		0		6		6		CRITICAL

Push sets: 6 | Pull sets: 14 | Ratio pull:push = 2.33 (OK -- balanced)

Rear delts: 3 sets this week (need 8+/week)

SHORT by 5 sets. Rear delts stabilise the shoulder joint. If front shoulder muscles stay much stronger than rear, you risk rotator cuff problems over time. Add face pulls or reverse flys.

Traps : 0 sets this week (need 6+/week)

SHORT by 6 sets. Traps support neck and upper back posture. Add shrugs or deadlifts.

Short this week : Chest, Back, Shoulders, Traps, Rear Delts, Biceps, Triceps, Legs, Core

Under-trained muscles lose size first on a calorie deficit. Prioritise these next session.

5. REST AND RECOVERY THIS WEEK

Sessions this week : 2 of 5 target

Wk -3 (05 Aug-12 Aug): 3 sessions

Wk -2 (12 Aug-19 Aug): 2 sessions

Wk -1 (19 Aug-26 Aug): 2 sessions

Time between sessions this week:

Wed 26 Aug 08:24 -> Fri 28 Aug 11:03: 51h

No sessions after midnight IST this week. Good.

No back-to-back same-muscle sessions this week. Good.

6. BODY RECOMPOSITION CHECK

Calorie target : 2367 kcal/day

TDEE estimate : 2784 kcal/day (your estimated daily burn at current weight)

Daily deficit : 417 kcal (15% cut -- sustainable rate for muscle retention)

Protein target : 174g/day (2g per kg bodyweight)

WHY PROTEIN MATTERS ON A CUT:

In a calorie deficit, the body looks for extra fuel. If protein is low, it breaks down muscle tissue for energy -- this is called muscle catabolism. At 174g/day, you supply enough amino acids to maintain muscle while losing fat. Going below ~120g/day on this deficit risks losing the muscle you are training to build.

MUSCLE STIMULUS CHECK (minimum sets/week to retain muscle on a calorie deficit):

Muscle	This wk	Min	Status
Chest	0	8	AT RISK
Back	5	10	AT RISK
Shoulders	3	8	AT RISK
Traps	0	4	AT RISK
Rear Delts	3	6	AT RISK

Biceps	6	6	OK
Triceps	3	6	AT RISK
Legs	9	10	AT RISK
Core	0	4	AT RISK

Muscles at risk of loss this week (below minimum stimulus):
Chest, Back, Shoulders, Traps, Rear Delts, Triceps, Legs, Core
These are not getting enough signal to hold on to muscle during a deficit.
Add sets for these in the next 1-2 sessions.
Active training weeks logged : 8
Weeks since last deload : 8 (deload every 4 weeks)

*** DELOAD THIS WEEK ***

Cut all sets to 2 per exercise. Keep weights the same.
Deload weeks let joints and connective tissue recover.
You will come back stronger after the deload.

6.5. PPL ADHERENCE & CORRECTIVE COMPLIANCE

Programme week: W15 (started 2026-05-24; 100 days elapsed / 7 = 14.28 -> rounded up = 15)

Sessions this week: 2 of 6 target

Day	Expected	Detected	Status
* +-----+-----+-----			

Wed 26 Aug	Legs A	Full Body B (INFERRED Full Body -- OHP, Leg Curl,	
	Leg Extension, Bicep Curl, Triceps Push)		
		MISMATCH -- not Legs A	
Thu 27 Aug	Push B	---	MISSED
Fri 28 Aug	Pull B	Full Body C (INFERRED Pull-heavy -- Bent Over Row,	
	Lat Pulldown, Rear Delt Fly, Leg Press)		
		APPROX MATCH (partial Pull B)	
Sat 29 Aug	Legs B	---	MISSED
Sun 30 Aug	REST	---	OK (rest day)
Mon 31 Aug	Push A	---	MISSED
Tue 01 Sep	Pull A	---	MISSED (today)

Adherence: 17% (1 of 6 expected non-rest sessions on correct PPL type)
Note: No session title contains a PPL keyword (Push A/B, Pull A/B, Legs A/B).
All sessions use Full Body A/B/C labels -- programme not being followed.

CORRECTIVE MARKERS:

Hip Thrust in Legs sessions : 0 of 2 sessions with leg content -- MISSING on 26 Aug and 28 Aug
(CRITICAL -- APT correction absent; 0 appearances in 30-day log)
Core stabiliser (Dead Bug / Bird-Dog / Plank):
0 of 2 sessions -- MISSING both sessions
(T8-T12 kyphosis protocol entirely absent from 30-day log)
Rear delt work in Pull sessions: 1 of 1 pull-oriented session (Rear Delt Fly present Fri 28 Aug)

NOTE: 2 of 3 Rear Delt Fly sets logged as 0kg on 28 Aug -- possible entry error, check

Sessions over 60 min: None (Wed 26 Aug = 57 min OK; Fri 28 Aug = 8 min -- likely timer error)

LATERAL RAISE (V-TAPER KPI):

This week: not performed (0 sets) | Prior week: 10kg x 15 reps (Mon 24 Aug) | Trend: DOWN

7. KEY INSIGHTS

RECOVERY AT 44:

Two session pairs are relevant. The cross-week pair -- Session 7 (Mon 24 Aug 10:40 IST) to Session 8 (Wed 26 Aug 08:24 IST) -- logged only 45h 44min between sessions. Both sessions worked overlapping muscle groups: shoulders (OHP in both) and legs (Squats on Mon, Leg Curl and Leg Extension on Wed). This pair does NOT clear the 48h minimum by 2h 16min -- the offending pair. The within-week pair (Wed 26 Aug 08:24 to Fri 28 Aug 11:03) cleared the threshold at 50h 39min with no shared muscle concern.

PPL ADHERENCE AND PROGRAMME AGE:

This is Week 15 of the PPL x2 programme (started 2026-05-24) and zero PPL-format sessions have been logged -- the user continues a Full Body A/B/C rotation. Only 2 of 6 target sessions were completed (33% session rate). Of those 2, only Friday 28 Aug loosely matches Pull B (back compounds + rear delt) -- 1 of 6 expected sessions = 17% PPL type adherence. The consistently missed days are Thu (Push B), Sat (Legs B), Mon (Push A), and Tue (Pull A), indicating mid-to-end-of-week fatigue or scheduling failure. 15 weeks in, the programme structure has yet to be adopted.

CORRECTIVE COMPLIANCE:

Hip Thrust is absent from the entire 30-day log (0 appearances). It is mandatory every Legs session for anterior pelvic tilt (APT) correction. APT keeps the hip flexors shortened and the glutes inhibited -- without Hip Thrust loading the glutes directly, the pelvis stays anteriorly tilted and lower-back stress compounds with every squat and deadlift rep. Core stabilisers (Dead Bug or Bird-Dog, required for T8-T12 kyphosis) also show 0 appearances in 30 days. Rear delt sets this week: 3 of 8 target (5 short). At age 44, when front deltoids and pectorals are disproportionately stronger than rear delts, every pressing rep compresses the subacromial space under the acromion. Over time, the supraspinatus tendon fray under that chronic sub-threshold load -- rotator cuff impingement can sideline pressing entirely for months.

LATERAL RAISE TREND -- V-TAPER KPI:

DOWN. Lateral raises were not performed at all this week (0 sets) versus 10kg x 15 reps the prior week (Mon 24 Aug). The V-taper KPI is stalling. Ganesh's love handles sit at the same width as the lats, which collapses the visual waist-to-shoulder ratio from the front. Lateral raises are the only movement that loads the medial (side) deltoid -- the muscle responsible

for the shoulder width seen in a front-on mirror. Without consistent lateral raise progression, no V-taper improvement is possible regardless of fat loss.

HARD FLAGS:

- (1) Fri 28 Aug session duration logged as 8 minutes for 11 working sets -- physically impossible; likely timer stopped early or recording error. Actual session may be ~50-80 min.
- (2) Session 7 (Mon 24 Aug 10:40) to Session 8 (Wed 26 Aug 08:24): 45h 44min gap for overlapping shoulders and legs work -- 2h 16min below the 48h minimum. Recovery risk at 44.
- (3) Hip Thrust: 0 appearances in 30-day log. APT corrective mandatory for every Legs session -- completely absent.
- (4) Core stabilisers (Dead Bug / Bird-Dog): 0 appearances in 30-day log. T8-T12 kyphosis corrective entirely missing for over a month.
- (5) Chest: 0 sets this week (target 12); Core: 0 sets (target 6); Traps: 0 sets (target 6).
All three are AT RISK of catabolism on the current 417 kcal/day daily deficit.
- (6) Deload 8 weeks overdue. Recommended every 4 weeks; last deload not logged. Connective tissue and CNS have had no formal recovery window.

OVERALL VERDICT: DECLINING

Volume is up 21% numerically (10,254 vs 8,506 kg*reps) but this came from only 2 sessions -- the same 2-session pattern now running 4 consecutive weeks. Programme adherence is effectively zero (no PPL sessions logged in 15 weeks). Corrective compliance is at its worst: no Hip Thrust, no core work, no lateral raises. Deload is 8 weeks overdue. Rear delt deficit raises shoulder impingement risk at 44. This week is worse than last week across adherence, corrective compliance, and structured volume. VERDICT: DECLINING.

8. PLAN FOR NEXT WEEK

Programme week: W16 (Week 16 of PPL x2)

* DELOAD WEEK -- 8 weeks overdue. Cut to 2 working sets per exercise. Hold weights. ***

Next standard deload after this: Week 20, approximately Mon 05 Oct 2026.

MONDAY 07 SEP -- Push A (Chest primary + Shoulders + Triceps) [DELOAD: 2 sets]

Bench Press (Barbell) 2 x 8 @ 60kg

(last logged: 60kg x 8 reps Mon 24 Aug -- hold weight during deload)

Overhead Press (Barbell) 2 x 7 @ 45kg

(last logged: 45kg x 7 reps Wed 26 Aug -- hold during deload)

Lateral Raise (Dumbbell) 2 x 15 @ 10kg <- V-TAPER KPI -- do NOT skip

(last logged: 10kg x 15 reps Mon 24 Aug)

Triceps Pushdown 2 x 10 @ 27.2kg

(last logged: 27.2kg x 11 reps Wed 26 Aug)

Dead Bug 2 x 10 (bodyweight) -- do NOT skip (T8-T12 kyphosis corrective)

FOCUS: Chest has had 0 sets for the entire past week. Bench Press is the priority. Deload means 2 sets only -- resist the urge to add more. Lateral Raises must be logged with weight and reps noted exactly.

TUESDAY 08 SEP -- Pull A (Back compound + Biceps) [DELOAD: 2 sets]

Bent Over Row (Barbell) 2 x 8 @ 70kg

(last logged: 70kg x 8 reps Fri 28 Aug -- e1RM trending up; hold during deload)

Lat Pulldown (Machine) 2 x 6 @ 66kg

(last logged: 66kg x 6 reps Fri 28 Aug)

Bicep Curl (Barbell) 2 x 10 @ 20kg

(last logged: 20kg x 10 reps Wed 26 Aug)

Dead Bug 2 x 10 (bodyweight) -- do NOT skip

FOCUS: Back volume has been less than half the 14-set weekly target. Bent Over Row is the compound priority. Keep the row strict -- no hip drive during deload week.

WEDNESDAY 09 SEP -- Legs A (Quads + Hamstrings + Glutes) [DELOAD: 2 sets]

Hip Thrust (Barbell) 2 x 10 @ 60kg <- FIRST LOG -- MANDATORY APT corrective

(never logged; start conservative at 60kg -- glute-bridge motion, drive hips fully up)

Squat (Barbell) 2 x 6 @ 70kg

(last logged: 70kg x 6 reps Mon 24 Aug)

Leg Press (Machine) 2 x 12 @ 50kg

(last logged: 50kg x 12 reps Fri 28 Aug)

Leg Extension (Machine) 2 x 9 @ 77kg

(last logged: 77kg x 9 reps Wed 26 Aug)

Dead Bug 2 x 10 (bodyweight) -- do NOT skip

FOCUS: Hip Thrust is mandatory and has never been logged. Set up the barbell on the floor, sit with shoulder blades on a bench, drive hips to full extension. Do not skip it -- APT will not self-correct without direct glute loading.

THURSDAY 10 SEP -- Push B (Shoulders primary + Chest variation + Triceps) [DELOAD: 2 sets]

Overhead Press (Barbell) 2 x 7 @ 45kg

Lateral Raise (Dumbbell) 2 x 15 @ 10kg <- V-TAPER KPI -- note weight and reps exactly

Dumbbell Chest Press 2 x 10 @ 22kg

(no recent history -- conservative start for a chest variation)

Triceps Pushdown 2 x 10 @ 27.2kg

Dead Bug 2 x 10 (bodyweight) -- do NOT skip

FOCUS: This is a shoulders-primary day. OHP and Lateral Raise are both present -- do them in that order. Check Lateral Raise reps carefully; if both deload sets hit 15 reps, next full-load week moves to 11.25kg.

FRIDAY 11 SEP -- Pull B (Back + Rear Delts + Biceps) [DELOAD: 2 sets]

Bent Over Row (Barbell) 2 x 8 @ 70kg

Lat Pulldown (Machine) 2 x 6 @ 66kg

Rear Delt Reverse Fly (DB) 2 x 12 @ 10kg <- MANDATORY for Pull B + rear delt 8-set target

(Note: Fri 28 Aug had 2 sets logged at 0kg -- check cable/pin weight before recording)

Bicep Curl (Barbell) 2 x 10 @ 20kg

Dead Bug 2 x 10 (bodyweight) -- do NOT skip

FOCUS: Rear delt fly is mandatory for Pull B. With only 3 rear delt sets this past week vs the 8-set target, rotator cuff protection is already compromised. Verify the dumbbell weight and log it accurately -- the 0kg entries last week are a red flag.

SATURDAY 12 SEP -- Legs B (Glutes + Hamstrings + Single-Leg) [DELOAD: 2 sets]

Hip Thrust (Barbell) 2 x 10 @ 60kg <- MANDATORY APT corrective every Legs session

Romanian Deadlift (Barbell) 2 x 8 @ 75kg
(last logged: 75kg x 8 reps Wed 05 Aug)

Seated Leg Curl (Machine) 2 x 9 @ 43kg
(last logged: 43kg x 9 reps Wed 26 Aug)

Bulgarian Split Squat (DB) 2 x 8 each leg @ 12kg
(no recent history -- conservative start for single-leg work)

Dead Bug 2 x 10 (bodyweight) -- do NOT skip

FOCUS: Legs B is glute and hamstring focused -- Hip Thrust leads, not squats. Romanian Deadlift is the hamstring compound here. Bulgarian Split Squat replaces Rack Pull if rack is unavailable; if rack is available, Rack Pull at 80kg x 2x5 is preferred.

+-----+		
Deload	: needed this week (W16) -- 8 weeks overdue	
	2 sets per exercise; hold all weights; no PRs	
	Next deload due: Week 20, ~Mon 05 Oct 2026	
Timing	: 6-9 PM IST -- no sessions after midnight	
Nutrition:	2,367 kcal/day 174g protein minimum	
+-----+		