

30-Day Analysis Report

This week : 25 Jul to 01 Aug 2026

ATHLETE PROFILE

Name: Ganesh
Profile: 44M | 181 cm | 87 kg -> 79 kg
Goal: Body Recomposition -- Fat loss, muscle preservation
Pace: 0.5 kg/week | 15% calorie deficit

Generated on 2026-07-31

WEEKLY TRAINING REPORT

Generated : 2026-08-01 05:00 IST
User : Ganesh | 44M | 181cm | 87kg -> 79kg
This week : 25 Jul to 01 Aug 2026

1. THIS WEEK AT A GLANCE

Sessions : 0 of 5 target
Prior 3 weeks: 5, 4, 2 sessions (avg 3.7)
Overall score: 1/10 -- Below par -- low sessions or major muscle imbalances this week.
Biggest win : No working sets recorded this week
Biggest concern: Back -- 0 sets vs 14 target (14 sets short)
vs last week : Volume DOWN 100% (0 vs 8,490 kg*reps)

2. THIS WEEK -- SESSION BY SESSION

No sessions recorded this week.

4-WEEK VOLUME TREND

Wk -3 (04 Jul-11 Jul): [#####] 24,942 kg*reps 5 sess
Wk -2 (11 Jul-18 Jul): [#####....] 20,855 kg*reps 4 sess
Wk -1 (18 Jul-25 Jul): [#####.....] 8,490 kg*reps 2 sess
This wk (25 Jul-01 Aug): [.....] 0 kg*reps 0 sess

3. STRENGTH -- HOW ARE THE LIFTS MOVING?

e1RM = estimated 1-rep max (formula: weight x (1 + reps / 30))
[C] = compound lift | [I] = isolation

4. ARE THE RIGHT MUSCLES GETTING ENOUGH WORK?

Muscle Group | Sets this wk | Target/wk | Gap | Status

* +-----+-----+-----+-----				
Chest		0	12	12 CRITICAL
Back		0	14	14 CRITICAL
Shoulders		0	10	10 CRITICAL
Traps		0	6	6 CRITICAL
Rear Delts		0	8	8 CRITICAL
Biceps		0	8	8 CRITICAL
Triceps		0	8	8 CRITICAL
Legs		0	14	14 CRITICAL
Core		0	6	6 CRITICAL

Push sets: 0 | Pull sets: 0 | Ratio pull:push = 0.00 (LOW -- add more pulling work)

Rear delts: 0 sets this week (need 8+/week)

SHORT by 8 sets. Rear delts stabilise the shoulder joint. If front shoulder muscles stay much stronger than rear, you risk rotator cuff problems over time. Add face pulls or reverse flys.

Traps : 0 sets this week (need 6+/week)

SHORT by 6 sets. Traps support neck and upper back posture. Add shrugs or deadlifts.

Short this week : Chest, Back, Shoulders, Traps, Rear Delts, Biceps, Triceps, Legs, Core
Under-trained muscles lose size first on a calorie deficit. Prioritise these next session.

5. REST AND RECOVERY THIS WEEK

Sessions this week : 0 of 5 target

Wk -3 (04 Jul-11 Jul): 5 sessions

Wk -2 (11 Jul-18 Jul): 4 sessions

Wk -1 (18 Jul-25 Jul): 2 sessions

No sessions after midnight IST this week. Good.

No back-to-back same-muscle sessions this week. Good.

6. BODY RECOMPOSITION CHECK

Calorie target : 2367 kcal/day

TDEE estimate : 2784 kcal/day (your estimated daily burn at current weight)

Daily deficit : 417 kcal (15% cut -- sustainable rate for muscle retention)

Protein target : 174g/day (2g per kg bodyweight)

WHY PROTEIN MATTERS ON A CUT:

In a calorie deficit, the body looks for extra fuel. If protein is low, it breaks down muscle tissue for energy -- this is called muscle catabolism. At 174g/day, you supply enough amino acids to maintain muscle while losing fat. Going below ~120g/day on this deficit risks losing the muscle you are training to build.

MUSCLE STIMULUS CHECK (minimum sets/week to retain muscle on a calorie deficit):

Muscle	This wk	Min	Status
Chest	0	8	AT RISK
Back	0	10	AT RISK
Shoulders	0	8	AT RISK
Traps	0	4	AT RISK
Rear Delts	0	6	AT RISK
Biceps	0	6	AT RISK
Triceps	0	6	AT RISK
Legs	0	10	AT RISK
Core	0	4	AT RISK

Muscles at risk of loss this week (below minimum stimulus):

Chest, Back, Shoulders, Traps, Rear Delts, Biceps, Triceps, Legs, Core

These are not getting enough signal to hold on to muscle during a deficit.

Add sets for these in the next 1-2 sessions.

Programme week: W10 (started 2026-05-24; 68 days elapsed -> 9.71 weeks -> rounds up to Week 10)
Sessions this week (25 Jul - 31 Jul 2026): 0 of 6 target

Day	Expected	Detected	Status
*	+	-----+	-----+

Sessions regularly run 30+ min over the 60-min target.

Page 4 | Generated 2026-07-31 | Confidential - Ganesh

Last recorded: 10kg x 14 reps (Mon 13 Jul 2026, Session 8)

Before that : 10kg x 13 reps (Mon 06 Jul 2026, Session 4)

Trend: DECLINING -- Lateral Raise has not been performed for 18 days. The exercise has effectively been dropped. The two logged weeks show slight improvement (13->14 reps) but this KPI is stalled by absence. V-taper improvement requires consistent weekly progression; going 18+ days without Lateral Raise reverses any gains.

7. KEY INSIGHTS

RECOVERY AT 44:

Two back-to-back session pairs in July violated the 48-hour same-muscle minimum. Session 10 (Full Body C, Fri 17 Jul, 08:55 IST) was followed by Session 11 (Chest Shoulder, Sat 18 Jul, 08:12 IST) -- a gap of only 23h 17min. Both sessions include shoulder-joint loading (rear delt work and pressing respectively), breaching the 48h rule for that joint. The identical pattern occurred three weeks earlier: Session 6 (Full Body C, Fri 10 Jul, 08:20) into Session 7 (Chest Shoulder, Sat 11 Jul, 08:04), just 23h 44min apart. At 44, sub-24h shoulder recovery creates cumulative joint stress without adequate tendon repair time, particularly across the rotator cuff. One additional borderline pair: Session 3 (Sat 04 Jul) -> Session 4 (Mon 06 Jul) = 47h 43min on chest overlap, just 17 minutes under the threshold. Three violations in 12 sessions is a structural scheduling problem, not a one-off. Friday-to-Saturday same-muscle pairing must stop.

PPL ADHERENCE AND PROGRAMME AGE:

Adherence this week: 0% (0 of 6 sessions, 25-31 Jul 2026). This is Week 10 of the PPL x2 programme that started 2026-05-24. Zero sessions in a week is a full missed block -- every muscle group falls below minimum stimulus threshold for retention on a calorie deficit. The prior three weeks registered 5, 4, and 2 sessions respectively, showing a clear downward trend week-on-week. Saturdays are the most structurally disrupted day: the "Chest Shoulder" session (not a PPL Legs B as intended) has appeared on the last three logged Saturdays, suggesting Legs B is consistently being substituted with a Chest/Shoulder push session. Additionally, the Hevy workout titles still read "Full Body A/B/C" and "Chest Shoulder" -- the PPL templates have not been created in Hevy at all, making adherence tracking unreliable.

CORRECTIVE COMPLIANCE:

Hip Thrust hit rate: 0 of 0 Legs sessions this week. More critically, Hip Thrust has not appeared in a single session across the entire 30-day export (12 sessions). With anterior pelvic tilt, the hip flexors are chronically shortened and the glutes are neurologically inhibited. Hip Thrust is the primary exercise to reactivate the glute max and counteract the tilt. Going 30+ days without it means the APT is worsening with each squat and Romanian Deadlift that loads a tilted pelvis. Rear delt sets: 0 this week vs 8-set weekly target. Over the full 30-day period only 8 rear delt sets were logged total (should be 32+). When the anterior deltoid and pec major become disproportionately stronger than the posterior deltoid and infraspinatus -- which is the current trajectory -- the humeral head migrates anteriorly in the

socket under pressing load. At 44, this anterior glide produces shoulder impingement syndrome faster than in younger athletes due to reduced tendon elasticity. Core stabiliser (Dead Bug, Bird-Dog): 0 sessions this week, 0 sessions in the entire 30-day log. Machine crunches and hanging leg raises train rectus abdominis but do not address the T8-T12 thoracic flexion pattern. Dead Bug specifically challenges spinal extension against a flexion load -- this is the corrective that matters and it has been entirely absent.

LATERAL RAISE TREND:

The V-taper KPI is declining by absence: Lateral Raise has not been performed for 18 days (last logged Mon 13 Jul at 10kg x 14 reps). The two data points available (10kg x 13 reps on 06 Jul, 10kg x 14 reps on 13 Jul) showed a small positive reps trend at the same weight, which is technically UP, but this is meaningless if the exercise is then dropped for three weeks. For Ganesh specifically, the love handles sit at lat-width level, which means the visual hip-to-shoulder ratio depends entirely on how much the lateral deltoids can extend the shoulder silhouette beyond the hips. Lateral Raise is the only exercise that builds this specific width. At 10kg for 14 reps, there is room to increase to 12kg -- but only if the exercise is actually done. Missing 3 consecutive weeks means any deltoid width adaptation gained in early July is already beginning to reverse through detraining.

HARD FLAGS:

1. Session 12 (Mon 20 Jul, 16 min): ABANDONED SESSION. Only 7 working sets logged. Squat dropped from 80kg x 5 reps (Session 8, Mon 13 Jul) to 40kg x 6 reps -- a 50% weight reduction in one week with no apparent warm-up logic (20kg then 30kg then 40kg, not progressing past a light warm-up). Bench Press dropped from 65kg to 40kg. The session appears to have been stopped after 15-16 minutes, logging only warm-up-level weights.
2. SESSIONS CHRONICALLY OVER 60 MIN: 10 of 12 sessions exceeded the 60-min ceiling. Four sessions ran to 86-97 min (Mon 06 Jul at 97 min; Mon 13 Jul at 93 min; Wed 15 Jul at 93 min; Sat 18 Jul at 86 min). At 60+ min, cortisol rises and testosterone falls -- the hormonal environment actively works against muscle retention on a deficit.
3. FRIDAY -> SATURDAY BACK-TO-BACK UNDER 48H: Two instances (10 Jul -> 11 Jul, 17 Jul -> 18 Jul) with < 24h between shoulder-loading sessions. Must stop.
4. HIP THRUST ENTIRELY ABSENT: 0 sets in 30 days. APT correction protocol has not been followed at all. The mandatory corrective for Legs sessions is missing from every session.
5. DEAD BUG / BIRD-DOG ENTIRELY ABSENT: 0 sets in 30 days. T8-T12 corrective protocol has not been started.

OVERALL VERDICT: DECLINING

This week is unambiguously worse than last week across every metric:

- * Volume: 0 kg*reps this week vs 8,490 kg*reps last week (100% drop)
- * Adherence: 0 sessions vs 6 target (vs 2 sessions last week, itself below target)
- * Corrective compliance: 0% across hip thrust, dead bug, bird-dog
- * Strength: No data this week; last week showed an abandoned session with sharply reduced loads

The downward trend across three consecutive weeks (5 -> 4 -> 2 -> 0 sessions) is now critical.

8. PLAN FOR NEXT WEEK

Programme week: W11 (Week 11 of PPL x2 -- DELOAD WEEK)

Rationale: Active training blocks = 3 weeks. Deload due every 4 weeks per programme.

Week 11 is the deload. Load = 60% of best working weight. Volume = 2 working sets per main exercise. Mandatory correctives are FULL SETS (not reduced) -- correctivework does not deload.

Target: complete all 6 sessions. Sunday = rest.

Timing: 6-9 PM IST preferred. No sessions after midnight.

MONDAY -- Push A (Chest primary + Shoulders + Triceps) [DELOAD]

Bench Press (Barbell) 2 x 8 @ 40kg (60% of 65kg baseline -- last good session 13 Jul)

Incline Chest Press (Machine) 2 x 10 @ 20kg (60% of 30kg)

Chest Fly (Machine) 2 x 10 @ 40kg (60% of 65kg)

Seated Shoulder Press (Machine) 2 x 8 @ 55kg (60% of 90kg, round to nearest 5kg)

Lateral Raise (Dumbbell) 2 x 12 @ 6kg [V-TAPER KPI -- do not skip; 18-day gap]

Triceps Pushdown 2 x 12 @ 17kg (60% of 27.2kg)

Dead Bug 3 x 10 -- do not skip (T8-T12 corrective -- mandatory every session)

Key focus: Establish the PPL Push A session structure. Update the workout template in Hevy to 'Push A' now. Target: finish within 55 minutes.

TUESDAY -- Pull A (Back compound + Biceps) [DELOAD]

Bent Over Row (Barbell) 2 x 8 @ 42.5kg (60% of 70kg)

Romanian Deadlift (Barbell) 2 x 8 @ 45kg (60% of 75kg -- last good: 75kg x 8, 15 Jul)

Pull Up 2 x 6 (bodyweight; deload = same as usual)

Bicep Curl (Dumbbell) 2 x 12 @ 7.5kg (60% of 10kg working weight)

Bird-Dog 3 x 10 each side -- do not skip (T8-T12 corrective)

Key focus: Template rename in Hevy -> 'Pull A'. RDL at 45kg is intentionally light -- deload means you leave gas in the tank; this is not weakness.

WEDNESDAY -- Legs A (Quads, Hamstrings, Glutes) [DELOAD + Hip Thrust intro]

Squat (Barbell) 2 x 8 @ 50kg (60% of 80kg -- ignore the 40kg Jul 20 session)

Leg Extension (Machine) 2 x 10 @ 46kg (60% of 77kg; use machine setting closest to 46kg)

Hip Thrust (Barbell) 3 x 10 @ 30kg MANDATORY -- APT correction -- first logged session.

Use a barbell pad. Drive hips fully forward and squeeze glutes hard at the top. 3 sets not 2 -- corrective, not deloaded.

Dead Bug 3 x 10 -- do not skip

Key focus: Hip Thrust is the most important exercise in this session. Set it up before you start; do not skip it if time runs short. This is the primary APT fix.

THURSDAY -- Push B (Shoulders primary + Chest variation + Triceps) [DELOAD]

Overhead Press (Barbell) 2 x 8 @ 30kg (60% of 47.25kg, round to 30kg)

Incline Chest Press (Machine) 2 x 10 @ 20kg (chest variation for Push B)

Lateral Raise (Dumbbell) 2 x 12 @ 6kg [V-TAPER KPI -- second Lateral Raise this week]

Skullcrusher (Dumbbell) 2 x 12 @ 12kg (60% of 20kg)

Bird-Dog 3 x 10 each side -- do not skip

Key focus: Overhead Press drives shoulder-width more than machine press -- keep the bar path

vertical. At 30kg this should feel very manageable; focus on controlled eccentric.

FRIDAY -- Pull B (Back + Rear Delts + Biceps) [DELOAD]

- Deadlift (Barbell) 2 x 6 @ 50kg (60% of 80kg -- last good: 80kg x 7, 17 Jul)
- Bent Over Row (Barbell) 2 x 8 @ 42.5kg
- Rear Delt Reverse Fly (DB) 3 x 12 @ 7.5kg MANDATORY -- rotator cuff health (60% of 10kg)
3 sets not 2 -- rear delt work is therapeutic, not deloaded. This is the mandatory Pull B corrective.
- Shrug (Barbell) 2 x 10 @ 42.5kg (60% of 70kg)
- Bicep Curl (Machine) 2 x 12 @ 15kg (60% of 25kg)
- Bird-Dog 3 x 10 each side -- do not skip

Key focus: Face Pull is an alternative to Rear Delt Fly if the cable machine is free -- either counts as the mandatory rear delt corrective. At 44, with 0 rear delt sets this week, this session is critical for shoulder joint health. Do not skip or cut short.

SATURDAY -- Legs B (Glutes, Hamstrings, Single-Leg) [DELOAD]

- Hip Thrust (Barbell) 3 x 10 @ 30kg MANDATORY -- APT correction (second Legs B this week)
Focus on the mind-muscle connection: glutes fire, NOT lower back. If feeling lower back, reduce load.
- Romanian Deadlift (Barbell) 2 x 8 @ 45kg (hamstring focus -- same deload weight as Pull A)
- Bulgarian Split Squat (BW) 2 x 8 each leg (bodyweight only -- first time; single-leg corrective)
- Leg Extension (Machine) 2 x 10 @ 46kg (quad accessory)
- Dead Bug 3 x 10 -- do not skip

Key focus: Two Hip Thrust sessions this week is intentional catch-up after 30 days of APT neglect. The Bulgarian Split Squat at bodyweight exposes any left-right imbalances -- note which side feels weaker and report back.

+-----+		
Deload	: needed this week -- Week 11, ~08 Aug 2026	
Timing	: 6-9 PM IST -- no sessions after midnight	
Nutrition:	2,367 kcal/day 174g protein minimum	
+-----+		