

30-Day Analysis Report

This week : 04 Sep to 11 Sep 2026

ATHLETE PROFILE

Name: Ganesh
Profile: 44M | 181 cm | 87 kg -> 79 kg
Goal: Body Recomposition -- Fat loss, muscle preservation
Pace: 0.5 kg/week | 15% calorie deficit

Generated on 2026-09-10

WEEKLY TRAINING REPORT

Generated : 2026-09-11 05:01 IST

User : Ganesh | 44M | 181cm | 87kg -> 79kg

This week : 04 Sep to 11 Sep 2026

1. THIS WEEK AT A GLANCE

Sessions : 3 of 5 target

Prior 3 weeks: 3, 2, 1 sessions (avg 2.0)

Overall score: 4/10 -- Average week -- muscle gaps or missed sessions holding you back.

Biggest win : Leg Extension (Machine) -- 77kg x 10 reps (e1RM 102.7kg)

Biggest concern: Chest -- 2 sets vs 12 target (10 sets short)

vs last week : Volume UP 177% (12,099 vs 4,372 kg*reps)

2. THIS WEEK -- SESSION BY SESSION

Session 1: Friday 04 Sep 2026 09:00 IST | 251 min

Type : Full Body C -- Friday

Volume : 3,220 kg*reps | 8 sets

Bent Over Row (Barbell): 70kg x 8r x 3 sets (e1RM 88.7kg) vs prior: +0.0kg e1RM

Deadlift (Barbell): 75kg x 8r x 2 sets (e1RM 95.0kg)

Rear Delt Reverse Fly (Dumbbell): 10kg x 12r x 3 sets (e1RM 14.0kg) vs prior: -0.3kg e1RM

Session 2: Monday 07 Sep 2026 13:26 IST | 77 min

Type : Full Body A -- Monday

Volume : 2,870 kg*reps | 12 sets

Squat (Barbell): 70kg x 7r x 4 sets (e1RM 86.3kg) vs prior: +2.3kg e1RM

Bench Press (Barbell): 60kg x 6r x 2 sets (e1RM 72.0kg) vs prior: -4.0kg e1RM

Pull Up: 0kg x 6r x 3 sets (e1RM 0.0kg) [FLAG: 0kg logged]

Lateral Raise (Dumbbell): 10kg x 15r x 3 sets (e1RM 15.0kg) vs prior: +0.0kg e1RM

Session 3: Wednesday 09 Sep 2026 10:17 IST | 52 min

Type : Full Body B -- Wednesday

Volume : 6,009 kg*reps | 15 sets

Overhead Press (Barbell): 45kg x 8r x 3 sets (e1RM 57.0kg) vs prior: +1.5kg e1RM

Seated Leg Curl (Machine): 43kg x 9r x 3 sets (e1RM 55.9kg) vs prior: +0.0kg e1RM

Leg Extension (Machine): 77kg x 10r x 3 sets (e1RM 102.7kg) vs prior: +2.6kg e1RM

Bicep Curl (Barbell): 20kg x 10r x 3 sets (e1RM 26.7kg) vs prior: +0.0kg e1RM

Triceps Pushdown: 27.2kg x 11r x 3 sets (e1RM 37.2kg) vs prior: +0.0kg e1RM

4-WEEK VOLUME TREND

Wk -3 (14 Aug-21 Aug): [#####] 15,134 kg*reps 3 sess

Wk -2 (21 Aug-28 Aug): [#####.....] 9,332 kg*reps 2 sess

Wk -1 (28 Aug-04 Sep): [#####.....] 4,372 kg*reps 1 sess

This wk (04 Sep-11 Sep): [#####.....] 12,099 kg*reps 3 sess

3. STRENGTH -- HOW ARE THE LIFTS MOVING?

e1RM = estimated 1-rep max (formula: weight x (1 + reps / 30))

[C] = compound lift | [I] = isolation

[C] Bench Press (Barbell)

Best this week : 60kg x 6 reps (e1RM 72.0kg)

vs prior : DOWN -4.0kg vs 24 Aug

Next session : 57.0kg x 6 reps

[C] Bent Over Row (Barbell)

Best this week : 70kg x 8 reps (e1RM 88.7kg)

vs prior : SAME as 28 Aug

Next session : 70kg x 8 reps

[C] Deadlift (Barbell)

Best this week : 75kg x 8 reps (e1RM 95.0kg)

vs prior : First time in 30-day log

Next session : 75kg x 8 reps

[C] Overhead Press (Barbell)

Best this week : 45kg x 8 reps (e1RM 57.0kg)

vs prior : UP +1.5kg vs 12 Aug

Next session : 47.5kg x 8 reps

[C] Pull Up

Best this week : 0kg x 6 reps (e1RM 0.0kg)

vs prior : First time in 30-day log

Next session : 0kg x 6 reps

* FLAGS: 0kg logged -- check entry

[C] Squat (Barbell)

Best this week : 70kg x 7 reps (e1RM 86.3kg)

vs prior : UP +2.3kg vs 24 Aug

Next session : 72.5kg x 7 reps

[I] Bicep Curl (Barbell)

Best this week : 20kg x 10 reps (e1RM 26.7kg)

vs prior : SAME as 26 Aug

Next session : 20kg x 10 reps

[I] Lateral Raise (Dumbbell)

Best this week : 10kg x 15 reps (e1RM 15.0kg)

vs prior : SAME as 24 Aug

Next session : 10kg x 15 reps

[I] Leg Extension (Machine)

Best this week : 77kg x 10 reps (e1RM 102.7kg)

vs prior : UP +2.6kg vs 12 Aug

Next session : 78.25kg x 10 reps

[I] Rear Delt Reverse Fly (Dumbbell)

Best this week : 10kg x 12 reps (e1RM 14.0kg)

vs prior : SAME as 14 Aug

Next session : 10kg x 12 reps

[I] Seated Leg Curl (Machine)

Best this week : 43kg x 9 reps (e1RM 55.9kg)

vs prior : SAME as 26 Aug

Next session : 43kg x 9 reps

[I] Triceps Pushdown

Best this week : 27.2kg x 11 reps (e1RM 37.2kg)

vs prior : SAME as 12 Aug

Next session : 27.2kg x 11 reps

4. ARE THE RIGHT MUSCLES GETTING ENOUGH WORK?

Muscle Group | Sets this wk | Target/wk | Gap | Status

* +-----+-----+-----+-----

Chest		2		12		10		CRITICAL
Back		8		14		6		CRITICAL
Shoulders		6		10		4		CRITICAL
Traps		2		6		4		CRITICAL
Rear Delts		3		8		5		CRITICAL
Biceps		6		8		2		LOW
Triceps		3		8		5		CRITICAL
Legs		10		14		4		CRITICAL
Core		0		6		6		CRITICAL

Push sets: 11 | Pull sets: 19 | Ratio pull:push = 1.73 (OK -- balanced)

Rear delts: 3 sets this week (need 8+/week)

SHORT by 5 sets. Rear delts stabilise the shoulder joint. If front shoulder muscles stay much stronger than rear, you risk rotator cuff problems over time. Add face pulls or reverse flys.

Traps : 2 sets this week (need 6+/week)

SHORT by 4 sets. Traps support neck and upper back posture. Add shrugs or deadlifts.

Short this week : Chest, Back, Shoulders, Traps, Rear Delts, Biceps, Triceps, Legs, Core
Under-trained muscles lose size first on a calorie deficit. Prioritise these next session.

5. REST AND RECOVERY THIS WEEK

Sessions this week : 3 of 5 target

Wk -3 (14 Aug-21 Aug): 3 sessions

Wk -2 (21 Aug-28 Aug): 2 sessions

Wk -1 (28 Aug-04 Sep): 1 sessions

Time between sessions this week:

Fri 04 Sep 09:00 -> Mon 07 Sep 13:26: 76h

Mon 07 Sep 13:26 -> Wed 09 Sep 10:17: 45h

No sessions after midnight IST this week. Good.

Back-to-back sessions hitting the same muscle group:

Mon 07 Sep + Wed 09 Sep (45h apart): overlap = legs, shoulders

At age 44, muscles need 48-72h to fully repair between sessions.
 Training a muscle before it has recovered adds fatigue, not stimulus,
 and raises injury risk. Rearrange sessions to respect the recovery window.

6. BODY RECOMPOSITION CHECK

Calorie target : 2367 kcal/day
 TDEE estimate : 2784 kcal/day (your estimated daily burn at current weight)
 Daily deficit : 417 kcal (15% cut -- sustainable rate for muscle retention)
 Protein target : 174g/day (2g per kg bodyweight)

WHY PROTEIN MATTERS ON A CUT:

In a calorie deficit, the body looks for extra fuel. If protein is low, it breaks down muscle tissue for energy -- this is called muscle catabolism. At 174g/day, you supply enough amino acids to maintain muscle while losing fat. Going below ~120g/day on this deficit risks losing the muscle you are training to build.

MUSCLE STIMULUS CHECK (minimum sets/week to retain muscle on a calorie deficit):

Muscle	This wk	Min	Status
Chest	2	8	AT RISK
Back	8	10	AT RISK
Shoulders	6	8	AT RISK
Traps	2	4	AT RISK
Rear Delts	3	6	AT RISK
Biceps	6	6	OK
Triceps	3	6	AT RISK
Legs	10	10	OK
Core	0	4	AT RISK

Muscles at risk of loss this week (below minimum stimulus):

Chest, Back, Shoulders, Traps, Rear Delts, Triceps, Core

These are not getting enough signal to hold on to muscle during a deficit.

Add sets for these in the next 1-2 sessions.

Active training weeks logged : 9

Weeks since last deload : 9 (deload every 4 weeks)

*** DELOAD THIS WEEK ***

Cut all sets to 2 per exercise. Keep weights the same.

Deload weeks let joints and connective tissue recover.

You will come back stronger after the deload.

6.5. PPL ADHERENCE & CORRECTIVE COMPLIANCE

Programme week: W16 (started 2026-05-24; 16 weeks elapsed)

Sessions this week: 3 of 6 target

NOTE: All three sessions are titled "Full Body A/B/C" -- the PPL split has not been

adopted in session naming. Types below are INFERRED from exercises logged.

Day	Expected	Detected	Status
*	+	+	-----+
Fri 04 Sep	Pull B	Full Body C (INFERRED Pull)	OK -- row/deadlift/rear delt match Pull B
Sat 05 Sep	Legs B	No session	MISSED
Sun 06 Sep	REST	Rest	OK
Mon 07 Sep	Push A	Full Body A (INFERRED PARTIAL)	PARTIAL -- bench+lat raise present but also squat+pull-up
Tue 08 Sep	Pull A	No session	MISSED
Wed 09 Sep	Legs A	Full Body B (INFERRED PARTIAL)	PARTIAL -- leg curl+extension present but OHP+triceps also in session
Thu 10 Sep	Push B	No session	MISSED

Adherence: 33% (1 of 3 logged sessions matched PPL type; 3 of 6 sessions completed)

Three missed sessions: Sat Legs B, Tue Pull A, Thu Push B.

Pattern: Tuesday and Thursday are the most frequently skipped days.

CORRECTIVE MARKERS:

Hip Thrust in Legs sessions : 0 of 0 dedicated Legs sessions -- no dedicated Legs A or B session logged this week. Leg exercises present in Mon and Wed sessions but NO Hip Thrust in either. APT correction is COMPLETELY ABSENT this week.

Core stabiliser (all sessions): 0 of 3 sessions had Dead Bug, Bird-Dog, or Plank.

T8-T12 kyphosis correction is COMPLETELY ABSENT across all three sessions.

Rear delt work in Pull sessions: 1 of 1 inferred Pull session (Fri 04 Sep -- 3 sets

Rear Delt Reverse Fly). Total rear delt sets this week: 3 of 8-set target (63% short).

Sessions over 60 min:

Fri 04 Sep: 251 min (CRITICAL -- 191 min over 60-min cap; 8 sets in 4+ hours)

Mon 07 Sep: 77 min (17 min over cap)

Wed 09 Sep: 52 min (OK)

LATERAL RAISE (V-TAPER KPI):

This week: 10kg x 15 | Prior week: not logged (last logged Mon 24 Aug = 10kg x 15) | Trend: SAME

Weight and reps have not changed across three weeks of Lateral Raise logging.

7. KEY INSIGHTS

RECOVERY AT 44

The Fri 04 Sep -> Mon 07 Sep gap was 76 hours -- fine. However, Mon 07 Sep 13:26 -> Wed 09 Sep 10:17 is only 45 hours, below the 48-hour minimum required for full muscle repair at age 44. Monday loaded shoulders (bench press, lateral raise) and legs (barbell squat); Wednesday loaded OHP -- a shoulder compound -- plus leg curl and leg extension. Both shoulder and leg muscle groups were re-trained before the 48-hour window closed. At 44, training a muscle before it has cleared the repair window adds

cumulative fatigue rather than stimulus, raises injury risk, and suppresses the strength response. This session pair is the single clearest scheduling violation this week.

PPL ADHERENCE AND PROGRAMME AGE

Three of six sessions completed this week (50%). It is Week 16 of the PPL x2 programme (started 2026-05-24) and all three sessions are still labelled "Full Body A/B/C" -- the PPL split structure has not been adopted after four months. Missed days this week were Saturday (Legs B), Tuesday (Pull A), and Thursday (Push B). The emerging pattern is that mid-week evening sessions (Tuesday, Thursday) and Saturday morning sessions are the consistent gaps. With 6 sessions per week as the target, missing three days leaves muscle groups either untrained or forced into Full Body sessions that compromise dedicated volume for each group.

CORRECTIVE COMPLIANCE

Hip Thrust hit rate: 0 of 0 dedicated Legs sessions (no Legs A or Legs B has been logged this week). No Hip Thrust has appeared in any session, including those with leg exercises. Anterior pelvic tilt is caused by weak glutes and hip flexor tightness. Every squat and deadlift performed with APT uncorrected increases compressive load on the L4-L5 disc. Hip Thrust is the primary corrective and it has been absent across both legs-inclusive sessions this week. Rear delt sets landed at 3 vs the 8-set weekly target. At 44, if the anterior deltoid (front) remains significantly stronger than the posterior (rear), the humeral head is chronically pulled forward in the shoulder socket. Under repeated overhead and pressing load, this compresses the supraspinatus tendon under the acromion

- * the classic mechanism of rotator cuff impingement and eventual tear. Three rear delt sets per week is not sufficient to maintain balance. Core stabilisers (Dead Bug or Bird-Dog) were absent from all three sessions. Lower thoracic kyphosis at T8-T12 is not a passive structural issue -- it requires active corrective stimulus every session to prevent progressive worsening under load.

LATERAL RAISE TREND -- V-TAPER KPI

Lateral Raise is FLAT: 10kg x 15 reps across all logged sessions since 24 August -- three weeks at the same weight with the same reps. For Ganesh, the visual issue is that love handles sit at approximately the same lateral width as the lats, collapsing the V-to-waist ratio. Lateral raise progression is the primary driver of shoulder-cap development, which is the only way to widen the shoulder line relative to the waist without losing fat. A three-week stall at 10kg means the visual ratio is not improving. The target for next week is 11.25kg (or 11kg if the gym does not have 0.5kg increments).

HARD FLAGS

1. Fri 04 Sep: 251 minutes logged -- over four hours. The 60-minute session cap exists because longer sessions spike cortisol, compress recovery windows, and often reflect very long rest intervals rather than training stimulus. This session logged only 8 working sets in 251 minutes -- extremely low density. Check whether this is a logging

- artefact (timer left running) or actual session duration.
2. Mon 07 Sep -> Wed 09 Sep: 45-hour gap with shoulder and leg overlap -- violates the 48-hour minimum for tissue at age 44 (see Recovery section above).
 3. Pull Up: 0kg logged across all sets. Heavy treats 0kg as bodyweight but cannot track e1RM progression without a weight entry. Enter ~87kg as additional weight field in Heavy to enable accurate e1RM tracking (or use assisted pull-up machine with noted resistance for progressive overload tracking).
 4. Bench Press rep collapse: 60kg x 8 reps (24 Aug) dropped to 60kg x 6 reps (07 Sep). Next session target drops to 57kg x 8 reps (5% reduction) to rebuild rep quality before the next load increase.
 5. Core absent: Zero Dead Bug, Bird-Dog, or Plank in any of three sessions this week. In Week 16, with a documented T8-T12 kyphosis, this is a persistent structural gap.

OVERALL VERDICT: HOLDING

Volume recovered sharply -- from 1 session (Week 15) to 3 sessions this week, with total volume up 177% (4,372 to 12,099 kg*reps). That improvement is real. However, the PPL structure has not been adopted after 16 weeks, the corrective programme (Hip Thrust, Dead Bug, rear delt sets) is consistently absent, the recovery window was violated, and the V-taper KPI is flat for three weeks. This week is better than last week on volume alone but it is HOLDING against the programme's true targets -- not yet IMPROVING.

8. PLAN FOR NEXT WEEK

Programme week: W17 (Week 17 of PPL x2 -- DELOAD WEEK)

DELOAD NOTE: Section 6 flags deload overdue at 9 training weeks logged. W17 is the deload week. Cut ALL working sets to 2 per exercise. Keep weights the same as current best. This lets joints and connective tissue recover. You will return stronger in W18.

Corrective sets (Dead Bug, Bird-Dog) are NOT reduced -- 3 sets every session.

MONDAY -- Push A (Chest primary + Shoulders + Triceps) [DELOAD]

Bench Press (Barbell) 2 x 8 @ 57kg [was 60kg -- rep collapse, drop 5%]
 Overhead Press (Barbell) 2 x 8 @ 45kg [maintain current working weight]
 Lateral Raise (Dumbbell) 2 x 15 @ 11kg [+1kg progression -- flat for 3 weeks, push it]
 Triceps Pushdown 2 x 12 @ 27.2kg [maintain]
 Dead Bug 3 x 10 -- DO NOT SKIP (T8-T12 kyphosis corrective)

Watch-point: Bench at 57kg -- focus on full range, 1-second pause at chest, clean lockout before adding weight back. Timing: 6-9 PM IST.

TUESDAY -- Pull A (Back compound + Biceps) [DELOAD]

Bent Over Row (Barbell) 2 x 8 @ 70kg [maintain]
 Lat Pulldown (Machine) 2 x 8 @ 66kg [maintain -- target 8 clean reps]
 Pull Up (Bodyweight) 2 x 6 @ BW [enter 87kg in Heavy weight field]
 Bicep Curl (Barbell) 2 x 10 @ 20kg [maintain]
 Rear Delt Reverse Fly (Dumbbell) 3 x 12 @ 10kg [NOT cut on deload -- rear delt deficit critical]
 Bird-Dog 3 x 10 per side -- DO NOT SKIP

Watch-point: Add bodyweight entry in Heavy for Pull Up to enable e1RM tracking.

Timing: 6-9 PM IST.

WEDNESDAY -- Legs A (Quads + Hamstrings + Glutes) [DELOAD]

- Hip Thrust (Barbell) 3 x 10 @ 60kg [MANDATORY APT corrective -- conservative start]
- Squat (Barbell) 2 x 7 @ 70kg [maintain]
- Seated Leg Curl (Machine) 2 x 10 @ 43kg [maintain]
- Leg Extension (Machine) 2 x 10 @ 77kg [maintain -- progression to 78.25kg deferred to W18]
- Dead Bug 3 x 10 -- DO NOT SKIP

Watch-point: Hip Thrust is mandatory -- squeeze glutes hard at top of each rep, hold 1 second. 60kg is a conservative starting point; the key is the glute activation, not the load. Timing: 6-9 PM IST.

THURSDAY -- Push B (Shoulders primary + Chest variation + Triceps) [DELOAD]

- Overhead Press (Barbell) 2 x 8 @ 45kg [maintain -- shoulders primary this session]
- Lateral Raise (Dumbbell) 2 x 15 @ 11kg [same as Monday]
- Incline Dumbbell Press 2 x 10 @ 20kg [chest variation -- first time, conservative]
- Triceps Pushdown 2 x 12 @ 27.2kg [maintain]
- Bird-Dog 3 x 10 per side -- DO NOT SKIP

Watch-point: Incline DB Press at 20kg is a starting point -- confirm shoulder feels healthy before any load increase. Timing: 6-9 PM IST.

FRIDAY -- Pull B (Back + Rear Delts + Biceps) [DELOAD]

- Bent Over Row (Barbell) 2 x 8 @ 70kg [maintain]
- Deadlift (Barbell) 2 x 8 @ 75kg [maintain -- brace hard, neutral spine]
- Rear Delt Reverse Fly (Dumbbell) 3 x 12 @ 10kg [mandatory -- Fri Pull B must have rear delt work]
- Bicep Curl (Barbell) 2 x 10 @ 20kg [maintain]
- Dead Bug 3 x 10 -- DO NOT SKIP

Watch-point: Face Pull is the ideal rear delt exercise here -- if the gym has a cable machine, swap Rear Delt Fly for Face Pull @ ~15kg x 15 reps x 3 sets to start. Timing: 6-9 PM IST.

SATURDAY -- Legs B (Glutes + Hamstrings + Single-Leg + Rack Pull) [DELOAD]

- Hip Thrust (Barbell) 3 x 10 @ 60kg [MANDATORY APT corrective -- both Legs sessions]
- Leg Press (Machine) 2 x 12 @ 50kg [maintain]
- Romanian Deadlift (Barbell) 2 x 8 @ 60kg [first time -- conservative, focus on hip hinge]
- Bulgarian Split Squat 2 x 8 @ 0kg [bodyweight only first session -- enter BW in Hevy]
- Bird-Dog 3 x 10 per side -- DO NOT SKIP

Watch-point: Romanian Deadlift -- soft knee bend, push hips back, feel hamstring stretch before driving hips forward. Do not round lower back. Timing: 6-9 PM IST.

+-----+		
Deload	: needed this week (W17) -- overdue at 9 weeks logged	
Timing	: 6-9 PM IST -- no sessions after midnight	
Nutrition:	2,367 kcal/day 174g protein minimum	
+-----+		