

30-Day Analysis Report

30-Day Period ending 2026-07-30

ATHLETE PROFILE

Name: Ganesh
Profile: 44M | 181 cm | 87 kg -> 79 kg
Goal: Body Recomposition -- Fat loss, muscle preservation
Pace: 0.5 kg/week | 15% calorie deficit

Generated on 2026-07-30

WEEKLY TRAINING REPORT

Generated : 2026-07-31 05:00 IST
User : Ganesh | 44M | 181cm | 87kg -> 79kg
This week : 24 Jul to 31 Jul 2026

1. THIS WEEK AT A GLANCE

Sessions : 0 of 5 target
Prior 3 weeks: 5, 4, 3 sessions (avg 4.0)
Overall score: 1/10 -- Below par -- low sessions or major muscle imbalances this week.
Biggest win : No working sets recorded this week
Biggest concern: Back -- 0 sets vs 14 target (14 sets short)
vs last week : Volume DOWN 100% (0 vs 15,180 kg*reps)

2. THIS WEEK -- SESSION BY SESSION

No sessions recorded this week.

4-WEEK VOLUME TREND

Wk -3 (03 Jul-10 Jul): [#####] 25,338 kg*reps 5 sess
Wk -2 (10 Jul-17 Jul): [#####.....] 19,685 kg*reps 4 sess
Wk -1 (17 Jul-24 Jul): [#####.....] 15,180 kg*reps 3 sess
This wk (24 Jul-31 Jul): [.....] 0 kg*reps 0 sess

3. STRENGTH -- HOW ARE THE LIFTS MOVING?

e1RM = estimated 1-rep max (formula: weight x (1 + reps / 30))
[C] = compound lift | [I] = isolation

4. ARE THE RIGHT MUSCLES GETTING ENOUGH WORK?

Muscle Group | Sets this wk | Target/wk | Gap | Status

* +-----+-----+-----+-----				
Chest	0	12	12	CRITICAL
Back	0	14	14	CRITICAL
Shoulders	0	10	10	CRITICAL
Traps	0	6	6	CRITICAL
Rear Delts	0	8	8	CRITICAL
Biceps	0	8	8	CRITICAL
Triceps	0	8	8	CRITICAL
Legs	0	14	14	CRITICAL
Core	0	6	6	CRITICAL

Push sets: 0 | Pull sets: 0 | Ratio pull:push = 0.00 (LOW -- add more pulling work)

Rear delts: 0 sets this week (need 8+/week)
SHORT by 8 sets. Rear delts stabilise the shoulder joint. If front shoulder muscles stay much stronger than rear, you risk rotator cuff problems over time. Add face pulls or reverse flys.

Traps : 0 sets this week (need 6+/week)
SHORT by 6 sets. Traps support neck and upper back posture. Add shrugs or deadlifts.

Short this week : Chest, Back, Shoulders, Traps, Rear Delts, Biceps, Triceps, Legs, Core
Under-trained muscles lose size first on a calorie deficit. Prioritise these next session.

5. REST AND RECOVERY THIS WEEK

Sessions this week : 0 of 5 target
Wk -3 (03 Jul-10 Jul): 5 sessions
Wk -2 (10 Jul-17 Jul): 4 sessions
Wk -1 (17 Jul-24 Jul): 3 sessions

No sessions after midnight IST this week. Good.

No back-to-back same-muscle sessions this week. Good.

6. BODY RECOMPOSITION CHECK

Calorie target : 2367 kcal/day
TDEE estimate : 2784 kcal/day (your estimated daily burn at current weight)
Daily deficit : 417 kcal (15% cut -- sustainable rate for muscle retention)
Protein target : 174g/day (2g per kg bodyweight)

WHY PROTEIN MATTERS ON A CUT:

In a calorie deficit, the body looks for extra fuel. If protein is low, it breaks down muscle tissue for energy -- this is called muscle catabolism. At 174g/day, you supply enough amino acids to maintain muscle while losing fat. Going below ~120g/day on this deficit risks losing the muscle you are training to build.

MUSCLE STIMULUS CHECK (minimum sets/week to retain muscle on a calorie deficit):

Muscle	This wk	Min	Status
Chest	0	8	AT RISK
Back	0	10	AT RISK
Shoulders	0	8	AT RISK
Traps	0	4	AT RISK
Rear Delts	0	6	AT RISK
Biceps	0	6	AT RISK
Triceps	0	6	AT RISK
Legs	0	10	AT RISK
Core	0	4	AT RISK

Muscles at risk of loss this week (below minimum stimulus):
Chest, Back, Shoulders, Traps, Rear Delts, Biceps, Triceps, Legs, Core
These are not getting enough signal to hold on to muscle during a deficit.
Add sets for these in the next 1-2 sessions.

Active training weeks logged : 3
 Weeks since last deload : 3 (deload every 4 weeks)
 Next deload : in 1 week(s), approx 07 Aug 2026

6.5. PPL ADHERENCE & CORRECTIVE COMPLIANCE

Programme week: W10 (started 2026-05-24; 67 days elapsed, rounded up = 10 weeks)

Sessions this week: 0 of 6 target

Day	Expected	Detected	Status
* +-----+-----+-----			
Fri 24 Jul	Pull B	No session	MISSED
Sat 25 Jul	Legs B	No session	MISSED
Sun 26 Jul	REST	--	OK
Mon 27 Jul	Push A	No session	MISSED
Tue 28 Jul	Pull A	No session	MISSED
Wed 29 Jul	Legs A	No session	MISSED
Thu 30 Jul	Push B	No session	MISSED (today, 23:30 IST)

Adherence: 0% (0 of 6 training days completed this week)

NOTE: Sessions in the 30-day log are labelled Full Body A/B/C and Chest Shoulder

* the PPL split has not yet been formally transitioned to. Last session logged was Mon 20 Jul (abbreviated, 16 min). Ten days of zero training as of 30 Jul.

CORRECTIVE MARKERS:

Hip Thrust in Legs sessions : 0 of 0 Legs sessions this week -- N/A
 CRITICAL: Hip Thrust not logged in ANY session in the past 30 days.
 The 3 Leg-type sessions (Full Body A on 06 Jul, 13 Jul, 20 Jul) used Barbell Squat and Leg Extension only. APT correction is completely absent.

Core stabiliser (all sessions): 0 of 0 sessions this week -- N/A
 CRITICAL: Dead Bug and Bird-Dog have not been logged in any session in the 30-day window. Hanging Leg Raise (2 sessions, 6 sets) targets hip flexors, not thoracic extensors. T8-T12 kyphosis requires Dead Bug or Bird-Dog.
 Machine Crunch (2 sessions) also does not qualify as a corrective for this.

Rear delt work in Pull sessions: 0 of 0 Pull sessions this week -- N/A
 HISTORY: Rear Delt Reverse Fly done in 3 Full Body C sessions (03 Jul, 10 Jul, 17 Jul) = 8 sets total over 30 days, avg ~2 sets/week vs 8/week target.

Sessions over 60 min: None this week (no sessions)
 HISTORY (last 30 days): 8 of 12 sessions exceeded 60 min.
 Offenders: 97 min (06 Jul), 93 min (13 Jul), 93 min (15 Jul), 86 min (18 Jul), 78 min (04 Jul), 75 min (10 Jul), 70 min (17 Jul), 65 min (03 Jul).

LATERAL RAISE (V-TAPER KPI):

This week (24-30 Jul): No data -- no sessions logged
 Prior week (17-23 Jul): No data -- not performed in any session that week
 (Full Body C 17 Jul, Chest Shoulder 18 Jul, abbreviated

Full Body A 20 Jul -- all skipped Lateral Raise)

Last logged: Mon 13 Jul -- 10kg x 14 reps (3 sets) | Trend: DOWN

7. KEY INSIGHTS

Recovery at 44: The only borderline same-muscle overlap in the 30-day window was Session 3 (Sat 04 Jul 08:43, Chest Shoulder) into Session 4 (Mon 06 Jul 08:26, Full Body A with Bench Press): the chest and shoulder gap was 47h 43min

* 17 minutes short of the 48h minimum. At 44, connective tissue lags muscle recovery by 12-24 hours, so even a minor overlap compounds injury risk over a training block. The next chest pair -- Session 7 (Sat 11 Jul 08:04) to Session 8 (Mon 13 Jul 08:40) -- cleared 48h by 36 minutes, just inside the safe window. No other same-muscle pairs violated the 48h rule. The more pressing recovery signal this week is the 10-day unplanned gap since Mon 20 Jul: Session 12 was cut to 16 minutes with Barbell Squat dropped from 80kg to 40kg, indicating significant fatigue, illness, or motivational crash. This was not a structured deload.

PPL adherence and programme age: Adherence this week (24-30 Jul) is 0% -- 0 of 6 sessions completed. Across the past 4 weeks the pattern has been 5 -> 4 -> 3 -> 0 sessions: a consistent and accelerating decline. This is Week 10 of the PPL x2 programme (started 24 May 2026). Critically, the PPL split has not yet been started -- all 12 sessions logged over 30 days are Full Body A/B/C or Chest Shoulder. The sessions most consistently missed are at the end of the week: no Friday or Saturday sessions were logged in the final 2 weeks, and the one Monday session (20 Jul) was abandoned after 16 minutes. The programme framework exists but adherence is collapsing.

Corrective compliance: Hip Thrust has not appeared in a single session in the entire 30-day log -- 0 of 3 Leg-type sessions, 0%. Anterior pelvic tilt keeps the iliopsoas dominant and the pelvis tilted forward; without glute activation through Hip Thrust, lumbar compression during loaded squats and deadlifts increases over time and lower back pain will follow. Rear delt volume across the full 30 days was 8 sets (Rear Delt Reverse Fly in 3 Full Body C sessions), averaging ~2 sets per week against the 8/week target -- a 75% shortfall. At 44, if anterior deltoid strength continues to exceed rear delt strength by a wide margin, the glenohumeral head migrates anteriorly during pressing movements, narrowing the subacromial space. This is how rotator cuff impingement begins -- silently, over months, until it interrupts training entirely. Dead Bug and Bird-Dog have never been logged; the T8-T12 kyphosis corrective is completely absent from training history.

Lateral raise trend: The V-taper KPI is DOWN. The last Lateral Raise was Mon 13 Jul at 10kg x 14 reps; before that, Mon 06 Jul at 10kg x 13 reps. The trajectory was positive (1 extra rep at the same weight), but the exercise was skipped in the abbreviated Jul 20 session and absent from all sessions in the Jul 17-23 window. Ganesh's love handles sit at lat-width level, collapsing the visual V-taper ratio. Lateral Raise is the primary driver of medial deltoid width; without consistent progression here, the waist-to-shoulder ratio stays poor regardless of fat loss on the scale. The KPI needs to not just resume but progress to 12kg by end of W12.

Hard flags from session data: (1) Session 12 (Mon 20 Jul, 16 min): Barbell Squat crashed from 80kg (Session 8, 13 Jul) to 40kg -- a 50% weight collapse -- with only 1 Pull Up set completed before session termination. This is the clearest signal of a fatigue or health event in the log. (2) Ten-day training gap (21 Jul to 30 Jul): no sessions logged in 10 days -- the longest absence since programme tracking started. (3) Hip Thrust is completely absent: mandatory APT corrective not done once in 30 days. (4) Dead Bug / Bird-Dog: mandatory T8-T12 corrective not done once in 30 days. (5) 8 of 12 sessions in the last 30 days exceeded the 60-minute target (range: 65-97 min; mean ~78 min). The 97-minute Full Body A on 06 Jul ran more than twice the target. Chronically long sessions are a leading cause of accumulating fatigue and missed training days.

Overall verdict: DECLINING -- Volume down 100% week-on-week (0 vs 15,180 kg*reps last week). Sessions have fallen from 5 to 4 to 3 to 0 over the past 4 weeks. The PPL programme has not been started. Both mandatory correctives are entirely absent from 30 days of training history. Without a structural change -- shorter sessions, PPL transition, and correctives added -- the deficit-phase body recomposition goal is at serious risk.

8. PLAN FOR NEXT WEEK

Programme week: W11 (Week 11 of PPL x2 -- first full PPL split week)

Dates: Mon 03 Aug - Sat 08 Aug 2026

Base weights: most recent logged data for matching exercises. Conservative holds applied across the board after the 10-day training gap. No progression attempted on any exercise this week -- the goal is re-entry with clean form and full session completion within 60 minutes.

MONDAY 03 AUG -- Push A (Chest primary + Shoulders + Triceps)

Bench Press (Barbell) 3 x 6 @ 67.5kg

(last logged: 65kg x 7 x 3 on 13 Jul -- all sets hit target; +2.5kg)

Incline Chest Press (Machine) 3 x 10 @ 30kg

(last: 30kg x 11 x 3 on 18 Jul; aim for 12 reps before adding weight)

Lateral Raise (Dumbbell) 3 x 12 @ 12kg

(last: 10kg x 14 on 13 Jul -- move up one dumbbell; 10kg x 14 exceeds the rep target, so step up to 12kg; drop back to 10kg if form breaks)

Triceps Pushdown 3 x 10 @ 28.5kg

(last: 27.2kg x 11 x 3 consistently -- +1.25kg)

Dead Bug 3 x 10 -- MANDATORY (T8-T12 corrective)

Watch-point: Entire session must finish in 60 minutes. Limit warmup to 2 sets per compound lift. Rest 90 sec between sets.

TUESDAY 04 AUG -- Pull A (Back compound + Biceps)

Bent Over Row (Barbell) 3 x 6 @ 72.5kg

(last: 70kg x 7 x 3 on 17 Jul -- all sets hit; +2.5kg)

Pull Up (Bodyweight) 3 x 8 @ BW

(last: 0kg x 6 reps; target 8 clean reps -- stop set if form breaks at 6)

Bicep Curl (Dumbbell) 3 x 10 @ 10kg

(last at 10kg: 10kg x 10 on 08 Jul; reestablish before progressing)

Bird-Dog 3 x 10 per side -- MANDATORY (T8-T12 corrective)

Watch-point: Pull Up reps are the primary progression marker for upper back width. Log reps per set -- aim to beat 6 without losing scapular retraction.

WEDNESDAY 05 AUG -- Legs A (Quads + Hamstrings + Glutes -- Hip Thrust MANDATORY)

Hip Thrust (Barbell) 3 x 10 @ 40kg [FIRST LOG -- APT corrective]

(no prior log in 30 days; start conservative; posterior pelvic tilt at top, hold 1 second before lowering; do not progress weight until form is locked)

Squat (Barbell) 3 x 6 @ 70kg

(rebuild: last clean session was 70kg x 6 x 4 on 06 Jul; 80kg cut short on 13 Jul and crashed to 40kg on 20 Jul -- reset to 70kg baseline)

Leg Extension (Machine) 3 x 10 @ 77kg

(last: 77kg x 10 x 3 on 15 Jul -- hold at 77kg after 12-day break)

Dead Bug 3 x 10 -- MANDATORY

Watch-point: Hip Thrust is new in PPL context -- if 40kg feels too light, do not jump weight; instead add a 4th set. Lock the movement pattern first.

THURSDAY 06 AUG -- Push B (Shoulders primary + Chest variation + Triceps)

Seated Shoulder Press (Machine) 3 x 8 @ 90kg

(last: 90kg x 8 x 3 on 18 Jul -- all hit; hold at 90kg after 12-day gap rather than jumping to 92.5kg; re-earn before adding weight)

Overhead Press (Barbell) 3 x 6 @ 45kg

(last: inconsistent -- set 1 at 45kg x 7, sets 2-3 at 47.25kg x 6; reset to 45kg x 6 across all 3 sets to build consistency first)

Chest Fly (Machine) 3 x 10 @ 65kg

(last: 65kg x 10 x 3 on 18 Jul -- hold after break before moving to 66.25kg)

Skullcrusher (Dumbbell) 3 x 12 @ 20kg

(last: 20kg x 12 x 3 on 18 Jul -- hold after break)

Dead Bug 3 x 10 -- MANDATORY

Watch-point: Shoulders are the primary today; do Seated Press first before any fatigue from chest work. Do not pair Shoulder Press with OHP -- pick one as your compound and use the other as the secondary.

FRIDAY 07 AUG -- Pull B (Back + Rear Delts + Biceps -- Rear Delt Fly MANDATORY)

Deadlift (Barbell) 3 x 6 @ 80kg

(last: 80kg x 7 x 3 on 17 Jul -- hold at 80kg after break)

Rear Delt Reverse Fly (Dumb) 4 x 12 @ 10kg -- MANDATORY

(last: 10kg x 13 consistently; adding 4th set to start closing the 8-set/week rear delt gap; do not skip or cut to 3 sets under time pressure)

Shrug (Barbell) 3 x 12 @ 70kg

(last: 70kg x 12/11/11 on 17 Jul -- not all sets clean; hold at 70kg)

Bicep Curl (Machine) 3 x 10 @ 25kg

(last: 25kg x 10/10/6 on 18 Jul -- Set 3 rep collapse; hold weight, fix form)

Bird-Dog 3 x 10 per side -- MANDATORY

Watch-point: 4 sets of Rear Delt Fly is the non-negotiable anchor of Pull B.

If the session runs long, cut a set of Shrugs before touching rear delts.

SATURDAY 08 AUG -- Legs B (Glutes + Hamstrings + Single-Leg -- Hip Thrust MANDATORY)

Hip Thrust (Barbell) 3 x 10 @ 50kg -- MANDATORY
 (progress from Legs A's 40kg if that session was clean; both Legs sessions
 MUST include Hip Thrust every week -- APT correction requires bilateral loading)

Romanian Deadlift (Barbell) 3 x 8 @ 75kg
 (last: 75kg x 8 x 3 on 15 Jul -- hold after 12-day break; do not progress yet)

Bulgarian Split Squat (BW) 3 x 8 per leg @ bodyweight
 (no prior log -- start bodyweight; builds single-leg stability and glute
 activation essential for APT correction)

Dead Bug 3 x 10 -- MANDATORY

Watch-point: Second Hip Thrust session of the week. If the session is tight on
time, drop Bulgarian Split Squat before Hip Thrust -- not the other way around.

+-----+		
Deload	: not yet -- W11 is a structured re-entry week;	
	formal deload due W12, approx 10 Aug 2026	
Timing	: 6-9 PM IST -- no sessions after midnight	
Nutrition:	2,367 kcal/day 174g protein minimum	
+-----+		