

30-Day Analysis Report

This week : 07 Sep to 14 Sep 2026

ATHLETE PROFILE

Name: Ganesh
Profile: 44M | 181 cm | 87 kg -> 79 kg
Goal: Body Recomposition -- Fat loss, muscle preservation
Pace: 0.5 kg/week | 15% calorie deficit

Generated on 2026-09-13

WEEKLY TRAINING REPORT

Generated : 2026-09-14 05:01 IST

User : Ganesh | 44M | 181cm | 87kg -> 79kg

This week : 07 Sep to 14 Sep 2026

1. THIS WEEK AT A GLANCE

Sessions : 3 of 5 target

Prior 3 weeks: 1, 3, 1 sessions (avg 1.7)

Overall score: 4/10 -- Average week -- muscle gaps or missed sessions holding you back.

Biggest win : Leg Extension (Machine) -- 77kg x 10 reps (e1RM 102.7kg)

Biggest concern: Chest -- 2 sets vs 12 target (10 sets short)

vs last week : Volume UP 320% (13,539 vs 3,220 kg*reps)

2. THIS WEEK -- SESSION BY SESSION

Session 1: Monday 07 Sep 2026 13:26 IST | 77 min

Type : Full Body A -- Monday

Volume : 2,870 kg*reps | 12 sets

Squat (Barbell): 70kg x 7r x 4 sets (e1RM 86.3kg) vs prior: +2.3kg e1RM

Bench Press (Barbell): 60kg x 6r x 2 sets (e1RM 72.0kg) vs prior: -4.0kg e1RM

Pull Up: 0kg x 6r x 3 sets (e1RM 0.0kg) [FLAG: 0kg logged]

Lateral Raise (Dumbbell): 10kg x 15r x 3 sets (e1RM 15.0kg) vs prior: +0.0kg e1RM

Session 2: Wednesday 09 Sep 2026 10:17 IST | 52 min

Type : Full Body B -- Wednesday

Volume : 6,009 kg*reps | 15 sets

Overhead Press (Barbell): 45kg x 8r x 3 sets (e1RM 57.0kg) vs prior: +1.5kg e1RM

Seated Leg Curl (Machine): 43kg x 9r x 3 sets (e1RM 55.9kg) vs prior: +0.0kg e1RM

Leg Extension (Machine): 77kg x 10r x 3 sets (e1RM 102.7kg) vs prior: +2.6kg e1RM

Bicep Curl (Barbell): 20kg x 10r x 3 sets (e1RM 26.7kg) vs prior: +0.0kg e1RM

Triceps Pushdown: 27.2kg x 11r x 3 sets (e1RM 37.2kg) vs prior: +0.0kg e1RM

Session 3: Friday 11 Sep 2026 09:47 IST | 71 min

Type : Full Body C -- Friday

Volume : 4,660 kg*reps | 9 sets

Bent Over Row (Barbell): 60kg x 12r x 3 sets (e1RM 84.0kg) vs prior: -4.7kg e1RM

Rear Delt Reverse Fly (Dumbbell): 10kg x 12r x 3 sets (e1RM 14.0kg) vs prior: -0.3kg e1RM

Leg Press (Machine): 60kg x 12r x 3 sets (e1RM 84.0kg) vs prior: +14.0kg e1RM

4-WEEK VOLUME TREND

Wk -3 (17 Aug-24 Aug): [#####.....] 5,056 kg*reps 1 sess

Wk -2 (24 Aug-31 Aug): [#####.....] 13,704 kg*reps 3 sess

Wk -1 (31 Aug-07 Sep): [####.....] 3,220 kg*reps 1 sess

This wk (07 Sep-14 Sep): [#####.....] 13,539 kg*reps 3 sess

3. STRENGTH -- HOW ARE THE LIFTS MOVING?

e1RM = estimated 1-rep max (formula: weight x (1 + reps / 30))

[C] = compound lift | [I] = isolation

[C] Bench Press (Barbell)

Best this week : 60kg x 6 reps (e1RM 72.0kg)

vs prior : DOWN -4.0kg vs 24 Aug

Next session : 57.0kg x 6 reps

[C] Bent Over Row (Barbell)

Best this week : 60kg x 12 reps (e1RM 84.0kg)

vs prior : DOWN -4.7kg vs 28 Aug

Next session : 57.0kg x 12 reps

[C] Leg Press (Machine)

Best this week : 60kg x 12 reps (e1RM 84.0kg)

vs prior : UP +14.0kg vs 14 Aug

Next session : 62.5kg x 12 reps

[C] Overhead Press (Barbell)

Best this week : 45kg x 8 reps (e1RM 57.0kg)

vs prior : UP +1.5kg vs 19 Aug

Next session : 47.5kg x 8 reps

[C] Pull Up

Best this week : 0kg x 6 reps (e1RM 0.0kg)

vs prior : First time in 30-day log

Next session : 0kg x 6 reps

* FLAGS: 0kg logged -- check entry

[C] Squat (Barbell)

Best this week : 70kg x 7 reps (e1RM 86.3kg)

vs prior : UP +2.3kg vs 24 Aug

Next session : 72.5kg x 7 reps

[I] Bicep Curl (Barbell)

Best this week : 20kg x 10 reps (e1RM 26.7kg)

vs prior : SAME as 26 Aug

Next session : 20kg x 10 reps

[I] Lateral Raise (Dumbbell)

Best this week : 10kg x 15 reps (e1RM 15.0kg)

vs prior : SAME as 24 Aug

Next session : 10kg x 15 reps

[I] Leg Extension (Machine)

Best this week : 77kg x 10 reps (e1RM 102.7kg)

vs prior : UP +2.6kg vs 26 Aug

Next session : 78.25kg x 10 reps

[I] Rear Delt Reverse Fly (Dumbbell)

Best this week : 10kg x 12 reps (e1RM 14.0kg)

vs prior : SAME as 14 Aug

Next session : 10kg x 12 reps

[I] Seated Leg Curl (Machine)

Best this week : 43kg x 9 reps (e1RM 55.9kg)

vs prior : SAME as 26 Aug

Next session : 43kg x 9 reps

[I] Triceps Pushdown

Best this week : 27.2kg x 11 reps (e1RM 37.2kg)

vs prior : SAME as 26 Aug

Next session : 27.2kg x 11 reps

4. ARE THE RIGHT MUSCLES GETTING ENOUGH WORK?

Muscle Group | Sets this wk | Target/wk | Gap | Status

* +-----+-----+-----+-----

Chest		2		12		10		CRITICAL
Back		6		14		8		CRITICAL
Shoulders		6		10		4		CRITICAL
Traps		0		6		6		CRITICAL
Rear Delts		3		8		5		CRITICAL
Biceps		6		8		2		LOW
Triceps		3		8		5		CRITICAL
Legs		13		14		1		LOW
Core		0		6		6		CRITICAL

Push sets: 11 | Pull sets: 15 | Ratio pull:push = 1.36 (OK -- balanced)

Rear delts: 3 sets this week (need 8+/week)

SHORT by 5 sets. Rear delts stabilise the shoulder joint. If front shoulder muscles stay much stronger than rear, you risk rotator cuff problems over time. Add face pulls or reverse flys.

Traps : 0 sets this week (need 6+/week)

SHORT by 6 sets. Traps support neck and upper back posture. Add shrugs or deadlifts.

Short this week : Chest, Back, Shoulders, Traps, Rear Delts, Biceps, Triceps, Legs, Core
Under-trained muscles lose size first on a calorie deficit. Prioritise these next session.

5. REST AND RECOVERY THIS WEEK

Sessions this week : 3 of 5 target

Wk -3 (17 Aug-24 Aug): 1 sessions

Wk -2 (24 Aug-31 Aug): 3 sessions

Wk -1 (31 Aug-07 Sep): 1 sessions

Time between sessions this week:

Mon 07 Sep 13:26 -> Wed 09 Sep 10:17: 45h

Wed 09 Sep 10:17 -> Fri 11 Sep 09:47: 47h

No sessions after midnight IST this week. Good.

Back-to-back sessions hitting the same muscle group:

Mon 07 Sep + Wed 09 Sep (45h apart): overlap = legs, shoulders

Wed 09 Sep + Fri 11 Sep (47h apart): overlap = legs, other

At age 44, muscles need 48-72h to fully repair between sessions.
 Training a muscle before it has recovered adds fatigue, not stimulus,
 and raises injury risk. Rearrange sessions to respect the recovery window.

6. BODY RECOMPOSITION CHECK

Calorie target : 2367 kcal/day
 TDEE estimate : 2784 kcal/day (your estimated daily burn at current weight)
 Daily deficit : 417 kcal (15% cut -- sustainable rate for muscle retention)
 Protein target : 174g/day (2g per kg bodyweight)

WHY PROTEIN MATTERS ON A CUT:

In a calorie deficit, the body looks for extra fuel. If protein is low, it breaks down muscle tissue for energy -- this is called muscle catabolism. At 174g/day, you supply enough amino acids to maintain muscle while losing fat. Going below ~120g/day on this deficit risks losing the muscle you are training to build.

MUSCLE STIMULUS CHECK (minimum sets/week to retain muscle on a calorie deficit):

Muscle	This wk	Min	Status
Chest	2	8	AT RISK
Back	6	10	AT RISK
Shoulders	6	8	AT RISK
Traps	0	4	AT RISK
Rear Delts	3	6	AT RISK
Biceps	6	6	OK
Triceps	3	6	AT RISK
Legs	13	10	OK
Core	0	4	AT RISK

Muscles at risk of loss this week (below minimum stimulus):

Chest, Back, Shoulders, Traps, Rear Delts, Triceps, Core

These are not getting enough signal to hold on to muscle during a deficit.

Add sets for these in the next 1-2 sessions.

Active training weeks logged : 10

Weeks since last deload : 10 (deload every 4 weeks)

*** DELOAD THIS WEEK ***

Cut all sets to 2 per exercise. Keep weights the same.

Deload weeks let joints and connective tissue recover.

You will come back stronger after the deload.

6.5. PPL ADHERENCE & CORRECTIVE COMPLIANCE

Programme week: W16 (started 2026-05-24; 112 days elapsed = 16 weeks)

Sessions this week: 3 of 6 target

Day	Expected	Detected	Status
-----	----------	----------	--------

Adherence: 0% (0 of 6 sessions executed as a correct PPL type; all logged sessions are Full Body format -- PPL structure not being followed in W16)
Attendance: 3 of 6 sessions (50%)

Hip Thrust in Legs sessions : 0 of 2 sessions with leg work -- MISSING on
Wed 09 Sep (Full Body B with Leg Curl + Leg Extension; no Hip Thrust)
Fri 11 Sep (Full Body C with Leg Press; no Hip Thrust)
Dedicated Legs B (Sat 12 Sep) skipped entirely -- Hip Thrust also absent.

Core stabiliser (all sessions): 0 of 3 sessions
(Back Extension logged as warmup only -- 0 working sets in all 3 sessions;
Dead Bug and Bird-Dog not logged at all this week)

Rear delt work in Pull sessions: 1 of 1 Pull-adjacent session (OK)
Fri 11 Sep -- Rear Delt Reverse Fly: 3 x 12 @ 10kg

Sessions over 60 min: Mon 07 Sep (77 min, +17 min over limit)
Fri 11 Sep (71 min, +11 min over limit)

This week: 10kg x 15 reps | Prior week (Aug 31-Sep 6): none logged
Last logged prior: 10kg x 15 reps (Mon 24 Aug) | Trend: SAME

Both gaps between this week's sessions fell below the 48-hour minimum required for full muscle repair. Monday 07 Sep (13:26) to Wednesday 09 Sep (10:17) was only 45 hours -- legs were trained in both sessions (Squat on Monday, Leg Curl and Leg Extension on Wednesday) and shoulders appeared in both (Lateral Raise Mon, OHP Wed). The second gap, Wednesday 09 Sep (10:17) to Friday 11 Sep

(09:47), was 47 hours -- again legs featured in both (Leg Curl/Leg Extension Wed, Leg Press Fri). Neither pair cleared the 48h floor. At 44, training a muscle group before it has fully repaired adds cumulative fatigue rather than new stimulus, and raises the risk of connective tissue injury. Every pair this week was an offender.

PPL ADHERENCE AND PROGRAMME AGE

This is Week 16 of the PPL x2 programme (started 2026-05-24). Adherence is 0% for PPL type -- all three sessions this week were Full Body workouts (Full Body A, B, C), not dedicated Push/Pull/Legs days. Attendance was 3 of 6 (50%). The three missed days were Tuesday (Pull A), Thursday (Push B), and Saturday (Legs B). A clear pattern has emerged over 16 weeks: Ganesh trains Monday, Wednesday, and Friday -- a 3-day Full Body split -- rather than the 6-day PPL prescribed. The programme structure itself has not been adopted. Until the schedule matches the PPL template, session counts and muscle volume targets will remain structurally impossible to hit.

CORRECTIVE COMPLIANCE

Hip Thrust hit rate this week: 0 of 2 sessions with leg work (0%). The dedicated Legs B session on Saturday was skipped entirely. Anterior pelvic tilt (APT) is not being corrected -- at 44, sustained APT compresses the lower lumbar vertebrae (L4-L5) and chronically overloads the hip flexors. Hip Thrust is the most direct exercise to activate gluteus maximus and pull the pelvis back into neutral. Core stabilisers (Dead Bug, Bird-Dog) were logged 0 of 3 sessions -- the Back Extension warmup had 0 working sets and does not qualify. Rear delts reached only 3 sets this week against an 8-set target. Front delts are significantly stronger than rear (e.g., OHP at 45kg vs Rear Delt Fly at 10kg). At 44, this imbalance drives the humeral head forward in the glenoid socket. As overhead pressing loads increase, the supraspinatus tendon passes through a narrowed sub-acromial space -- this is the classic mechanism of rotator cuff impingement. The fix is reaching 8+ rear delt sets every week.

LATERAL RAISE TREND (V-TAPER KPI)

The Lateral Raise has been stuck at 10kg x 15 reps for at least four consecutive weeks (last logged at this weight on Mon 24 Aug and again Mon 07 Sep). Trend: SAME. This matters because Ganesh's love handles currently sit at the same horizontal level as lat width, collapsing the visual waist-to-shoulder ratio. The only way to improve this ratio is to widen the shoulder line -- and that requires Lateral Raise weight to progress. Stagnation at 10kg means no new shoulder-width stimulus and no V-taper improvement. Target: move to 11.25kg next time all 3 sets hit 15 reps cleanly.

HARD FLAGS

1. Bench Press dropped from 60kg x 8 reps (Aug 24, e1RM 76kg) to 60kg x 6 reps (Sep 7, e1RM 72kg) -- a 4kg e1RM decline over two weeks. Rep collapse on Bench. If this continues next session, drop to 57.5kg and rebuild.
2. Bent Over Row dropped from 70kg x 8 reps (Aug 28, e1RM 88.7kg) to 60kg x 12 reps (Sep 11, e1RM 84kg) -- weight reduced by 10kg. Weight was also 70kg in prior sessions; the sudden drop suggests conservative pacing or fatigue.
3. Pull Up logged at 0kg in both sessions it appeared (Aug 24 and Sep 7). If this is bodyweight only, Hevy should be logging actual bodyweight (~87kg) -- otherwise the strength tracking is meaningless for this exercise.
4. Two sessions over 60 min: Mon 07 Sep (77 min) and Fri 11 Sep (71 min). At 44, sessions beyond 60 minutes drive cortisol elevation that can impair recovery. Trim warm-up to 5 minutes and cut rest periods to 90 seconds on isolation work.
5. DELOAD OVERDUE: 10 weeks of continuous training with no deload. The 4-week deload cycle has been missed twice over. Joints and connective tissue at 44 accumulate microdamage faster than at 30 -- a deload week is not optional.

OVERALL VERDICT: HOLDING

Volume this week (13,539 kg*reps) matched the prior best 3-session week (Aug 24-30, 13,704 kg*reps) -- no significant improvement. Strength declined on Bench and Row. PPL structure remains absent in Week 16. Both corrective mandatories (Hip Thrust, core stabilisers) were at 0% compliance. Lateral Raise KPI is flat. The week is better than the one prior (1 session, 3,220 kg*reps) only because it had more sessions -- the structural problems are identical. HOLDING.

8. PLAN FOR NEXT WEEK

Programme week: W17 (Week 17 of PPL x2 -- DELOAD WEEK)

- * DELOAD in effect: reduce all exercises to 2 working sets. Keep weights the same. Do not push for extra reps. This week is for recovery, not progress. ***

Note: Next week is ALSO the first week of strict PPL structure adoption.

Follow the day labels exactly -- no Full Body substitutions.

MONDAY 14 Sep -- Push A (Chest primary + Shoulders + Triceps)

Bench Press (Barbell)	2 x 6 @ 60kg
Overhead Press (Barbell)	2 x 8 @ 45kg
Lateral Raise (Dumbbell)	2 x 15 @ 10kg [V-taper KPI -- do not skip]
Triceps Pushdown	2 x 11 @ 27.2kg
Dead Bug	2 x 10 -- MANDATORY (T8-T12 kyphosis -- do not skip)

Watch-point: Both Monday sessions this month ran 77 min. On deload, cut all rest periods to 90 sec on isolation and 2 min on compounds. Target 50 min.

TUESDAY 15 Sep -- Pull A (Back compound + Biceps)

Bent Over Row (Barbell)	2 x 12 @ 60kg
Lat Pulldown (Machine)	2 x 6 @ 66kg
Bicep Curl (Barbell)	2 x 10 @ 20kg
Rear Delt Reverse Fly (DB)	2 x 12 @ 10kg [rear delt mandatory every Pull]

Bird-Dog 2 x 10 each side -- MANDATORY

Watch-point: This is the first dedicated Pull A day in the PPL structure.
Rear delts are 5 sets short of weekly target -- Friday Pull B must add 5 more.

WEDNESDAY 16 Sep -- Legs A (Quads, Hamstrings, Glutes)

- Hip Thrust (Barbell) 2 x 10 @ 40kg [MANDATORY -- APT correction; no prior log; conservative start]
- Squat (Barbell) 2 x 7 @ 70kg
- Leg Extension (Machine) 2 x 10 @ 77kg
- Seated Leg Curl (Machine) 2 x 9 @ 43kg
- Dead Bug 2 x 10 -- MANDATORY

Watch-point: Hip Thrust BEFORE squats -- activate glutes first, then load.
This is non-negotiable for APT correction. Log the weight and reps accurately.

THURSDAY 17 Sep -- Push B (Shoulders primary + Chest variation + Triceps)

- Overhead Press (Barbell) 2 x 8 @ 45kg
- Incline DB Press 2 x 10 @ 20kg each hand [no prior log; start light]
- Lateral Raise (Dumbbell) 2 x 15 @ 10kg
- Triceps Pushdown 2 x 11 @ 27.2kg
- Bird-Dog 2 x 10 -- MANDATORY

Watch-point: Push B is shoulder-primary -- OHP is the main lift, not Bench.
Keep Incline DB conservative this first session; set baseline for future weeks.

FRIDAY 18 Sep -- Pull B (Back + Rear Delts + Biceps)

- Bent Over Row (Barbell) 2 x 12 @ 60kg
- Rear Delt Reverse Fly (DB) 2 x 12 @ 10kg [MANDATORY -- Face Pull or RD Fly]
- Lat Pulldown (Machine) 2 x 6 @ 66kg
- Bicep Curl (Barbell) 2 x 10 @ 20kg
- Dead Bug 2 x 10 -- MANDATORY

Watch-point: Rear delts must accumulate 8+ sets across Tue + Fri this week.
Tue Pull A: 2 sets. Fri Pull B: 2 sets. Total = 4 sets -- still below 8 target.
Consider adding 2 extra rear delt sets at the end of each Pull session next normal week. On deload, keep at 2 per session as planned.

SATURDAY 19 Sep -- Legs B (Glutes, Hamstrings, Single-Leg)

- Hip Thrust (Barbell) 2 x 10 @ 40kg [MANDATORY -- APT correction]
- Leg Press (Machine) 2 x 12 @ 60kg
- Romanian Deadlift (Barbell) 2 x 10 @ 40kg [no prior log; conservative start]
- Seated Leg Curl (Machine) 2 x 9 @ 43kg
- Bird-Dog 2 x 10 -- MANDATORY

Watch-point: Second Hip Thrust session of the week. At 40kg this is light -- focus on full hip extension at the top and a 1-second squeeze. Romanian Deadlift: hinge at the hips, neutral spine, stop when you feel the hamstrings load (typically shin height). Do not rush the first session with this lift.

SUNDAY 20 Sep -- REST

+-----+

Deload	: NEEDED THIS WEEK (W17) -- 10 weeks overdue	
	Next regular deload: Week 21, ~mid-October 2026	

Timing	: 6-9 PM IST -- no sessions after midnight	
Nutrition:	2,367 kcal/day 174g protein minimum	
+-----+		