

30-Day Analysis Report

This week : 21 Aug to 28 Aug 2026

ATHLETE PROFILE

Name: Ganesh
Profile: 44M | 181 cm | 87 kg -> 79 kg
Goal: Body Recomposition -- Fat loss, muscle preservation
Pace: 0.5 kg/week | 15% calorie deficit

Generated on 2026-08-27

WEEKLY TRAINING REPORT

Generated : 2026-08-28 05:00 IST

User : Ganesh | 44M | 181cm | 87kg -> 79kg

This week : 21 Aug to 28 Aug 2026

1. THIS WEEK AT A GLANCE

Sessions : 2 of 5 target

Prior 3 weeks: 2, 2, 2 sessions (avg 2.0)

Overall score: 2/10 -- Below par -- low sessions or major muscle imbalances this week.

Biggest win : Leg Extension (Machine) -- 77kg x 9 reps (e1RM 100.1kg)

Biggest concern: Back -- 3 sets vs 14 target (11 sets short)

vs last week : Volume DOWN 2% (9,332 vs 9,508 kg*reps)

2. THIS WEEK -- SESSION BY SESSION

Session 1: Monday 24 Aug 2026 10:40 IST | 28 min

Type : Full Body A -- Monday

Volume : 3,450 kg*reps | 13 sets

Squat (Barbell): 70kg x 6r x 4 sets (e1RM 84.0kg) vs prior: +0.0kg e1RM

Bench Press (Barbell): 60kg x 8r x 3 sets (e1RM 76.0kg) vs prior: +4.0kg e1RM

Pull Up: 0kg x 6r x 3 sets (e1RM 0.0kg) [FLAG: 0kg logged]

Lateral Raise (Dumbbell): 10kg x 15r x 3 sets (e1RM 15.0kg) vs prior: +0.3kg e1RM

Session 2: Wednesday 26 Aug 2026 08:24 IST | 57 min

Type : Full Body B -- Wednesday

Volume : 5,882 kg*reps | 15 sets

Overhead Press (Barbell): 45kg x 7r x 3 sets (e1RM 55.5kg) vs prior: +0.0kg e1RM

Seated Leg Curl (Machine): 43kg x 9r x 3 sets (e1RM 55.9kg) vs prior: +9.1kg e1RM

Leg Extension (Machine): 77kg x 9r x 3 sets (e1RM 100.1kg) vs prior: +0.0kg e1RM

Bicep Curl (Barbell): 20kg x 10r x 3 sets (e1RM 26.7kg) vs prior: +0.7kg e1RM

Triceps Pushdown: 27.2kg x 11r x 3 sets (e1RM 37.2kg) vs prior: +0.0kg e1RM

4-WEEK VOLUME TREND

Wk -3 (31 Jul-07 Aug): [#####] 8,973 kg*reps 2 sess

Wk -2 (07 Aug-14 Aug): [#####] 8,607 kg*reps 2 sess

Wk -1 (14 Aug-21 Aug): [#####] 9,508 kg*reps 2 sess

This wk (21 Aug-28 Aug): [#####] 9,332 kg*reps 2 sess

3. STRENGTH -- HOW ARE THE LIFTS MOVING?

e1RM = estimated 1-rep max (formula: weight x (1 + reps / 30))

[C] = compound lift | [I] = isolation

[C] Bench Press (Barbell)

Best this week : 60kg x 8 reps (e1RM 76.0kg)
vs prior : UP +4.0kg vs 03 Aug
Next session : 62.5kg x 8 reps

[C] Overhead Press (Barbell)
Best this week : 45kg x 7 reps (e1RM 55.5kg)
vs prior : SAME as 12 Aug
Next session : 45kg x 7 reps

[C] Pull Up
Best this week : 0kg x 6 reps (e1RM 0.0kg)
vs prior : First time in 30-day log
Next session : 0kg x 6 reps
* FLAGS: 0kg logged -- check entry

[C] Squat (Barbell)
Best this week : 70kg x 6 reps (e1RM 84.0kg)
vs prior : SAME as 10 Aug
Next session : 70kg x 6 reps

[I] Bicep Curl (Barbell)
Best this week : 20kg x 10 reps (e1RM 26.7kg)
vs prior : UP +0.7kg vs 12 Aug
Next session : 21.25kg x 10 reps

[I] Lateral Raise (Dumbbell)
Best this week : 10kg x 15 reps (e1RM 15.0kg)
vs prior : SAME as 03 Aug
Next session : 11.25kg x 15 reps

[I] Leg Extension (Machine)
Best this week : 77kg x 9 reps (e1RM 100.1kg)
vs prior : SAME as 12 Aug
Next session : 77kg x 9 reps

[I] Seated Leg Curl (Machine)
Best this week : 43kg x 9 reps (e1RM 55.9kg)
vs prior : UP +9.1kg vs 19 Aug
Next session : 44.25kg x 9 reps

[I] Triceps Pushdown
Best this week : 27.2kg x 11 reps (e1RM 37.2kg)
vs prior : SAME as 05 Aug
Next session : 27.2kg x 11 reps

4. ARE THE RIGHT MUSCLES GETTING ENOUGH WORK?

Muscle Group	Sets this wk	Target/wk	Gap	Status
* +-----+-----+-----+-----				
Chest	3	12	9	CRITICAL
Back	3	14	11	CRITICAL
Shoulders	6	10	4	CRITICAL
Traps	0	6	6	CRITICAL

Rear Delts		0		8		8		CRITICAL
Biceps		6		8		2		LOW
Triceps		3		8		5		CRITICAL
Legs		10		14		4		CRITICAL
Core		0		6		6		CRITICAL

Push sets: 12 | Pull sets: 9 | Ratio pull:push = 0.75 (LOW -- add more pulling work)

Rear delts: 0 sets this week (need 8+/week)

SHORT by 8 sets. Rear delts stabilise the shoulder joint. If front shoulder muscles stay much stronger than rear, you risk rotator cuff problems over time. Add face pulls or reverse flys.

Traps : 0 sets this week (need 6+/week)

SHORT by 6 sets. Traps support neck and upper back posture. Add shrugs or deadlifts.

Short this week : Chest, Back, Shoulders, Traps, Rear Delts, Biceps, Triceps, Legs, Core

Under-trained muscles lose size first on a calorie deficit. Prioritise these next session.

5. REST AND RECOVERY THIS WEEK

Sessions this week : 2 of 5 target

Wk -3 (31 Jul-07 Aug): 2 sessions

Wk -2 (07 Aug-14 Aug): 2 sessions

Wk -1 (14 Aug-21 Aug): 2 sessions

Time between sessions this week:

Mon 24 Aug 10:40 -> Wed 26 Aug 08:24: 46h

No sessions after midnight IST this week. Good.

Back-to-back sessions hitting the same muscle group:

Mon 24 Aug + Wed 26 Aug (46h apart): overlap = legs, shoulders

At age 44, muscles need 48-72h to fully repair between sessions.

Training a muscle before it has recovered adds fatigue, not stimulus, and raises injury risk. Rearrange sessions to respect the recovery window.

6. BODY RECOMPOSITION CHECK

Calorie target : 2367 kcal/day

TDEE estimate : 2784 kcal/day (your estimated daily burn at current weight)

Daily deficit : 417 kcal (15% cut -- sustainable rate for muscle retention)

Protein target : 174g/day (2g per kg bodyweight)

WHY PROTEIN MATTERS ON A CUT:

In a calorie deficit, the body looks for extra fuel. If protein is low, it breaks down muscle tissue for energy -- this is called muscle catabolism. At 174g/day, you supply enough amino acids to maintain muscle while losing fat. Going below ~120g/day on this deficit risks losing the muscle you are training to build.

MUSCLE STIMULUS CHECK (minimum sets/week to retain muscle on a calorie deficit):

Muscle	This wk	Min	Status
Chest	3	8	AT RISK

Back	3	10	AT RISK
Shoulders	6	8	AT RISK
Traps	0	4	AT RISK
Rear Delts	0	6	AT RISK
Biceps	6	6	OK
Triceps	3	6	AT RISK
Legs	10	10	OK
Core	0	4	AT RISK

Muscles at risk of loss this week (below minimum stimulus):

Chest, Back, Shoulders, Traps, Rear Delts, Triceps, Core

These are not getting enough signal to hold on to muscle during a deficit.

Add sets for these in the next 1-2 sessions.

Active training weeks logged : 7

Weeks since last deload : 7 (deload every 4 weeks)

*** DELOAD THIS WEEK ***

Cut all sets to 2 per exercise. Keep weights the same.

Deload weeks let joints and connective tissue recover.

You will come back stronger after the deload.

6.5. PPL ADHERENCE & CORRECTIVE COMPLIANCE

Programme week: W14 (started 2026-05-24; 95 days elapsed, rounded up)

Sessions this week: 2 of 6 target

Day	Expected	Detected	Status
* +-----+-----+-----			
Fri 21 Aug	Pull B	MISSED	MISSED
Sat 22 Aug	Legs B	MISSED	MISSED
Mon 24 Aug	Push A	Full Body A (INFERRED)	MISMATCH
Tue 25 Aug	Pull A	MISSED	MISSED
Wed 26 Aug	Legs A	Full Body B (INFERRED)	MISMATCH
Thu 27 Aug	Push B	MISSED	MISSED

Sun 23 Aug = REST (scheduled -- OK). Thu 27 Aug is reporting day; no session logged yet.

INFERRED key -- Mon 24 Aug: bench press (push) + pull-up (pull) + squat (legs) + lateral raise (shoulders) -- mixed full-body, not Push A.

INFERRED key -- Wed 26 Aug: OHP (shoulders) + leg curl + leg extension (legs) + bicep curl + triceps pushdown -- mixed, not Legs A; no Hip Thrust, no squat.

Adherence: 0% (0 of 2 completed sessions matched expected PPL day type)

Session completion: 2 of 6 training days (33%)

CORRECTIVE MARKERS:

Hip Thrust in Legs sessions : 0 of 1 legs-slot sessions -- MISSING on Wed 26 Aug (Legs A slot)

Core stabiliser (all sess.) : 0 of 2 sessions (no Dead Bug, Bird-Dog, or Plank logged)

Rear delt work in Pull sess. : No Pull sessions completed; 0 rear delt sets vs 8/week target

Sessions over 60 min : None (Mon 24 Aug = 28 min | Wed 26 Aug = 57 min)

LATERAL RAISE (V-TAPER KPI):

This week : 10kg x 15 reps (Mon 24 Aug, Session 7)

Prior week : NOT performed in Aug 14-20 window; nearest prior = 10kg x 14 reps (Mon 10 Aug)

Trend : UP (reps improved from 14 to 15 at 10 kg -- weight unchanged; next target 11.25 kg)

7. KEY INSIGHTS

Recovery at 44:

The only two sessions this week -- Mon 24 Aug at 10:40 and Wed 26 Aug at 08:24 -- are 46 hours apart. The minimum required for full muscle recovery at age 44 is 48 hours. Both sessions hit legs (squats + leg curl/extension) and shoulders (lateral raises + OHP). The Mon 24 -> Wed 26 pair is the sole muscle-overlap pair this week and it fails: legs and shoulders trained 2 hours short of the minimum recovery window. One pair in violation: Mon 24 -> Wed 26, 46h gap, legs and shoulders under-recovered.

PPL adherence and programme age:

Adherence is 0% this week -- neither session matched the expected PPL type. The Monday session (Push A slot) was a mixed full-body session including pull-ups and squats. The Wednesday session (Legs A slot) had no Hip Thrust, no squat, and included OHP and triceps work. Three planned sessions were entirely skipped: Fri Pull B, Sat Legs B, and Tue Pull A. The pattern across the last four weeks is consistent: two sessions every week, both always falling on Monday and Wednesday, with Fri-Sat never completed. This is W14 of the programme (started 2026-05-24). The 6-day PPL structure has not been executed in any recorded week; the programme has been functioning as a twice-weekly full-body split since day one.

Corrective compliance:

Hip Thrust: 0 of 1 expected Legs sessions (Wed 26 Aug, Legs A slot, had no Hip Thrust). APT correction is unmet for at least two consecutive weeks of the log. Core stabiliser: 0 of 2 sessions this week -- neither session included Dead Bug, Bird-Dog, or Plank, leaving the T8-T12 lower thoracic kyphosis untreated. Rear delts: 0 sets this week against a mandatory 8-set target. At 44, persistent front-delt dominance -- from pressing-heavy sessions without balancing rear delt and external-rotation work -- shifts shear load onto the supraspinatus tendon during overhead and reaching movements. Over months, this mechanical imbalance raises the risk of rotator cuff impingement and bursitis severe enough to force months off training. Rear delt sets are the primary mitigation and they have been absent this week.

Lateral raise trend:

10kg x 15 reps this week versus 10kg x 14 reps on 10 Aug -- trend is UP in reps, weight stuck. The V-taper KPI is technically progressing, but the weight has not moved from 10 kg for over three weeks. Ganesh's love handles sit at the same horizontal level as the lat spread, collapsing the shoulder-to-waist ratio. Building the V-taper requires adding lateral delt mass, which means weight on the bar must increase. Grinding extra reps at 10 kg delivers diminishing returns on hypertrophy beyond the 12-15 rep range already hit. The rep count of 15 triggers the isolation progression rule: move to 11.25 kg next session.

Hard flags:

1. Mon 24 -> Wed 26: 46-hour gap -- legs and shoulders under-recovered vs 48h minimum at 44.

2. 2 of 6 sessions completed (33%); Fri, Sat, and Tue entirely missed for the fourth consecutive week. The pattern strongly suggests Fri-Sat availability is a structural barrier.
3. Hip Thrust absent from all sessions this week. APT correction protocol not met.
4. Rear delts: 0 sets vs 8/week target -- rotator cuff risk accumulating with each pressing session that goes unbalanced by rear delt work.
5. Core: 0 of 2 sessions without a stabiliser movement. Dead Bug or Bird-Dog skipped entirely.
6. Pull Up logged as 0 kg (volume = 0 kg*reps) in all three prior sessions. Hevy does not auto-log bodyweight; consider entering bodyweight (87 kg) in the body-weight field so e1RM reflects actual load and the back set count registers in volume tracking.
7. Deload overdue: 7 active training weeks logged; protocol calls for deload every 4 weeks. Deload is 3 weeks past due. Joints and connective tissue are at elevated injury risk.

Overall verdict:

Four consecutive weeks of exactly 2 sessions each. Minor strength improvements (bench press +4 kg e1RM, seated leg curl +9.1 kg e1RM this week) show the muscles are responding, but PPL structure is at 0% adherence, corrective compliance is 0%, a deload is 3 weeks overdue, and volume is running at one-third of the 6-day programme target. This week is slightly worse than last week on volume (-2%) with equivalent session count and equivalent corrective failure.

DECLINING.

8. PLAN FOR NEXT WEEK

Programme week: W15 of PPL x2 -- DELOAD WEEK

(Deload was due at Week 4 of active training. 7 active weeks have elapsed with no deload -- 3 weeks overdue. W15 is the formal deload. All sets capped at 2 per exercise. Weights held identical to last logged best. Full 3-set volume resumes at W16.)

MONDAY -- Push A (Chest primary + Shoulders + Triceps)

Bench Press (Barbell) 2 sets x 8 reps @ 60 kg
 Overhead Press (Barbell) 2 sets x 7 reps @ 45 kg
 Lateral Raise (Dumbbell) 2 sets x 12 reps @ 11.25 kg [15 reps hit -> +1.25 kg rule]
 Triceps Pushdown 2 sets x 11 reps @ 27.2 kg
 Dead Bug 3 sets x 10 reps -- do not skip (T8-T12 kyphosis corrective)

Key focus: Move Lateral Raise to 11.25 kg -- this is the V-taper weight progression trigger.

If gym has only 10 kg and 12 kg, use 12 kg and cap at 10 reps to preserve the intensity stimulus.

TUESDAY -- Pull A (Back compound + Biceps)

Pull Up (Bodyweight) 2 sets x 6 reps @ 0 kg
 Bent Over Row (Barbell) 2 sets x 7 reps @ 70 kg
 Lat Pulldown (Machine) 2 sets x 6 reps @ 66 kg
 Bicep Curl (Barbell) 2 sets x 10 reps @ 20 kg
 Rear Delt Reverse Fly (DB) 2 sets x 12 reps @ 10 kg -- mandatory rear delt inclusion
 Dead Bug 3 sets x 10 reps

Key focus: Pull sessions have been absent for weeks. Rear Delt Reverse Fly is mandatory -- do not replace with additional bicep sets. This is the first of two rear-delt opportunities this week; the pull-to-push ratio (currently 0.75) must improve.

WEDNESDAY -- Legs A (Quads, Hamstrings, Glutes -- Hip Thrust mandatory)

Hip Thrust (Barbell) 2 sets x 10 reps @ 60 kg -- MANDATORY APT correction
 Squat (Barbell) 2 sets x 6 reps @ 70 kg
 Leg Extension (Machine) 2 sets x 9 reps @ 77 kg
 Seated Leg Curl (Machine) 2 sets x 9 reps @ 43 kg
 Dead Bug 3 sets x 10 reps

Key focus: Hip Thrust is the single most critical movement of this week. 60 kg is a conservative start; APT correction requires glute activation that squats and leg curls alone do not provide. If no hip-thrust bench is available, substitute with a floor glute bridge at the same weight.

THURSDAY -- Push B (Shoulders primary + Chest variation + Triceps)

Overhead Press (Barbell) 2 sets x 7 reps @ 45 kg
 Bench Press (Barbell) 2 sets x 8 reps @ 60 kg
 Lateral Raise (Dumbbell) 2 sets x 12 reps @ 11.25 kg
 Triceps Pushdown 2 sets x 11 reps @ 27.2 kg
 Dead Bug 3 sets x 10 reps

Key focus: 72h after Monday's OHP -- monitor for shoulder fatigue. If reps drop below 5, reduce OHP to 40 kg for this session only and log it; that data informs the W16 prescription.

FRIDAY -- Pull B (Back + Rear Delts + Biceps -- Rear Delt Fly mandatory)

Bent Over Row (Barbell) 2 sets x 7 reps @ 70 kg
 Lat Pulldown (Machine) 2 sets x 6 reps @ 66 kg
 Rear Delt Reverse Fly (DB) 2 sets x 13 reps @ 10 kg -- MANDATORY
 Bicep Curl (Barbell) 2 sets x 10 reps @ 20 kg
 Dead Bug 3 sets x 10 reps

Key focus: Rear delt total for W15 will reach 4 sets (Tue 2 + Fri 2). Still below the 8-set weekly target but a necessary foundation. Rear Delt Fly reps at 13 triggers the +1.25 kg rule for W16 (target: 11.25 kg x 12 reps).

SATURDAY -- Legs B (Glutes, Hamstrings, Single-Leg, Rack Pull -- Hip Thrust mandatory)

Hip Thrust (Barbell) 2 sets x 10 reps @ 60 kg -- MANDATORY APT correction
 Romanian Deadlift (Barbell) 2 sets x 8 reps @ 75 kg
 Leg Press (Machine) 2 sets x 12 reps @ 50 kg
 Bulgarian Split Squat 2 sets x 8 reps @ 20 kg (each leg; first log -- conservative)
 Dead Bug 3 sets x 10 reps

Key focus: Second Hip Thrust session of the week -- two glute-focused sessions is the minimum to begin counteracting anterior pelvic tilt. RDL stays at 75 kg (deload -- no progression).

Bulgarian Split Squat at 20 kg is a conservative start; adjust down to 10 kg if balance is poor.

+-----+

Deload	: needed -- W15 is the formal deload (3 wks overdue)	
	Next deload due: W20, ~Oct 4 2026	
Timing	: 6-9 PM IST -- no sessions after midnight	
Nutrition:	2,367 kcal/day 174g protein minimum	

+-----+