

Filesystem.

Jan Trdlička

Department of Computer Systems
Faculty of Information Technology
Czech Technical University in Prague

trdlicka@fit.cvut.cz

November 9, 2017

Contents

- 1 Discussion of homework
- 2 Getting information about filesystem
- 3 Getting information about directory/file
- 4 Getting information about file contents
- 5 Viewing the file contents
- 6 Creation of directory/file
- 7 Manipulation with directories/files
- 8 Homework

Discussion of homework

- Create a shell script `list3.bash` that requires one argument.
 - If the argument is missing or if there are more arguments, then the script prints the following error and exits with exit status 1.

```
Usage: ./list3.bash directory_name
```

- If the argument is a name of a directory and the directory is readable, then the scripts counts the number of subdirectories of this directory and prints this information in the following format:

```
$> ./list3.bash /etc/init.d/rc0.d/  
/etc/init.d/rc0.d/: no subdirectory
```

```
$> ./list3.bash /usr/bin/  
/usr/bin/: 1 subdirectory
```

```
$> ./list3.bash /etc  
/etc: 134 subdirectories
```

Discussion of homework

Getting information about filesystem

- How to get information about the filesystem?
- How to determine the size of the root file system on server `fray1.fit.cvut.cz`?
- How to determine free space of the file system on the server `fray1.fit.cvut.cz`, where your home directory is located?
- How to determine the IP address of server, where the contents of your home directory from server `fray1.fit.cvut.cz` is located?
Hint: use command `ping` to get IP address of server.

Getting information about directory/file

- How to get information about the directory/file?
- Login to the server `fray1.fit.cvut.cz` and change working directory to directory `/bin`. Explain output of the following commands.

```
echo "$PWD"
```

```
pwd
```

```
pwd -P
```

- How to list names of all directories/files in you home directory?
- How to list names and attributes of all directories/files in you home directory? Explain the meanings of attributes.

Getting information about directory/file

- How to list attributes of the root directory?
- Login to server `fray1.fit.cvut.cz`. How to determine i-node numbers of the following files
 - `/etc/init.d/pppd`,
 - `/etc/rcS.d/K50pppd`,
 - `/etc/rc0.d/K50pppd`,
 - `/etc/rc1.d/K50pppd`.
- Why the previous files have the same i-node number?
What does it mean?
- How much disk space is allocated for contents of these files totally?

Getting information about directory/file

- What kind of information about your home directory can be display by commands `ls` and `stat`. Compare these commands.
- How to determine number of kilobytes which are allocated for your home directory?

Getting information about file contents

- How to get information about file contents?
- Login to the server `fray1.fit.cvut.cz`. Determine type of the following commands:
 - `pkgdiff`
 - `7z`
 - `firefox`

If the command is an ELF dynamically linked file, then determine shared libraries used by this command.

If the command is a script, then determine script interpreter.

Viewing the file contents

- How to display the file contents?
- Command `ls -l` print several columns to the standard output.
How to determine the column separator?
- How to determine the number of nonempty lines in manual page of `bash`?
Hint: use command `cat`.
- How to determine the number of empty lines in manual page of `bash`?
Hint: use command `cat`.

Creation of directory/file

- How to create directory/file?
- Login to the server `fray1.fit.cvut.cz`.
How to create the following directories/files in your home directory?
 - `PS1_lab05/A/B/C ...` directories
 - `PS1_lab05/java` link to `/opt/java`
 - `PS1_lab05/.hl-profile` hard link to `$HOME/.profile`
- How to add line `PS1="$PATH:$HOME/bin"` to file `$HOME/.profile`?

Manipulation with directories/files

- How to manipulate with directories/files?
- Login to the server `fray1.fit.cvut.cz`.
How to create the following directories/files in your home directory?
 - `PS1_lab05/group` ... copy of `/etc/group`
 - `PS1_lab05/init` copy of `/etc/init.d`
- How to rename `PS1_lab05/init` to `PS1_lab05/init.d`?
- How to delete `PS1_lab05/init.d`?

Homework

- Create shell script, which
 - ① creates the following directory tree temp-RRMMDD where RR are the last two digits of the current year (00..99), MM is the number of the current month (01..12) and DD is the number of the current day (01..31),
 - ② copies to this directory any three files s1..s3,
 - ③ lists files in directories and determines their type,
 - ④ removes this directories.

