

COPILOT CHAT COMPLIANCE AUDIT

Administrator runbook

Microsoft Purview eDiscovery Standard | PST export | Eastern Standard Time

Purpose: collect Copilot Chat conversations from a defined pilot group, export the messages through eDiscovery Standard, and generate a report that management can review for prompts, answers, attachments, and web-search evidence.

1. Before you start

Use this procedure for a Copilot Chat pilot lasting up to seven days. The report is based on the messages contained in the Standard eDiscovery export. It does not require a Unified Audit Log JSON file and it does not use eDiscovery Premium features.


- **Pilot scope.** Record the pilot users and their primary SMTP addresses. Use the same list when you add search data sources.
- **Purview roles.** Assign the administrator to the eDiscovery Manager role group. For a new tenant, also assign Compliance Administrator or eDiscovery Administrator so the eDiscovery pages and case permissions are available.
- **Workstation.** Use Windows with desktop Outlook installed and PowerShell 5.1 or PowerShell 7. Close Outlook before running the report script.
- **Indexing delay.** Allow time for Exchange indexing after users send prompts. A zero-result user may indicate indexing or scope configuration rather than no activity.

2. Create the eDiscovery case

In Microsoft Purview, open eDiscovery > Cases and select Create case. Name the case so the pilot window is obvious, for example:

`Copilot-Chat-Pilot-Audit-2026-09-06`

Use this case for the search and export. You do not need to create a separate case for every search run.



Confirm the administrator has the required Purview role access.

3. Create and run the Copilot search

3.1 Validate every mailbox first


Do not paste unverified addresses into ExchangeLocation. New-ComplianceSearch can accept an address that does not resolve to a real mailbox; that mailbox then contributes zero results without an obvious error.

```
Connect-ExchangeOnline Connect-IPSSession .\Test-ComplianceSearchScope.ps1 -Mailbox `
'`user1@contoso.onmicrosoft.com','user2@contoso.onmicrosoft.com'
```

Use the resolved primary SMTP addresses returned by the script when you add search data sources.

3.2 Create the search

Inside the case, open Search and select New search. Give the search a descriptive name. Add each validated pilot mailbox as a data source. Do not add SharePoint or OneDrive locations; Copilot Chat messages for this procedure are in Exchange.




Add only the validated Exchange mailboxes as data sources.

3.3 Enter the KeyQL condition

Add a KeyQL condition and enter the query below. Replace the dates with the UTC date range for the pilot.

```
ItemClass:IPM.SkypeTeams.Message.Copilot* AND (Sent>=2026-09-01 AND Sent<=2026-09-08)
```


- **Why this query.** The Copilot* wildcard includes both BizChat and WebChat message classes.
- **Date boundary.** Use the start date and the exclusive end date that cover the full pilot. Keep the dates consistent between the search and the PowerShell report command.



Enter the Copilot message class and date range in the KeyQL condition.

3.4 Run and reconcile

Run the search and open Statistics when it completes. Confirm that the total is non-zero and that every scoped mailbox appears in the results. If a pilot user has zero items, investigate the mailbox address, permissions, indexing delay, and date range before exporting.




Use Statistics to reconcile the result count before exporting.

4. Export the results from eDiscovery Standard

Select Export and provide an export name. Configure the export as follows:

Export type	Export items with items report
Export format	Create PSTs for messages where possible
Separate locations	Checked
Include folder and path	Checked

HTML transcripts	Do not select. This is not required for the Standard workflow.
Premium conversation options	Do not select full-conversation or other Premium-only options.



Use the Standard PST export settings. The screenshot may show a different format; select PST where possible.


Expected result: a completed Standard export normally provides a PST package and a Reports package. This is correct. The prompt and response text are in the PST files; Items_*.csv is optional metadata enrichment.

5. Download and organize the export

Download both packages and extract them into one input folder. The exact ZIP names vary by tenant, but the folder should look similar to this:

```
C:\CopilotAudit\Input\Exchange\user1@contoso.onmicrosoft.com.001.pst
user2@contoso.onmicrosoft.com.001.pst Items_*.csv (optional) Summary-*.csv
(optional)
```

Do not open or import the PSTs in Outlook. The report script reads them through Outlook COM.



Download the completed export packages from Purview.

6. Generate the compliance report

Close Outlook completely. Verify that no Outlook process remains:

```
Get-Process OUTLOOK -ErrorAction SilentlyContinue
```

If the command returns a process, close Outlook normally and run the command again. Then run the report script:

```
& 'C:\Scout_Output\917tenantv2\Get-CopilotChatComplianceReport.ps1' -ExportPath  
'C:\CopilotAudit\Input' -OutputFolder 'C:\CopilotAudit\Report' -StartUtc  
([datetime]'2026-09-01T00:00:00Z') -EndUtc ([datetime]'2026-09-08T00:00:00Z') -  
-TimeZoneId 'Eastern Standard Time'
```

Files created

HTML	CopilotChat-ComplianceReport.html - management-friendly review view
CSV	CopilotChat-ComplianceReport.csv - filtering and analysis
JSON	CopilotChat-ComplianceReport.json - structured evidence for automation

7. Review the report

Review each row for the actor, Eastern timestamp, Copilot endpoint, prompt, response, uploaded attachments, tenant files referenced by Copilot, web-search keywords, and external citations.

- **Attachments.** These are files uploaded by the user. They are separate from tenant files that Copilot referenced as grounding.
- **Web search.** The report flags web grounding when Copilot emits a search status, reports search keywords, or includes an external citation. A blank citation field does not prove that web search was disabled.
- **Endpoint.** The value is derived from the exported Outlook MessageClass, so no audit JSON is required.

Important limitation: the script can report only content that is present and readable in the PST export. It cannot reconstruct a prompt or answer that Purview did not export.

8. Troubleshooting

- **No rows.** Check the mailbox scope, KeyQL dates, indexing delay, and whether the PST contains a TeamsMessagesData folder.
- **Outlook COM error 0x80080005.** Close Outlook, confirm no OUTLOOK.EXE process remains, and run PowerShell at the same elevation level as Outlook.
- **Detaching PST stores is slow.** The report files are written before the final detach step. Once the three output files exist, the report is complete.