

COPILOT STUDIO AGENT INTERACTION AUDIT

Administrator runbook

Copilot Studio custom agents | Microsoft 365 first-party agents | Dataverse, Purview eDiscovery and DSPM | Eastern Time

Purpose: retrieve the actual user prompts and agent responses for Microsoft Copilot Studio custom agents and for Microsoft 365 first-party agents such as the Microsoft 365 Admin agent, and produce a report that management and compliance can review.

Contents

1. Running the tool	4
1.1 What you need	4
1.2 STEP 0 - run the readiness survey first	4
1.3 What a Global Administrator must actually do	5
1.4 The two commands	5
1.5 Finding your tenant GUID	6
1.6 Execution policy	6
1.7 Why device code	6
2. Visual walkthrough	6
2.1 Screen 1 - The quick-reference banner	6
2.2 Screen 2 - A complete readiness run	7
2.3 Screen 3 - The readiness HTML report	8
2.4 Screen 4 - The transcript report header	9
2.5 Screen 5 - An actual conversation thread	10
2.6 Screen 6 - First-party agent: DSPM shows the prompt, never the response	11
2.7 Screen 7 - Content Search statistics	12
2.8 Screen 8 - The alternating prompt/response pattern	12
2.9 Screen 9 - The agent's response body, recovered	13
2.10 Regenerating these screenshots	13
3. The four-layer model	14
4. Verified findings (reproduce these before promising anything)	15
4.1 CopilotInteraction is not a Copilot Studio filter	15
4.2 Audit keyword search cannot reach inside CopilotEventData	15
4.3 DSPM for AI returns no prompt or response for custom agents	15
A role grants the right to VIEW content. It does not cause Purview to CAPTURE it.	16
Correction: Copilot Studio content IS mailbox-backed	19
The diagnostic that settles it	19

What to tell a customer	19
5. Prerequisites and configuration	19
5.1 Verified platform facts	19
5.2 Enable transcript recording	20
5.3 Set the retention window - this governs everything	20
5.4 Confirm the agent type and environment type are in scope	21
6. Procedure A - Purview Audit (proving the interaction occurred)	21
6.1 Key fields	22
7. Procedure B - Dataverse transcripts (retrieving the actual conversation)	22
7.1 Step 1: Discover the environment and the retention horizon	22
7.2 Step 2: Export	23
Identifying agents and users - no ID lookup required	23
Time zones	24
Ordering	24
Commands	25
7.3 Step 3: Review in the HTML report	25
7.4 Manual alternatives	25
7.5 Raw Web API queries	26
7.6 Orchestration traces	26
8. End-to-end correlation	27
8.1 The verified join key	27
8.2 What does NOT correlate	27
8.3 The working procedure	28
9. First-party Microsoft 365 Copilot agents	28
9.1 Why the Dataverse path does not apply	28
9.2 Verified: DSPM shows the prompt and has NO response field	28
9.3 Verified: the response IS captured, in a paired row	29
9.4 Verified: the Graph API is application-permission only	29
9.5 Procedure: Content Search for first-party agent interactions	30
9.6 6A.5b Verified result	30
9.7 6A.5c Export settings - one option will silently give you no PST	31
9.8 6A.5d The PowerShell session catch-22 (important)	32
9.9 6A.5e Rendering a readable HTML report	33
9.10 Correlating a prompt to its response	34
9.11 Administrative actions are a separate trail	35

9.12 Custom vs first-party at a glance	35
9.13 Keep the three retention layers separate.....	36
10. Troubleshooting.....	36
10.1 "Method not found: ...BrokerExtension.WithBroker(...)" on the Purview check	36
10.2 Symptom table	38
10.3 Content retrieval decision tree	43
11. Operating model.....	43
11.1 Evidence-handling rules.....	44
12. Microsoft references	44

Version 2.1 | Validated against tenant **M365CPI78116917E5CP**, environment **orgd63eebeb.crm.dynamics.com**, 10 September 2026.

This runbook accompanies **Export-CopilotStudioTranscripts.ps1**. It covers where Copilot Studio agent activity can be found, what each surface actually returns, and the exact steps to retrieve and correlate evidence.

In a hurry? Section 0 has the two commands to run. Everything else explains why.

1. Running the tool

1.1 What you need

Requirement	Detail
PowerShell	Windows PowerShell 5.1 (built into Windows - just search "PowerShell") or PowerShell 7.x. Either works.
Account	An account in the target tenant that is a Dataverse user in the environment and holds the `Bot Transcript Viewer` security role there . A Global Administrator is not automatically either of those. See section 0.1.
Tenant GUID	Entra admin center > Overview > Tenant ID
Network	Outbound HTTPS to login.microsoftonline.com , api.bap.microsoft.com , globaldisco.crm.dynamics.com , and *.crm.dynamics.com

1.2 STEP 0 - run the readiness survey first

Do not skip this in an unfamiliar tenant. The single most common reason an audit "returns nothing" is not a missing feature - it is that the operator is querying an environment they cannot read, or an environment that can never hold transcripts at all.

```
cd C:\Scout_Output\CPStudio-Audit-Content-Search
Unlock-File .\Test-CopilotAuditReadiness.ps1 # only needed once, if downloaded

powershell.exe -NoProfile -ExecutionPolicy Bypass -File .\Test-CopilotAuditReadiness.ps1 `
-TenantId <YOUR-TENANT-GUID>
```

One device code sign-in. It then reports, for **every** environment in the tenant:

Column	What it tells you
Verdict	READY , BLOCKED - not a Dataverse user, BLOCKED - no role, or Not applicable
SKU	Developer and Teams environments are flagged - they can never hold transcripts
Agents / Transcripts	Whether the environment is even worth auditing

Column	What it tells you
Retention actually available	Measured oldest-to-newest span, per environment
Findings	The specific blocker and the exact portal path to fix it

The verdict comes from a **live read against the `ConversationTranscript` table**, not from inspecting role names. That is the only trustworthy test - a custom role, a team-granted role or an inherited privilege can all produce access a role-name check would miss.

It finishes by printing the exact `Export-CopilotStudioTranscripts.ps1` command line for each environment that is ready.

Useful switches:

```
# Also check Microsoft Purview role group membership (second sign-in prompt)
.\Test-CopilotAuditReadiness.ps1 -TenantId <guid> -CheckPurviewRoles

# Preview a self-grant of Bot Transcript Viewer without making it
.\Test-CopilotAuditReadiness.ps1 -TenantId <guid> -GrantSelfTranscriptViewer -WhatIf

# Actually grant it (requires System Administrator in that environment)
.\Test-CopilotAuditReadiness.ps1 -TenantId <guid> -GrantSelfTranscriptViewer

# Re-check one environment after remediation
.\Test-CopilotAuditReadiness.ps1 -TenantId <guid> -EnvironmentUrl https://<org>.crm.dynamics.com
```

The script is read-only except for `-GrantSelfTranscriptViewer`, which honours `-WhatIf`.

1.3 What a Global Administrator must actually do

This is the answer to "there are multiple environments - what do I have to do?"

Yes: per environment, and it is a two-step grant. There is no tenant-wide switch and no tenant-wide transcript table.

- **Be a Dataverse user in that environment.** Power Platform admin center > Environments > *env* > Settings > Users + permissions > **Users** > Add user. Microsoft documents that tenant-level admin roles do **not** automatically grant Dataverse data access. The account must also be licensed.

- **Hold `Bot Transcript Viewer` in that environment.** Same path > Users > *you* >

Manage security roles. Microsoft states plainly that **Environment Maker does not automatically have access to transcripts.**

- Repeat for every environment you intend to audit. The readiness survey lists exactly which ones still need it, so this is a checklist, not an investigation.

If you already hold **System Administrator** in an environment, `-GrantSelfTranscriptViewer` does step 2 for you. It cannot do step 1 - you cannot bootstrap yourself into an environment you are not a user in.

1.4 The two commands

```
# --- STEP 1: discover. Read-only, exports nothing, ~15 seconds. ---
cd C:\Scout_Output\CPStudio-Audit-Content-Search
Unblock-File .\Export-CopilotStudioTranscripts.ps1      # only needed once, if downloaded

powershell.exe -NoProfile -ExecutionPolicy Bypass -File .\Export-CopilotStudioTranscripts.ps1 `
  -TenantId <YOUR-TENANT-GUID> `
  -AuthMethod DeviceCode `
  -Discover
```

The console prints a device code. Open <https://login.microsoft.com/device>, enter it, sign in as an admin in that tenant, and approve. The script then reports the environment, the retention horizon, and every agent by its Agent Registry name.

```
# --- STEP 2: export everything still retained. ---
powershell.exe -NoProfile -ExecutionPolicy Bypass -File .\Export-CopilotStudioTranscripts.ps1 `
  -TenantId <YOUR-TENANT-GUID> `
  -AuthMethod DeviceCode `
  -AllHistory -Format All -IncludeTraces
```

Open the HTML file printed at the end. That is the review deliverable.

1.5 Finding your tenant GUID

Any one of:

- Entra admin center > **Overview** > Tenant ID
- Azure portal > Microsoft Entra ID > **Overview** > Tenant ID
- Browse to <https://login.microsoftonline.com/<yourdomain.com>/v2.0/.well-known/openid-configuration>

and read the GUID out of the **issuer** value

- `az account show --query tenantId -o tsv` (only if Azure CLI is signed in to that tenant)

1.6 Execution policy

`-ExecutionPolicy Bypass` in the commands above handles this. To run the script directly instead, set the policy once for your user:

```
Set-ExecutionPolicy -Scope CurrentUser -ExecutionPolicy RemoteSigned
```

1.7 Why device code

The Dataverse environment is usually in a **different tenant** than your default Azure CLI context. `-AuthMethod DeviceCode` authenticates to the target tenant in the browser and **leaves your existing Azure CLI session untouched**. Without it Dataverse returns HTTP 403 even though your permissions are correct - see section 8.

2. Visual walkthrough

Every screenshot below is a real run against a validated tenant. The command that produces it is shown directly above it, so this section doubles as a copy-paste script for reproducing the whole workflow.

2.1 Screen 1 - The quick-reference banner

```
cd C:\Scout_Output\CPStudio-Audit-Content-Search
.\Test-CopilotAuditReadiness.ps1 -TenantId <YOUR-TENANT-GUID> -CheckPurviewRoles
```

```
PS C:\Scout_Output> .\Test-CopilotAuditReadiness.ps1 -TenantId c1fdbce8-e6b0-43e2-82b5-6f8e5dda28b4 -CheckPurviewRoles
```

```
=====
COPILOT STUDIO AUDIT READINESS - PREFLIGHT SURVEY
=====

Run this BEFORE Export-CopilotStudioTranscripts.ps1.

Being a Global Administrator does not grant Dataverse data access.
This survey tells you, per environment, whether you can actually
read agent transcripts - by running a real query, not by guessing
from role names.

TYPICAL RUN
.\Test-CopilotAuditReadiness.ps1 -TenantId <tenant GUID>

ALSO CHECK PURVIEW ROLE GROUPS (second sign-in prompt)
.\Test-CopilotAuditReadiness.ps1 -TenantId <guid> -CheckPurviewRoles

PREVIEW A SELF-GRANT WITHOUT MAKING IT
.\Test-CopilotAuditReadiness.ps1 -TenantId <guid> -
-GrantSelfTranscriptViewer -WhatIf

Read-only unless you pass -GrantSelfTranscriptViewer.
Suppress this banner with -Force. Full help: -Help or Get-Help.
=====
```

Readiness banner

The banner prints on every run and lists the three normal invocations. Suppress it with **-Force** once you know them. **-Help** prints it and exits without signing in.

2.2 Screen 2 - A complete readiness run

```
# Same command as above. This is what the full console output looks like.
.\Test-CopilotAuditReadiness.ps1 -TenantId <YOUR-TENANT-GUID> -CheckPurviewRoles
```

```
INTERACTIVE SIGN-IN REQUIRED
-----
1. Open : https://login.microsoft.com/device
   Code : 44344444
2. Sign in as a Global Administrator or Power Platform Administrator
   in the TARGET tenant.

2026-09-11T01:43:40Z [INFO] Waiting for sign-in to complete in the browser ...
2026-09-11T01:44:26Z [IN] Device code sign-in complete.
2026-09-11T01:44:26Z [IN] Signed in as : admin@035C917B116917.onmicrosoft.com
2026-09-11T01:44:26Z [INFO] Taken tenant : c1fdbce8-e6b0-43e2-82b5-6f8e5dda28b4
2026-09-11T01:44:26Z [INFO] Object ID : cb10085-38ba-4475-ba3c-b1b78678a246
2026-09-11T01:44:26Z [STEP] Enumerating every Dataverse environment in the tenant (Power Platform admin surface) ...
2026-09-11T01:44:27Z [IN] Admin inventory : 1 environment(s).
2026-09-11T01:44:27Z [STEP] Enumerating environments this identity is already a Dataverse user in (Global Discovery) ...
2026-09-11T01:44:30Z [INFO] 1 of 1 environment(s) have a Dataverse database and will be probed.
2026-09-11T01:44:30Z [STEP] Probing each environment (whoAmI, roles, ConversationTranscript read, agents, retention) ...
2026-09-11T01:44:30Z [INFO] 1 of 1 Contoso (default)
2026-09-11T01:44:30Z [STEP] Connecting to Security and Compliance PowerShell (a second sign-in prompt is expected) ...
2026-09-11T01:44:41Z [WARN] Could not connect to Security and Compliance PowerShell. Method not found: "Microsoft.Identity.Client.PublicClientApplicationBuilder Microsoft.Identity.Client.Broker.BrokerExtension.WithBroker(Microsoft.Identity.Client.PublicClientApplicationBuilder, Microsoft.Identity.Client.BrokerOptions)".

=====
READINESS VERDICT
=====
Signed in as : admin@035C917B116917.onmicrosoft.com
Environments in tenant : 1
Not on role : 1
... holding data : 1
Blocked - missing role : 0
Blocked - not a user : 0
Cannot hold transcripts : 0

=====
Environment Sku Verdict Agents Transcripts SpanDays
-----
Contoso (default) Default READY 11 44 30

=====
REMEDIATION PLAYBOOK
=====
Nothing to remediate. Every environment that can hold transcripts is readable.

READY TO EXPORT? - run these now
-----
# Contoso (default) (44 transcript(s), 30 day span)
.\Export-CopilotStudioTranscripts.ps1 -EnvironmentUrl https://org@3eeb0b.api.crm.dynamics.com -
TenantId c1fdbce8-e6b0-43e2-82b5-6f8e5dda28b4 -AuthMethod DeviceCode -AllHistory

2026-09-11T01:44:41Z [IN] Readiness report arrives: (15000 characters) [C:\Scout_Output\Transcripts\CopilotStudio-Readiness-20260911-014441.html]
2026-09-11T01:44:41Z [STEP] --- Readiness survey complete in 52.7s ---
PS C:\Scout_Output>
```

Full readiness run

Read it top to bottom:

Section	What to look for
Device code block	Open the URL, enter the code, sign in as an admin in the target tenant
Admin inventory vs Discovery inventory	The gap between these two numbers is your access problem. Admin inventory is every environment in the tenant; discovery inventory is only those you are already a Dataverse user in.
READINESS VERDICT	The headline counts: auditable, blocked on role, blocked on user, cannot hold transcripts

Section	What to look for
Environment table	Per-environment verdict, agent count, transcript count, measured retention span
REMEDATION PLAYBOOK	Exactly what to fix, in priority order, with portal paths
READY TO EXPORT	The literal next command to run, per environment - copy and paste it

The [WARN] Could not connect to Security and Compliance PowerShell line visible in this screenshot is the MSAL broker conflict described in section 8.1. It is **non-fatal** - note that the Dataverse verdict below it still completed normally. The Purview role check is optional.

2.3 Screen 3 - The readiness HTML report

Written automatically at the end of every run. Path is printed on the last line.
 Invoke-Item C:\Scout_Output\CopilotStudio-Transcripts\CopilotStudio-Readiness-<stamp>.html

Copilot Studio Audit Readiness

Signed in as: admin@M365CPI78116917.onmicrosoft.com · tenant c1fdbcce8-e6b0-43e2-82b5-6f6e5dda28b4
Generated: 2026-09-10 21:47:29 Eastern Time
Verdicts are based on a live read against the ConversationTranscript table in each environment, not on inspecting role names.

1	1	1	0	0	0
ENVIRONMENTS	AUDITABLE NOW	HOLDING DATA	MISSING ROLE	NOT A USER	CANNOT HOLD TRANSCRIPTS

Why a Global Administrator can still get nothing: Microsoft documents that tenant-level admin roles do not automatically grant Microsoft Dataverse data access, and that the Environment Maker role does not grant transcript access. The documented least-privilege role for reading agent transcripts is `Bot Transcript Viewer`, and it must be held *per environment*. There is no tenant-wide transcript table - every environment stores its own, so a complete tenant audit means running the export once per environment listed as `READY` below.

Environments that can never hold transcripts: Microsoft documents that conversation transcripts are not written for Microsoft 365 Copilot agents, for Microsoft Dataverse for Teams environments, or for agents deployed in `Developer` environments. Those are marked *Not applicable* below and no amount of permission granting will change that.

Environment readiness

ENVIRONMENT	SKU	VERDICT	AGENTS	TRANSCRIPTS	RETENTION ACTUALLY AVAILABLE	FINDINGS
Contoso (default) https://orgd63eebeb.api.crm.dynamics.com	Default	READY	11	44	2026-08-11 03:04:37 to 2026-09-10 14:33:44 (30 day span)	Roles held: Basic User, Environment Maker, System Administrator

Why Purview can show nothing even when every role is held

This is the single most misread part of Copilot Studio auditing. A Purview role group grants the right to view content that already exists. It does not cause Purview to *capture* anything. Microsoft's own DSPM permissions table marks **Global Administrator as NOT able to view prompts and responses**, and the DSPM known-issues page lists three separate conditions under which prompt and response text is legitimately blank. Meanwhile the Dataverse `conversationtranscript` row for that same interaction still exists and is fully readable. That asymmetry is expected behaviour, not a bug, and it is the reason this toolkit treats Dataverse as the authoritative source.

GATE	WHAT MICROSOFT DOCUMENTS	HOW TO CHECK IT
Global Administrator is not enough	Microsoft's DSPM permissions table explicitly marks Global Administrator as NOT able to view prompts and responses. Only Content Explorer Content Viewer or Microsoft Purview Data Security AI Content Viewer	Purview portal > Settings > Roles and scopes > Role groups. Re-open the browser session after any change; role propagation is not immediate.
Interacting user must have an Exchange Online mailbox	Microsoft: "When a user doesn't have a mailbox hosted in Exchange Online, no prompt or response is displayed." Purview stores the compliance copy in a hidden folder in the INTERACTING user's mailbox. Anonymous web-chat users and service identities have no mailbox, so their content can never display.	Get-EXOMailbox <interacting user UPN> Format-List PrimarySMTPAddress,RecipientTypeDetails. Check the user who sent the prompt, not the administrator reading the report.
Collection policy must have Capture content enabled	Microsoft: "For collection policies, no prompt or response is displayed if the option to capture content isn't selected in the policy." Capture also requires the Content contains classifiers condition set to All.	Purview portal > Collection policies. Verify scope, Capture content ON, classifiers = All, policy deployed. Allow 24 hours after a change.
Non-Microsoft channels require Purview pay-as-you-go billing	Microsoft: "Managing these AI interactions for Copilot Studio agents published to non-Microsoft channels requires you to enable pay-as-you-go billing in your organization." Demo website, custom website, Direct Line and similar channels fall here. Microsoft channels (Teams, M365 Copilot) do not.	Confirm the tenant is linked to an active Azure subscription and Purview PAYG is enabled. This is separate from Copilot Studio message capacity and from M365 Copilot licensing.
Unified audit ingestion must have been ON at the time of the interaction	Enabling audit is prospective. It does not reconstruct interactions that were never captured, even though the Dataverse transcript for those same interactions still exists.	Get-AdminAuditLogConfig Format-List UnifiedAuditLogIngestionEnabled (must be True)
Known issue: text can legitimately be blank or split	Microsoft: "The AI interaction event doesn't always display text for the prompt and response. Sometimes, the prompt and response spans consecutive entries."	Open the immediately preceding and following AI interaction records in a narrow time window before concluding the content is missing.

Remediation playbook

1. **Add the auditing identity as a Dataverse user** in every environment you intend to audit. Power Platform admin center > Environments > <env> > Settings > Users + permissions > Users > Add user. The account must be licensed. Being a Global Administrator is not enough.
 2. **Assign the Bot Transcript Viewer security role** to that identity in each environment. Same path > Users > <identity> > Manage security roles. Environment Maker does not grant it.
 3. **Confirm transcript recording is on** for the environment: Settings > Product > Features > "Allow conversation transcripts and their associated metadata to be saved in Dataverse". On by default. Disabling takes up to 24 hours to take effect and is not retroactive when re-enabled.
 4. **Decide how far back you need evidence** before you need it. Default Dataverse retention is 30 days, enforced by the bulk deletion job named "Bulk Delete Conversation Transcript Records Older Than 1 Month". An administrator can cancel that job and create one with a longer window. Anything already purged is unrecoverable by any tool.
 5. **Re-run this survey** to confirm the read probe now passes, then run the export per environment.

Next command

```
.\Export-CopilotStudioTranscripts.ps1 -EnvironmentUrl https://<org>.crm.dynamics.com `
-TenantId c1fdbcce8-e6b0-43e2-82b5-6f6e5dda28b4 -AuthMethod DeviceCode -AllHistory
```

Readiness verdicts reflect this identity at this moment. Re-run after any role change. This report names environments and roles; handle it per your organization's privacy requirements.

Readiness HTML report

This is the artefact to hand to a customer or attach to a change record. It contains the environment verdict table, the **capture-gate table** explaining why Purview can show nothing even when every role is held, the remediation playbook, and the next command to run.

2.4 Screen 4 - The transcript report header

```
.\Export-CopilotStudioTranscripts.ps1 `
-EnvironmentUrl https://<org>.crm.dynamics.com `
-TenantId <YOUR-TENANT-GUID> -AuthMethod DeviceCode -AllHistory
```

Copilot Studio Agent Conversation Report

Environment: <https://orgd63eeeb.crm.dynamics.com>

Export window: 2026-08-11 03:04:36 to 2026-09-10 17:39:21 (all retained history) (Eastern Time)

Filters applied at export: agent = none - user = none

Sort: conversations newest first by start time; turns within a conversation always oldest to newest. Use the order selector below to flip it.

Generated: 2026-09-10 17:43:45 Eastern Daylight Time - all times shown in Eastern Time (local clock time, DST applied per timestamp); UTC retained in the exports

41
CONVERSATIONS

103
TOTAL TURNS

6
AGENTS

1
DISTINCT USERS

5
USED KNOWLEDGE

4
HAD AGENT ERRORS

Retention horizon for this environment: the oldest surviving transcript is 2026-08-11 03:04:37 (31 day(s) old) and the newest is 2026-09-10 14:33:44, giving a recoverable span of **30 day(s)** across **44** transcript record(s) in total. Conversations older than the oldest timestamp have already been removed by the Dataverse bulk deletion job and cannot be recovered by this or any other tool. Treat this report as complete only for the window stated above.

Evidence source: full prompt and response text read from the Microsoft Dataverse `conversationtranscript` table. Microsoft Purview Audit and DSPM for AI record that these interactions occurred but do not return the prompt and response body for custom Copilot Studio agents. Join back to Purview Audit on `UserKey / UserId` = the user object ID shown on each conversation. Agent names are the friendly names from the Microsoft 365 admin center Agent Registry, resolved from the Dataverse agent directory; the underlying schema name is shown alongside each conversation. Very long machine-generated prompts (for example a full HTML email pasted into an autonomous trigger) are shown as readable excerpts with a `Show full text` control; the untouched original text is preserved verbatim in the JSON export for evidence and chain of custody.

Filter by prompt text, answer text, agent, conversation All agents All users mm/dd/yyyy mm/dd/yyyy

All conversations Newest first Expand all text Reset filters 41 of 41 conversations shown

MC Student Concierge
2026-08-11 03:04:37 Eastern Time - 2 turn(s), 1 from user - MOD Administrator <admin@M365CPI78116917.onmicrosoft.com>

Conversation: 1fa73914-ad43-46d8-8667-4003ae47b43c Transcript: b5e88528-3403-463f-b7c7-8890c3e8b979 Agent schema: cr834_MCStudentConcierge User object ID: cb410005-38ba-4475-bb3c-81b70678a246 Start (UTC): 2026-08-11T07:04:37Z

MOD ADMINISTRATOR
A prospective or current Montgomery College student has emailed. Sender email address: MSSECURITY-noreply@microsoft.com. Original email subject: Microsoft Entra ID Protection Weekly Digest. Email body: See your Microsoft Entra ID Protection Weekly Digest report Microsoft Entra ID Protection Weekly Digest August 04 to August 10 for Contoso New risky users detected 0 New risky sign-ins detected (in real-time) 0 Some risky users or sign-ins may already be remediated or dismissed. To review all cases, apply filters for all "Risk states" and "Risk levels" in the Entra admin center. Learn more Did you find this email helpful? Yes No Privacy Statement Microsoft Corporation, One Microsoft Way, Redm ...
[Show full text \(1986 chars\)](#)

MC STUDENT CONCIERGE
An error has occurred.
Error code: ContentValidationError
Conversation ID: 1fa73914-ad43-46d8-8667-4003ae47b43c
Time (UTC): 2026-08-11T07:04:51.817Z.

MCP Enterprise Admin Assistant
2026-08-15 14:45:53 Eastern Time - 1 turn(s), 0 from user -

Conversation: 0f75b20f-bd88-4267-9812-ca2f78173d93 Transcript: 08a8bb6a-b460-4f03-89a2-01fd2240be14 Agent schema: cr834_MCPEnterpriseAdminAssistant User object ID: Start (UTC): 2026-08-15T18:45:53Z

Transcript report header

The header states the export window, the **measured retention horizon**, the sort order, and the evidence-source note. The filter bar underneath drives everything: free-text search, agent, user, date from/to, flag filter, and the **Newest first / Oldest first** order selector.

2.5 Screen 5 - An actual conversation thread

MCP Enterprise Admin Assistant

2026-08-23 21:21:58 Eastern Time - 9 turn(s), 4 from user - MOD Administrator <admin@M365CPI78116917.onmicrosoft.com>

Knowledge used

Conversation: 45db258a-bc72-419f-8beb-fb9575fe8473 Transcript: 3d44c9a5-29e9-46c8-b495-178d03502d97 Agent schema: c7834_MCPEnterpriseAdminAssistant User object ID: cb410005-38ba-4475-bb3c-01b70678a246

Start (UTC): 2026-08-24T01:21:58Z

MCP ENTERPRISE ADMIN ASSISTANT

2026-08-23 21:21:58

Hello, I'm MCP Enterprise Admin Assistant. How can I help?

MOD ADMINISTRATOR

2026-08-23 21:22:27

tell me what Copilot updates there are in the month of August that have High User Impact tag

MCP ENTERPRISE ADMIN ASSISTANT

2026-08-23 21:24:28

I checked Message center posts for August. None of the Copilot-related notices are tagged "High user impact," and none have severity set to high or critical; the Copilot items in August that mention user impact are tagged simply "User impact" with severity "normal."

Would you like me to export all August Copilot posts that carry the "User impact" tag into a CSV?

MOD ADMINISTRATOR

2026-08-23 21:25:45

yes

MCP ENTERPRISE ADMIN ASSISTANT

2026-08-23 21:26:33

Here's the CSV of August Message center posts about Copilot that carry the "User impact" tag. Source: Microsoft Graph Message center.

Id,Title,Category,Severity,StartDateTime,LastModifiedDateTime,Services,Tags MC1446644,"Microsoft Copilot Studio: GitHub Copilot harness now generally available for building autonomous agents and workflows",stayinformed,normal,2026-08-03T18:20:30Z,2026-08-03T18:21:58.92Z,"Microsoft Copilot (Microsoft 365)","New feature | Feature update | User impact" MC1446799,"Microsoft Teams: Multilingual meeting recaps support personalized recap translation",planforchange,normal,2026-08-03T22:20:09Z,2026-08-03T22:20:20.83Z,"Microsoft Teams | Microsoft Copilot (Microsoft 365) ...

Show full text (6287 chars)

MOD ADMINISTRATOR

2026-08-23 23:04:12

you are just outputting this in a csv in the context window, not to a file. I need you to stopo

MCP ENTERPRISE ADMIN ASSISTANT

2026-08-23 23:04:39

Understood—I'll stop posting CSVs in the chat. Sorry about that.

How would you like to proceed?

- I can give you a ready-to-run PowerShell script that saves the August Copilot "User impact" posts to a CSV path you choose.

- Or I can provide a Graph Explorer link plus quick steps to download the results and save as CSV.

- If you prefer I save the file directly to OneDrive/SharePoint, I don't have write access in this session, but I can provide the exact commands for you to run.

Which option do you want?

MOD ADMINISTRATOR

2026-08-23 23:05:26

save it to my onedrive in the root call it MCTest.csv

MCP ENTERPRISE ADMIN ASSISTANT

2026-08-23 23:06:00

I can't write files to your OneDrive from this session. Here's a ready-to-run PowerShell script that fetches August Copilot posts tagged "User impact" from Message center and uploads MCTest.csv to the root of your OneDrive. - Required: Microsoft Graph PowerShell SDK (install-Module Microsoft.Graph -Scope CurrentUser) - Sign in with an account that can consent to ServiceMessage.Read.All and has OneDrive write access. PowerShell script: -----

Connect to Microsoft Graph with needed scopes \$scopes = @("ServiceMessage.Read.All","Files.ReadWrite.All") Connect-MgGraph -Scopes \$scopes # Compute the current month (UTC) window \$nowUtc = (Get-Date).ToUniversalTime() \$monthS ...

Show full text (2722 chars)


Transcript thread

This is the deliverable. Note what is present that no other surface provides:

- The full **user prompt** and full **agent response** text, verbatim
- Correct chronological order - greeting first, then each turn in the order it happened
- Per-turn timestamps in local time, with UTC preserved as a tooltip and in the CSV/JSON
- The resolved user display name and UPN, plus the raw Entra object ID for the Purview join
- The agent's friendly Agent Registry name **and** its underlying Dataverse schema name
- A **Knowledge used** pill showing the agent consulted a knowledge source
- **Show full text (N chars)** on long machine-generated turns, with the original preserved in JSON

2.6 Screen 6 - First-party agent: DSPM shows the prompt, never the response

Portal only. Purview > DSPM > Discover > Activity explorer > AI activities tab




DSPM first-party prompt only

The detail pane for a Microsoft 365 Admin agent interaction. Note **Interaction details** -> **Prompt** with **no Response field anywhere** in the pane. See section 6A.2.

2.7 Screen 7 - Content Search statistics


```
# Purview > Solutions > eDiscovery > Content Search > Create a search
# Query: ItemClass:IPM.SkypeTeams.Message.Copilot* AND (Sent>=2026-09-10 AND Sent<=2026-09-11)
# Source: the INTERACTING user's mailbox, Mailboxes only
```



Content search statistics

27 matches, 906 KB, 1 of 1 location had hits. This is the same day of activity that DSPM showed prompt-only.


2.8 Screen 8 - The alternating prompt/response pattern



Content search sample

The Sample tab, showing the conversation alternating between the user (**MOD Administrator**) and the **agent identity** (**M365AdminAgent@teams.microsoft.com**). Prompt and response are separate mailbox items distinguished by sender.

2.9 Screen 9 - The agent's response body, recovered



Agent response body

Selecting an **M365AdminAgent** row renders the complete response text, with sender, timestamp, recipient and the agent's citations intact. **This is the evidence DSPM cannot produce.**

2.10 Regenerating these screenshots

The console screens are plain terminal captures. To refresh the two HTML captures without a browser plug-in:

```
# Serve the report folder locally, then capture with any headless browser
cd C:\Scout_Output\CopilotStudio-Transcripts
python -m http.server 8899 --bind 127.0.0.1
# then browse to http://127.0.0.1:8899/<report file>.html and capture full page
```

Screenshots live in `C:\Scout_Output\CPStudio-Audit-Content-Search\Screenshots\`. Keep the file names stable so the links in this runbook do not break.

3. The four-layer model

Administrators routinely conflate systems that answer different questions.

Layer	System	Question	What you actually get
0. Access	Power Platform / Dataverse roles	<i>Can I read any of this at all?</i>	Per-environment answer. A Global Administrator is not automatically a Dataverse user and does not automatically hold Bot Transcript Viewer . Start here - section 0.1.
1. Occurrence	Purview Audit	Did it happen, who, when, from where?	UTC timestamp, UserId , UserKey , client IP, RecordType 261, operation CopilotInteraction , and a CopilotEventData payload with AppHost , ConversationId , ThreadId , AccessedResources . The Messages collection holds message IDs and flags , not text.
2. Signal	DSPM for AI	Which agent, which resources, sensitive data?	Agent name and environment, AI app category, resources accessed, sensitivity labels, SIT detections. Prompt/response text is gated by six separate conditions - section 2.3.
3. Content	Dataverse conversationtranscript	What was actually said?	Full prompt text, full response text, per-turn UTC timestamps, user Entra object ID, agent BotName / BotId , plus orchestration traces (tool and MCP calls, knowledge lookups, plan steps, errors)

One-line summary for a customer: Purview is the flight recorder that proves the flight happened and who was aboard. Dataverse is the cockpit voice recorder that captures what was said. Layer 0 is the key to the hangar - and most failed audits never get past it.

Why Dataverse is the authoritative layer: it captures unconditionally the moment transcript recording is on. No mailbox requirement, no licensing tier, no channel restriction and no collection policy can suppress it. Every other layer has at least one gate that can silently drop the content.

4. Verified findings (reproduce these before promising anything)

4.1 CopilotInteraction is not a Copilot Studio filter

A 90-day Audit search on operation **CopilotInteraction** returned **808 records** in the validated tenant. That number is real but it is **not** a Copilot Studio number. **CopilotInteraction** is a single shared operation emitted by every Copilot surface - Word, PowerPoint, Excel, Outlook, Teams, Copilot Chat **and** Copilot Studio.

Opening an individual record proved it: one returned **AppHost: "PowerPoint"** with a **Contexts** entry pointing at a **.pptx** in OneDrive.

The Audit UI exposes **no AppHost filter**. You must export and filter offline:

```
# Filter an exported Purview Audit CSV down to Copilot Studio only.
$csv = Import-Csv 'C:\Scout_Output\AuditRecords.csv'

$cps = foreach ($row in $csv) {
    try { $d = $row.AuditData | ConvertFrom-Json } catch { continue }
    if ($d.CopilotEventData.AppHost -eq 'Copilot Studio') {
        [pscustomobject]@{
            CreationTimeUtc = $d.CreationTime
            UserId          = $d.UserId
            UserKey         = $d.UserKey          # join key to Dataverse
            ClientIP        = $d.ClientIP
            AppHost         = $d.CopilotEventData.AppHost
            ThreadId        = $d.CopilotEventData.ThreadId
        }
    }
}

$cps | Export-Csv 'C:\Scout_Output\CopilotStudio-Audit-Only.csv' -NoTypeInformation -Encoding UTF8
'Copilot Studio interactions: {0} of {1} total' -f $cps.Count, $csv.Count
```

Report the filtered figure, never the raw one. Retain both so the ratio itself becomes a talking point about Copilot surface adoption.

4.2 Audit keyword search cannot reach inside CopilotEventData

An Audit search over 23-24 August 2026 UTC with operation **CopilotInteraction** and the exact Copilot Studio thread identifier in the **Keyword Search** field completed at 100% with **0 results**

- despite records containing that identifier existing in the same window.

The Audit keyword index does not tokenize the **CopilotEventData** JSON blob. Searching for a **ThreadId**, **ConversationId**, **MessageId** or agent name there will silently return nothing. This is a search-surface limitation, not an absence of data.

4.3 DSPM for AI returns no prompt or response for custom agents

DSPM Activity explorer correctly listed AI Interaction events for the Copilot Studio agents, including agent name and accessed resources. Every sampled event returned **"Information not available - We couldn't retrieve this prompt and response."**

This was reproduced with an account holding **Global Administrator** and **Content Explorer Content Viewer**. That combination is what Microsoft's Copilot Studio page implies is sufficient, so the behaviour looks like a defect. It is not. The explanation is in three other Microsoft documents, and it matters enormously for setting customer expectations.

A role grants the right to VIEW content. It does not cause Purview to CAPTURE it.

This is the single most misread point in Copilot Studio auditing. Every gate below is a *capture* or *identity* gate, not a permissions gate. An administrator holding every role group in the tenant will still see nothing if any one of them is unmet - while the Dataverse `conversationtranscript` row for that exact same interaction remains fully readable.

#	Gate	What Microsoft documents	How to check	
1	Global Administrator is not on the list	The DSPM permissions table marks Global Administrator, and other broad roles, not permitted for "View the prompts and responses". Only Content Explorer Content Viewer or Microsoft Purview Data Security AI Content Viewer grant it.	Purview > Settings > Roles and scopes > Role groups. Use a fresh browser session after any change - propagation is not immediate.	
2	The interacting user needs an Exchange Online mailbox	"When a user doesn't have a mailbox hosted in Exchange Online, no	`Get-EXOMailbox <interacting UPN> \	fl PrimarySmtpAddress,RecipientTypeDetails`. Check the person who sent the prompt, not the admin reading the report. Anonymous web-chat users have no mailbox and can never surface content.

#	Gate	What Microsoft documents	How to check	
		<i>prompt or response is displayed."</i> Purview stores its compliance copy in a hidden folder in the interacting user's mailbox.		
3	Collection policy must capture content	<i>"For collection policies, no prompt or response is displayed if the option to capture content isn't selected in the policy."</i> Capture also requires Content contains classifiers = All.	Purview > Collection policies. Verify scope, Capture content ON, classifiers = All, policy deployed. Allow 24 hours.	
4	Non-Microsoft channels require Purview pay-as-you-go	<i>"Managing these AI interactions for Copilot Studio agents published to non-Microsoft channels requires you to enable pay-as-you-go billing in</i>	Confirm the tenant is linked to an active Azure subscription with Purview PAYG enabled. This is separate from Copilot Studio message capacity and from Microsoft 365 Copilot licensing.	

#	Gate	What Microsoft documents	How to check	
		<i>your organization."</i> Demo website, custom website and Direct Line are non-Microsoft channels. Teams and Microsoft 365 Copilot are not.		
5	Audit ingestion had to be on at the time	Enabling audit is prospective. It never reconstructs interactions that were not captured - even though Dataverse still holds them.	<pre>`Get-AdminAuditLogConfig \</pre>	fl UnifiedAuditLogIngestionEnabled must be True`.
6	Documented known issue	<i>"The AI interaction event doesn't always display text for the prompt and response. Sometimes, the prompt and response spans consecutive entries."</i>	Open the immediately preceding and following AI interaction records in a narrow time window before concluding content is absent.	

Correction: Copilot Studio content IS mailbox-backed

Earlier guidance in this runbook implied Purview could never return prompt and response bodies for custom agents. That is too absolute and is corrected here. Microsoft documents that *"All user prompts and responses from AI applications are stored in a user's mailbox"*, and lists Copilot Studio explicitly with the item class `IPM.SkypeTeams.Message.Copilot.Studio.*`.

Consequence: eDiscovery and Content Search *can* return this content - but only when the capture gates above were satisfied at the time of the interaction. Use this eDiscovery query to test:

```
ItemClass:IPM.SkypeTeams.Message.Copilot.Studio.*
```

The diagnostic that settles it

Observation	Conclusion
Dataverse has the transcript, eDiscovery finds the mailbox item, Activity Explorer is blank	Capture worked. The problem is role, propagation, or the known display issue. Gate 1 or 6.
Dataverse has the transcript, eDiscovery finds nothing	Purview never captured a compliance copy. Gate 2, 3, 4 or 5 - most often channel or mailbox.
Audit event exists but Messages holds only IDs	Expected. The raw audit record carries message identifiers and flags, not text. That alone is not evidence of a failure.

What to tell a customer

Dataverse is the **authoritative** source for custom Copilot Studio agent content, because it captures unconditionally the moment transcript recording is on - no mailbox, no licensing tier, no channel and no collection policy can suppress it. Purview is **corroboration** and the defensible legal-hold surface, and it is worth configuring deliberately when the customer needs eDiscovery. Do not promise DSPM prompt visibility without walking gates 1 to 6 first.

5. Prerequisites and configuration

5.1 Verified platform facts

Every statement below was checked against Microsoft Learn in September 2026. Verify again before quoting them to a customer - this surface changes.

#	Fact	Consequence for an audit
1	Default Dataverse retention is 30 days , enforced by a job named <i>"Bulk Delete Conversation Transcript Records Older Than 1 Month"</i> .	30 days is a default, not a platform limit . Never assume it. Measure it per environment.

#	Fact	Consequence for an audit
2	An administrator can extend it by cancelling that job and creating one with a longer window. Microsoft's own example uses 12 months . No maximum is documented.	Extending is a legitimate, documented control. Do it <i>before</i> you need the evidence - it is never retroactive.
3	Copilot Studio's own session storage is a separate store retained up to 28 days , and is not configurable.	Changing Dataverse retention does not change the Copilot Studio UI's session history. Two different clocks.
4	Transcripts are not written for Microsoft 365 Copilot agents, Dataverse for Teams environments, or agents deployed in Developer environments.	No permission change will ever produce data for these. The readiness survey flags them as <i>Not applicable</i> .
5	The documented least-privilege role is `Bot Transcript Viewer` . <i>"Makers with the Environment maker role don't automatically have access to transcripts."</i>	Environment Maker is a trap. Grant the specific role.
6	<i>"Tenant-level admin roles ... don't automatically grant Dataverse data access."</i>	A Global Administrator is not a Dataverse user. This is the #1 cause of an empty audit.
7	Every environment stores its own transcripts. There is no tenant-wide transcript table.	A complete tenant audit means one export per environment . Run the readiness survey to get the list.
8	Transcript recording is controlled per environment by <i>"Allow conversation transcripts and their associated metadata to be saved in Dataverse"</i> , on by default in new environments.	If it was ever turned off, that window is permanently blank. Disabling takes up to 24 hours to take effect.
9	For SharePoint-grounded answers, the user's question is stored but the generated answer is stored as `REDACTED` .	Expect legitimate gaps in agent responses for SharePoint knowledge sources. This is not a tool defect.

5.2 Enable transcript recording

- Open **admin.powerplatform.microsoft.com** and select the environment hosting the agent.
- Go to **Settings > Product > Features**.
- Confirm *****"Allow conversation transcripts and their associated metadata to be saved in Dataverse"***** is enabled, and that transcript viewing is enabled.

- Assign **Bot Transcript Viewer** to any maker or auditor who must read transcripts.

On by default in new environments. If it was disabled, re-enabling is **not retroactive** - the gap stays empty forever. Disabling likewise takes up to 24 hours to stop writes.

5.3 Set the retention window - this governs everything

Dataverse ships a recurring bulk deletion job that purges Copilot Studio transcripts. In its default form it removes records after roughly **one month**.

- Open the environment in Dynamics 365 settings, then **Data Management > Bulk Record Deletion**.
- Locate the existing recurring job targeting **ConversationTranscript**.
- Create a replacement job with criteria **ConversationStartTime is older than 3 months** and

SchemaType equals powervirtualagents.

- Schedule it daily during low-use hours with an unambiguous name.
- **Suspend or cancel the original one-month job.** Confirm only one active job targets the table.
- Recheck after the first successful run and retain the outcome as control evidence.

Do not leave two active deletion jobs. If the one-month job remains active it will delete records before the three-month job can preserve them, and the longer window silently never takes effect.

The window does not apply retroactively. After switching to a three-month job, the recoverable span grows day by day. In the validated tenant the oldest surviving transcript was 31 days old at validation time, confirming the one-month job had been active until recently. Always run **-Discover** rather than assuming the configured window is the actual window.

5.4 Confirm the agent type and environment type are in scope

Microsoft states that conversation transcripts are **not** written for:

- **Microsoft 365 Copilot agents** (declarative agents / Agent Builder). These do not consume the tenant's Dataverse storage entitlement at all.
- **Microsoft Dataverse for Teams** environments.
- **Developer environments** - "Transcripts aren't stored for agents deployed in developer environments."* This one catches people out, because a Developer environment otherwise looks and behaves like a normal one.

If the agent or environment is any of these, section 5 will return nothing and no configuration change will fix it. The readiness survey in section 0.1 detects Developer and Teams environments from the environment SKU and marks them **Not applicable** so you do not waste a permissions investigation on data that will never exist.

6. Procedure A - Purview Audit (proving the interaction occurred)

- Open **purview.microsoft.com > Solutions > Audit > Search**.
- Set the UTC date/time range. Audit Standard retains records created on or after 17 October 2023 for **180 days** by default.
- In **Activities - operation names** enter **CopilotInteraction**. **Leave Keyword Search empty**.
- Optionally scope by **Users**. Do not attempt to scope by agent name - the field does not exist.
- Name the search descriptively and select **Search**.
- Wait for Completed, open it, and select **Export**.

- Filter the export on **AppHost** using the script in section 2.1.

6.1 Key fields

Field	Investigative use
CreationTime	Primary correlation axis to Dataverse conversationstarttime
UserKey	The join key to Dataverse transcripts. Entra object GUID. Most important field in the record.
UserId	Human-readable actor (UPN)
ClientIP	Location and device context. Not available from Dataverse.
CopilotEventData.AppHost	The only way to isolate Copilot Studio rows
CopilotEventData.ThreadId	Matches the Copilot Studio Activity page URL. Does not appear in Dataverse.

7. Procedure B - Dataverse transcripts (retrieving the actual conversation)

7.1 Step 1: Discover the environment and the retention horizon

Always run this first against an unfamiliar tenant. **The administrator does not need to know the Dataverse URL** - it is not surfaced anywhere obvious in Copilot Studio and normally requires a trip to the Power Platform admin center. The script resolves it from the signed-in identity using the Microsoft Global Discovery Service.

```
.\Export-CopilotStudioTranscripts.ps1 `
  -TenantId <tenant GUID> -AuthMethod DeviceCode -Discover
```

This performs, in order, from a **single interactive sign-in**:

- Signs in and acquires a Global Discovery token.
- Lists every Dataverse environment the identity can reach (friendly name, URL name, URL).
- Selects the environment automatically if there is exactly one.
- Silently exchanges the sign-in for an environment-scoped token - no second prompt.
- Reports the retention horizon: oldest transcript, newest, total count, recoverable span.
- Reports a per-agent inventory with each agent's own date range.
- Exits without exporting anything.

If several environments exist:

```
# List and stop
.\Export-CopilotStudioTranscripts.ps1 -TenantId <guid> -AuthMethod DeviceCode -ListEnvironments

# Select by friendly name or URL name (partial, case-insensitive)
.\Export-CopilotStudioTranscripts.ps1 -TenantId <guid> -AuthMethod DeviceCode `
```

```
-EnvironmentName 'Contoso' -Discover
```

`-EnvironmentUrl` can still be passed explicitly at any time; discovery is skipped when it is.

Discovery returns environments where the identity is a Dataverse user. A Global Administrator is not automatically a Dataverse user in every environment. If discovery returns nothing, either add the account as a user in the target environment, or pass `-EnvironmentUrl` directly. The URL is available in the Power Platform admin center under **Environments > your environment > Environment URL**.

Interpretation of the horizon: anything older than the oldest timestamp has already been purged by the bulk deletion job. It is not recoverable by this tool, by Copilot Studio, by Purview, or by Microsoft Support. If a customer says "I remember conversations from before that date", they are correct - those conversations happened, and they have since been deleted by retention policy.

7.2 Step 2: Export

Identifying agents and users - no ID lookup required

This is the step where administrators most often stall, because the identifiers stored in the data are not the identifiers a human has. The tool resolves them for you from the Dataverse agent and user directories, using the **same token** already used to read transcripts - no Microsoft Graph permissions and no additional consent.

Agents. Transcripts store the Dataverse *schema* name, which is frequently unrecognisable. For example `cr834_harvardprofessionalwritingc_3_SZtu` is the agent listed in the registry as **Harvard Writing Coach**. Pass the friendly name instead:

What you have	Where to find it	Example
Friendly agent name	Microsoft 365 admin center > Copilot > Agents > All agents	<code>-AgentName 'MCP Enterprise Admin Assistant'</code>
Part of the name	Same place	<code>-AgentName 'Enterprise Admin'</code>
Dataverse schema name	Transcript metadata, prior exports	<code>-AgentName 'cr834_MCPEnterpriseAdminAssistant'</code>

Matching is case-insensitive and ignores spaces, underscores and hyphens. The **Entra agent ID** shown on the agent's Details pane is not required.

Users. Pass whatever the requester actually gave you:

What you have	Where to find it	Example
Alias	The request itself	<code>-User Adile</code>
User principal name	Entra profile, or the Audit record <code>UserId</code>	<code>-User Adile@contoso.onmicrosoft.com</code>

What you have	Where to find it	Example
Display name	Entra profile > Properties > Identity > Display name	-User 'Adil Eli'
Entra object GUID	Entra profile > Properties > Identity > Object ID, or the Audit record UserKey	-User 24ecf3bc-3a28-4657-bac1-b569df000107

The resolved identity is echoed before the export runs, so the right person is confirmed:

```
[OK] User filter resolved: 'admin' -> MOD Administrator (admin@contoso.onmicrosoft.com)
      object ID cb410005-38ba-4475-bb3c-81b70678a246
```

If the value is ambiguous, every candidate is listed with name, UPN and object ID and the run stops rather than guessing.

The object GUID on the Entra profile is the **same value** that appears as **UserKey** in a Purview Audit **CopilotInteraction** record. That is what makes the audit-to-content pivot in section 6 a single command.

Time zones

All human-readable timestamps default to **Eastern Standard Time**, shown as EDT or EST as appropriate for the date. Override with **-TimeZoneId 'Pacific Standard Time'** or any Windows time zone ID. UTC is always preserved in the JSON and CSV, and every HTML timestamp carries the UTC value as a tooltip, so evidence integrity is never lost to a display preference.

The report header uses a DST-agnostic label ("Eastern Time") because a single export can span both standard and daylight time; each individual timestamp is converted using the offset that was actually in effect on that date.

Ordering

Conversations are sorted **newest first** by default; turns inside a conversation are **always** rendered oldest to newest so the exchange reads in the order it happened. Ordering is computed from a parsed date/time value, never from the raw string returned by Dataverse - transcript rows mix timestamp formats and multi-part transcripts are re-grouped during the merge, so trusting the service-side order produces interleaved dates.

- **-SortOrder Oldest** puts the earliest conversation first.
- The HTML report has a **Newest first / Oldest first** selector in the filter bar that re-orders the page instantly, so a reviewer does not have to re-run the export.
- Conversations with no parseable start timestamp are always placed at the end, in either direction, and the run log reports how many there were.

A conversation GUID is **not** unique on its own - an agent can produce more than one transcript under the same conversation GUID (common with autonomous/triggered runs). Group on **TranscriptId** when pivoting the CSV, not on ConversationId.

Commands

```
# Everything still retained, environment auto-discovered
.\Export-CopilotStudioTranscripts.ps1 `
  -TenantId <tenant GUID> -AuthMethod DeviceCode `
  -AllHistory -Format All -IncludeTraces

# Read the environment forward in time (oldest conversation first)
.\Export-CopilotStudioTranscripts.ps1 `
  -TenantId <tenant GUID> -AuthMethod DeviceCode `
  -AllHistory -SortOrder Oldest

# One agent, by the name shown in the Agent Registry
.\Export-CopilotStudioTranscripts.ps1 `
  -TenantId <tenant GUID> -AuthMethod DeviceCode `
  -AgentName 'MCP Enterprise Admin Assistant' -AllHistory

# One person, by alias - no GUID needed
.\Export-CopilotStudioTranscripts.ps1 `
  -TenantId <tenant GUID> -AuthMethod DeviceCode `
  -User Adile -AllHistory

# Narrow investigation window for one agent
.\Export-CopilotStudioTranscripts.ps1 `
  -TenantId <tenant GUID> -AuthMethod DeviceCode `
  -AgentName 'MCP Enterprise Admin Assistant' `
  -StartDateUtc '2026-08-23' -EndDateUtc '2026-08-25'

# Pivot from a Purview Audit UserKey straight to that user's conversations
.\Export-CopilotStudioTranscripts.ps1 `
  -TenantId <tenant GUID> -AuthMethod DeviceCode `
  -User 'cb410005-38ba-4475-bb3c-81b70678a246'

# Different display time zone
.\Export-CopilotStudioTranscripts.ps1 `
  -TenantId <tenant GUID> -AuthMethod DeviceCode `
  -TimeZoneId 'Pacific Standard Time' -AllHistory

# Explicit environment URL when you already know it
.\Export-CopilotStudioTranscripts.ps1 `
  -EnvironmentUrl https://<org>.crm.dynamics.com `
  -TenantId <tenant GUID> -AuthMethod DeviceCode -AllHistory
```

The date range is applied **server side**, so a large environment is never fully downloaded unless - **AllHistory** is used.

7.3 Step 3: Review in the HTML report

The report is self-contained and interactive. Filter by free text, agent, user object ID, date range, and conversation flags without re-running the export.

Always quote the **turn integrity** line when presenting results:

```
[INFO ] Turn integrity : 103 total turn(s) across 41 conversation(s); max 9 in a single conversation.
```

The tool aborts rather than writing output if every conversation reports exactly one turn, since that indicates a parsing defect rather than real data.

7.4 Manual alternatives

Method	Window	Notes
Copilot Studio > Activity	~28 days	Fastest triage. Read conversation, tool calls, reasoning inline. Use Copy conversation ID .
Copilot Studio > Monitor > Download sessions	~28 days	CSV truncates each agent response to 512 characters . Triage only, not evidence.
make.powerapps.com > Tables > ConversationTranscript > Export data	Full retained	No code. Content is JSON; merge >1 MB split rows in Metadata.BatchId order.
Dataverse Web API	Full retained	What the script uses. See section 5.5.

7.5 Raw Web API queries

```
GET https://<org>.crm.dynamics.com/api/data/v9.2/conversationtranscripts
?$select=conversationtranscriptid,name,conversationstarttime,metadata
&$filter=conversationstarttime ge 2026-08-23T00:00:00Z
    and conversationstarttime lt 2026-08-25T00:00:00Z
&$orderby=conversationstarttime desc

GET https://<org>.crm.dynamics.com/api/data/v9.2/conversationtranscripts(<transcriptId>)

// content is a JSON string. Parse it, then:
//   parsed.activities          -> array of activities
//   activity.type === 'message' -> a conversational turn
//   activity.text              -> the full prompt or response text
//   activity.from.role === 1   -> the human user (otherwise the agent)
//   activity.from.aadObjectId  -> Entra object ID == Purview Audit UserKey
//   activity.type === 'trace'  -> orchestration detail
//
// metadata is a JSON string containing BotName, BotId, AADTenantId, BatchId.
```

Retention horizon probe (three cheap queries, no content read):

```
GET .../conversationtranscripts?$select=conversationstarttime&$orderby=conversationstarttime
asc&$top=1
GET .../conversationtranscripts?$select=conversationstarttime&$orderby=conversationstarttime
desc&$top=1
GET .../conversationtranscripts?$select=conversationtranscriptid&$count=true&$top=1
```

7.6 Orchestration traces

Beyond message turns, each transcript carries trace activities exposing how the agent produced its answer. None of this has an equivalent in Purview.

Trace valueType	What it tells an investigator
ConversationInfo	Conversation-level context at session start
SessionInfo	Session boundaries and lifecycle
DynamicPlanReceived	The generative orchestration plan the agent decided to execute

Trace valueType	What it tells an investigator
DynamicPlanStepTriggered	Each step, including tool, connector and MCP server invocations
DynamicPlanFinished	Plan completion state
KnowledgeTraceData	Knowledge sources consulted to ground the answer
ErrorTraceData	Failures, error codes, and the conversation ID for support escalation

Use `-IncludeTraces` to persist these in the JSON. The HTML surfaces them as **Agent error**, **Knowledge used**, and **N plan step(s)** pills per conversation.

8. End-to-end correlation

8.1 The verified join key

Purview Audit `UserKey` (and `UserId`) equals the Dataverse transcript turn value `activity.from.aadObjectId`. Both are the user's Microsoft Entra ID object GUID.

Confirmed in the validated tenant: audit `UserKey cb410005-38ba-4475-bb3c-81b70678a246` matched the `aadObjectId` on every user turn of the retrieved conversation.

8.2 What does NOT correlate

The audit `CopilotEventData.ThreadId (19:...@thread.v2)` does **not** appear anywhere in the Dataverse transcript record. Tested directly: four separate transcripts covering the same time window contained no `@thread.v2` token at all. Dataverse uses a different identifier space - transcript `name` is `{ConversationId GUID}_{BotId}`. **Do not build a correlation procedure on ThreadId matching between these two systems.**

Identifier	Purview Audit	Copilot Studio UI	Dataverse	Usable as a join?
Entra object GUID	<code>UserKey / UserId</code>	Not shown	<code>activity.from.aadObjectId</code>	Yes - primary
UTC timestamp	<code>CreationTime</code>	Session time	<code>conversationstarttime</code> + per turn	Yes - secondary
Agent identity	Not reliable	Agent name in header	<code>metadata.BotName / BotId</code>	Yes - tertiary
ThreadId	<code>CopilotEventData.ThreadId</code>	Activity page URL	Absent	Audit to UI only

Identifier	Purview Audit	Copilot Studio UI	Dataverse	Usable as a join?
Conversation GUID	Host dependent	Copy conversation ID	name prefix	UI to Dataverse only

8.3 The working procedure

- Run the Purview Audit **CopilotInteraction** search for the required UTC window (section 4).
- Export to CSV and filter on **AppHost** = '**Copilot Studio**' (section 2.1).
- From the row of interest capture: **CreationTime** (UTC), **UserKey** (Entra GUID), **ClientIP**.
- Optionally open DSPM Activity explorer for the same user/time to get the named agent and accessed resources.

- Run the extraction tool scoped by that user and a window bracketing **CreationTime**. Pass the **UserKey** straight through - or the person's alias if that is easier:

```
.\Export-CopilotStudioTranscripts.ps1 `
  -TenantId <tenant GUID> -AuthMethod DeviceCode `
  -User 'cb410005-38ba-4475-bb3c-81b70678a246' `
  -StartDateUtc '2026-08-24T02:50:00Z' `
  -EndDateUtc '2026-08-24T03:20:00Z' `
  -IncludeTraces -Format All
```

- Match on agent name and start time to identify the exact conversation, then read the full prompt and response text.
- For a formal matter preserve the JSON export, the UTC timestamps, the Entra object GUID, the **BotId**, the transcript GUID, and a hash of the export file.

Chain of custody: Purview contributes the client IP and the tamper-resistant occurrence record. Dataverse contributes the content. Neither is complete alone - preserve both together.

9. First-party Microsoft 365 Copilot agents

Everything up to this point covers **custom agents built in Copilot Studio**. First-party Microsoft agents - **Microsoft 365 Admin**, Researcher, Analyst, Facilitator, Idea Coach, SharePoint agents - are a completely different evidence problem, and the Dataverse export in section 5 **cannot reach them at all**.

9.1 Why the Dataverse path does not apply

Microsoft documents that conversation transcripts are not written for "Microsoft 365 Copilot agents". There is no **conversationtranscript** row to export. The content lives in the **interacting user's Exchange Online mailbox** instead: *"All user prompts and responses from AI applications are stored in a user's mailbox"*, as individual message-class items.

9.2 Verified: DSPM shows the prompt and has NO response field

Reproduced in the validated tenant against the **Microsoft 365 Admin** agent.

Navigate to **Purview > DSPM > Discover > Activity explorer > AI activities**, set the date range, and open any **AI Interaction** record. The complete detail pane is:

```
Activity type : AI Interaction      Record ID : 1f14eadd-39d5-4f05-a018-86f3f0cb273d
Activity      : Copilot Interaction Client IP : 98.113.234.196
Agent name    : Microsoft 365 Admin  Workload  : Copilot
Agent ID      : P_c0fd1ab0-cbf3-7eb9-1a7d-2d823549ef31.8ad61c39-5b6e-447c-b26a-a64eee436502
Interaction details -> Prompt      <-- the user's prompt renders in full
Agent participant details -> Agent participant ID / Agent participant
```

There is a **`Prompt` field and no `Response` field**. Not blank - absent. Expanding every collapsible section reveals nothing further.

9.3 Verified: the response IS captured, in a paired row

The rows alternate, and the two halves are attributed to **different identities**:

Time	Activity type	User participant	Sensitive info
11:04 PM	AI Interaction	admin@contoso.onmicrosoft.com	No
11:04 PM	Sensitive info types	`M365AdminAgent@teams.microsoft.com`	All Full Names
11:03 PM	AI Interaction	admin@contoso.onmicrosoft.com	No
11:03 PM	Sensitive info types	M365AdminAgent@teams.microsoft.com	All Full Names

The agent-attributed row classified the content as **All Full Names** and, on another turn, **Diseases +1 more**. **Purview scanned the agent's response body for sensitive information types** - which is only possible if it holds that text. It simply never renders it. That row also exposes a **"View related AI interaction activity"** link, which is the correlation handle back to the prompt.

This matches Microsoft's documented known issue: *"The AI interaction event doesn't always display text for the prompt and response. Sometimes, the prompt and response spans consecutive entries."*

Do not correlate by visual adjacency alone. Microsoft does not guarantee the pair stays adjacent after sorting or filtering. Use the correlation keys in 6A.6.

9.4 Verified: the Graph API is application-permission only

The documented programmatic path is:

```
GET /v1.0/copilot/users/{userId}/interactionHistory/getAllEnterpriseInteractions
```

It returns **body.content** plus **interactionType** (**userPrompt** / **aiResponse**), paired by **`requestId`**, and grouped into conversations by **sessionId**. That is exactly what is needed.

But it cannot be used interactively. Attempting a delegated / device-code sign-in fails:

```
AADSTS650053: The application 'Microsoft Graph Command Line Tools' asked for scope
'AiEnterpriseInteraction.Read.All' that doesn't exist on the resource
'00000003-0000-0000-c000-000000000000'.
```

The scope **does not exist as a delegated scope**. Microsoft documents application permission only. Using this path therefore requires an **app registration with `AiEnterpriseInteraction.Read.All` application permission and admin consent**, authenticating with a certificate or client secret. Microsoft also states the

API "doesn't retrieve interactions in agents created by Copilot Studio", and does not explicitly name the Microsoft 365 Admin agent as in scope - validate in-tenant before relying on it.

9.5 Procedure: Content Search for first-party agent interactions

This is the path that needs **no app registration**. It retrieves both the prompt and the response. **Verified end to end in the validated tenant** - see the confirmed result in 6A.5b.

Where it lives: Purview > **Solutions** > **eDiscovery** > **Content Search**. It does **not** appear under **Audit**. Looking in the Audit blade for a content search is a common wrong turn.

Portal procedure (verified):

- Go to **purview.microsoft.com** > **Solutions** > **eDiscovery** > **Content Search**.
- Select **Create a search**. Give it a name, for example **Microsoft 365 Admin Audit search**, and a description that records what it is for. Select **Create**.
- On the **Query** tab, in the **Condition builder**, paste the KeyQL into the **Keywords** box:

```
ItemClass:IPM.SkypeTeams.Message.Copilot* AND (Sent>=2026-09-10 AND Sent<=2026-09-11)
```

The builder wraps it as `((ItemClass:IPM.SkypeTeams.Message.Copilot* AND (...)))`. That is normal. Dates are **UTC** - widen by a day at each end when chasing a local-time window.

- Under **Data sources**, select **Add sources**. Set **Locations to include** to ****Mailboxes** only, **type the** interacting user's **email address**, select **Search**, tick the returned **mailbox**, then **Save** and close**.

Search the mailbox of the person who talked to the agent - **not** the administrator running the search. This is the single most common mistake.

- Select **Run query** and confirm. Status moves through **"Assessing request, identifying locations" to Statistics***, which reports total matches.
- Open the **Sample** tab, select **Generate sample results**, then **Run Query** in the settings dialog. Select any row to read the item body in the preview pane.

9.6 6A.5b Verified result

Run against the Microsoft 365 Admin agent for a single day in the validated tenant:

```
Total matches : 27 (906.1 KB)
Locations      : 1 / 1 locations searched had hits
Data sources   : 1 / 1
Top location   : Mailbox, 27 items
```

The Sample tab shows the conversation **alternating between two senders** - exactly the prompt and response pairing:

Date	Sender
Sep 10, 2026 3:42 PM	MOD Administrator <admin@contoso.onmicrosoft.com> - prompt
Sep 10, 2026 3:42 PM	M365AdminAgent <M365AdminAgent@teams.microsoft.com> - response
Sep 10, 2026 3:44 PM	MOD Administrator <admin@contoso.onmicrosoft.com> - prompt

Date	Sender
Sep 10, 2026 3:44 PM	M365AdminAgent <M365AdminAgent@teams.microsoft.com> - response

Selecting an **M365AdminAgent** row renders the **complete response body**:

```
From: M365AdminAgent <M365AdminAgent@teams.microsoft.com>
Sent on: Thursday, September 10, 2026 7:42:16 PM
To: MOD Administrator <admin@contoso.onmicrosoft.com>
```

Audit for Copilot Studio agent interactions is done through Microsoft Purview Audit, which records both administrative activity and maker/user interactions with agents. ...
****Learn More:**** - [View Copilot Studio audit logs in Purview](https://learn.microsoft.com/...)

This is the answer to "where is the agent's response". The same interaction that DSPM renders as prompt-only is fully recoverable here, with the agent identity as the sender, citations intact.

PowerShell equivalent - **Get-FirstPartyAgentInteractions.ps1** in this toolkit automates the same thing:

```
.\Get-FirstPartyAgentInteractions.ps1 `
  -UserUpn 'admin@contoso.onmicrosoft.com' `
  -Days 1 -Preview -SearchName 'Microsoft 365 Admin Audit search'
```

It creates the compliance search, runs it, runs a Preview action, and prints each item with sender, recipient and timestamp so prompts and responses are immediately distinguishable. Add **-PurgeSearch** to remove the search object afterwards and leave the tenant clean. Add **-KeywordFilter** with a distinctive phrase to find one specific conversation.

Known blocker: some ExchangeOnlineManagement builds cannot connect at all. Version 3.9.2 ships mismatched MSAL assemblies (Client 4.74.1.0 with Broker 4.68.0.0) and throws *"Method not found ... BrokerExtension.WithBroker"*; **-DisableWAM** does **not** help, because the broker assembly binds at module import. Some 3.7.1 installs then fail with *"A parameter cannot be found that matches parameter name 'IsRpsSession'"*. The script detects and skips assembly-mismatched versions automatically, but if every installed version is broken, use the **portal procedure above** - it has no module dependency at all. See section 8.1.

9.7 6A.5c Export settings - one option will silently give you no PST

When you select **Export** on the search, the options page has one setting that quietly breaks the downstream report.

Setting	Choose	Why
Select items to include	Indexed items that match your search query	Copilot mailbox items are always indexed. Partially-indexed adds noise.
Organize conversations into HTML transcripts	UNCHECKED	Critical. Microsoft's own help text: <i>"these messages will appear as HTML files and will not be included as PST or MSG files in your exports."</i> Leave it on and there is no PST to read.

Setting	Choose	Why
Include linked content (cloud attachments)	Unchecked	Agent interactions carry no cloud attachments; it only inflates the package.
Include full conversation for Copilot, Teams, Viva Engage	Unchecked	Adds a +/-12 hour window of messages that do NOT match the query. Keep the evidence scoped to the search.
Export type	Export items with items report	Gives the PST and Items.csv , the manifest.
Export format	Create .PSTs for messages where possible	Get-FirstPartyAgentReport.ps1 reads PSTs through Outlook COM.
Package size, folder structure, friendly names	Defaults (5 GB PST / 10 GB ZIP, all four boxes ticked)	Fine as shipped.

The HTML transcript option is a fork in the road, not a bug. Checked, you get Microsoft's own rendered HTML and no PST. Unchecked, you get the PST and this toolkit renders a richer report with a filter bar, sort toggle and full-text controls. Pick one; you cannot have both in a single export.

Billing: the export page shows a pay-as-you-go banner. It applies to non-Microsoft-365 AI interactions. Microsoft states there are **no charges for Microsoft 365 Copilot interactions**, and the first-party agents covered here are M365 Copilot interactions.

After the export completes, download it from **Purview > eDiscovery > Content Search > Exports** (or **Process manager**) using the eDiscovery Export Tool, extract it, and run **Get-FirstPartyAgentReport.ps1** against the extracted folder.

9.8 6A.5d The PowerShell session catch-22 (important)

Two constraints work against each other. Both were hit and resolved in the validated tenant.

Constraint 1 - creating a search requires a search-only session.

New-ComplianceSearch fails unless the session was created with **Connect-IPPSSession - EnableSearchOnlySession**, which exists only in **ExchangeOnlineManagement 3.9.0 and later**. Without it you get:

```
Please close the current PowerShell session and open a new session using Connect-IPPSSession
with the -EnableSearchOnlySession flag. ... AADSTS500011: The resource principal named
https://cpfdwebsevicecloudapp.net was not found in the tenant named <guid>
```

That **AADSTS500011** text is **misleading**. It is a wrong token audience, **not** a missing tenant app and **not** a bad mailbox address. Do not go hunting for an unprovisioned service principal.

A session created without the flag **cannot be upgraded in place** - you must open a **new PowerShell window**.

Constraint 2 - a search-only session cannot Preview or Export.

Once connected that way, `New-ComplianceSearchAction -Preview` or `-Export` returns:

```
The remote server returned an error: (403) Forbidden.
```

The search itself still succeeds and is fully visible in the portal - only content retrieval is refused. A 403 here can also mean the account is not in the **eDiscovery Manager** role group, which carries the Preview and Export roles, so confirm that before assuming it is the session type.

The working division of labour:

Step	Where	Why
Create and run the search	PowerShell or portal	Both work. PowerShell needs 3.9.0+ and <code>-EnableSearchOnlySession</code> .
Preview / Sample the items	Portal	Blocked in a search-only session.
Export	Portal	Blocked in a search-only session - and the download is a manual ClickOnce step regardless.
Render the HTML report	PowerShell	<code>Get-FirstPartyAgentReport.ps1</code> against the extracted export.

The script detects the 403 and prints exactly these portal steps rather than failing silently.

The portal path has none of these problems. If the module situation is hostile, do steps 1-3 entirely in the portal (section 6A.5) and use PowerShell only for the final report render. The validated tenant produced identical results either way: 27 items, 906 KB.

To retrieve the actual **body text** in bulk, export the items:

```
New-ComplianceSearchAction -SearchName 'Microsoft 365 Admin Audit search' -Export -Format FxStream
```

then download with the eDiscovery Export Tool from **Purview > eDiscovery > Exports**.

9.9 6A.5e Rendering a readable HTML report

The Content Search preview is functional but messy - it is a flat item list, not a conversation. `Get-FirstPartyAgentReport.ps1` turns the export into the **same style of conversation report** that `Export-CopilotStudioTranscripts.ps1` produces for custom agents: threaded turns, filter bar, Newest/Oldest order selector, Show-full-text controls, plus CSV and JSON.

The three-step chain:

```
# 1. Create and run the search, and start the export in one go
.\Get-FirstPartyAgentInteractions.ps1 `
  -UserUpn 'admin@contoso.onmicrosoft.com' `
  -Days 1 -Preview -Export `
  -SearchName 'Microsoft 365 Admin Audit search' -ReplaceExisting
```

```
# 2. Download the export - MANUAL, and unavoidably so.
#   Purview > Solutions > eDiscovery > Content Search > Exports > Download results.
#   The eDiscovery Export Tool is a ClickOnce app; there is no API to pull the PST directly.
#   Extract the download, for example to C:\Scout_Output\M365AdminExport

# 3. Render the report
.\Get-FirstPartyAgentReport.ps1 `
  -ExportPath 'C:\Scout_Output\M365AdminExport' `
  -UserUpn 'admin@contoso.onmicrosoft.com'
```

How turns are paired. Copilot Chat labels its turns ****prompt N**** in the message body. First-party **agents do not** - so this report keys on **sender identity** instead: a message from the **-UserUpn** address is a prompt, anything else is the agent response. That is also why a single export containing several different agents still renders correctly, with each agent named.

Useful parameters:

Parameter	Effect
-UserUpn	Who counts as the user. Omit it and the script infers the most frequent non- @teams.microsoft.com sender and logs what it chose.
-SortOrder Oldest	Conversations oldest first. Turns are always oldest to newest.
-StartUtc / -EndUtc	Narrow the window inside an export that covers more.
-TimeZoneId	Display zone; UTC is always retained in CSV and JSON.
-ConversationGapMinutes	Fallback grouping when the export carries no ConversationID . Default 30.

Requires Outlook installed. PSTs are read through the Outlook COM object, the same mechanism used by **Get-CopilotChatComplianceReport.ps1**. The script **stops with an error** rather than writing a metadata-only report: a file full of timestamps with no prompt or answer text looks like evidence and is not.

9.10 Correlating a prompt to its response

Ranked by reliability:

Method	Key	Where it comes from
Graph API	requestId	The documented pair key. sessionId groups the whole conversation. Requires the app registration in 6A.4.
Audit + eDiscovery	Messages[].Id with isPrompt	Export the CopilotInteraction audit record, take the Id where isPrompt:false , then search that message ID in eDiscovery with the Identifier condition.
DSPM UI	"View related AI interaction activity"	Present on the agent-attributed row. Convenient, but not a documented stable identifier.

Method	Key	Where it comes from
Visual adjacency	none	Not reliable. Do not use for evidence.

9.11 Administrative actions are a separate trail

The Microsoft 365 Admin agent performs real administrative actions. Microsoft states that *"the underlying workload's audit logs ... record administrative actions performed through the Microsoft 365 Admin agent, just as if you took the action directly in an admin center"*, and that *"any write or execute action proposed by the Microsoft 365 Admin agent requires explicit admin confirmation before it is performed."*

There is no single **AdminAgentDidX** operation. Search for the **normal workload operation** for the action concerned - Entra audit logs for a user or licence change, Exchange admin audit for a mailbox change, and so on. Preserve two trails for a complete account:

- **What was asked and answered** - Content Search / eDiscovery, or Graph.
- **What was actually executed** - the workload audit logs.

9.12 Custom vs first-party at a glance

	Custom Copilot Studio agent	First-party M365 Copilot agent
Content stored in	Dataverse conversationtranscript	The user's Exchange Online mailbox
Retrieval tool	Export-CopilotStudioTranscripts.ps1	Content Search / eDiscovery, or the Graph Copilot Export API
Prompt available	Yes, unconditionally	Yes
Response available	Yes, unconditionally	Yes - via eDiscovery or Graph, not in the DSPM UI
DSPM Activity explorer	Neither, unless every capture gate is met	Prompt only; no Response field exists
Purview role needed	None (Dataverse Bot Transcript Viewer instead)	eDiscovery Manager; Content Explorer Content Viewer to see prompt text in DSPM
Retention	30 days default, admin-configurable	Mailbox / Purview retention policy
Scope of a run	Per Dataverse environment	Per user mailbox

Microsoft documents that Copilot prompts and responses are retained in users' Exchange Online mailboxes and can be searched with eDiscovery using the **Copilot activity** content type. That path is

established for **Microsoft 365 Copilot** content. It was **not** demonstrated for custom Copilot Studio agent conversations in the validated tenant.

A search with no resolved locations reports *"Assessing request, 0 locations identified"* and returns nothing. Add explicit mailbox locations and rerun.

Corrected guidance. Copilot Studio prompts and responses **are** mailbox-backed. Microsoft documents that *"All user prompts and responses from AI applications are stored in a user's mailbox"* and lists Copilot Studio with the item class `IPM.SkypeTeams.Message.Copilot.Studio.*`. So eDiscovery **can** return this content - but only when Purview actually captured a compliance copy at the time. Search on that item class to test. If Dataverse holds the transcript and eDiscovery finds nothing, capture never happened; work the gates in section 2.3 rather than assuming eDiscovery is broken.

9.13 Keep the three retention layers separate

Layer	Governs	Configured in
Purview Audit retention policy	How long audit occurrence records persist (Standard: 180 days default)	Purview > Audit > Audit retention policies
Microsoft Copilot Experiences retention policy	How long prompt/response compliance copies persist in mailboxes	Purview > Data Lifecycle Management > Retention policies
Copilot Studio session storage	Up to 28 days, not configurable - drives the Copilot Studio UI only	Not configurable
Dataverse bulk deletion job	How long the content you can actually retrieve persists	Dynamics 365 settings > Data Management > Bulk Record Deletion

10. Troubleshooting

10.1 "Method not found: ...BrokerExtension.WithBroker(...)" on the Purview check

Full error text:

```
[WARN ] Could not connect to Security and Compliance PowerShell: Method not found:
'Microsoft.Identity.Client.PublicClientApplicationBuilder
Microsoft.Identity.Client.Broker.BrokerExtension.WithBroker(
Microsoft.Identity.Client.PublicClientApplicationBuilder,
Microsoft.Identity.Client.BrokerOptions)'.

```

This is not a credential, licensing or permissions problem. It is a .NET assembly version conflict inside the ExchangeOnlineManagement module itself.

Root cause, measured - not a conflict between installed versions:

Some releases ship a `Microsoft.Identity.Client.Broker.dll` built against a **different** `Microsoft.Identity.Client.dll` than the one in the same folder. Observed on a real workstation:

Module version	Microsoft.Identity.Client.dll	...Client.Broker.dll	Result
3.9.2	4.74.1.0	4.68.0.0	Mismatched - throws
3.7.1	4.61.3.0	4.61.3.0	Consistent

The broker assembly calls a `WithBroker(builder, BrokerOptions)` overload that does not exist in the MSAL assembly actually loaded, so every connect attempt dies.

`-DisableWAM` does NOT fix this. The broker assembly is bound at **module import**, before the parameter is ever evaluated. Retrying with `-DisableWAM` fails identically. This was verified.

The scripts self-heal. `Test-CopilotAuditReadiness.ps1` and `Get-FirstPartyAgentInteractions.ps1` inspect the actual DLL file versions in every installed module folder, skip any version whose MSAL assemblies disagree (logging exactly which versions and why), and import the newest **consistent** one instead of blindly taking the highest version number.

A second, unrelated failure can then appear:

Connect failed: A parameter cannot be found that matches parameter name 'IsRpsSession'.

This means `Connect-IPSSession` is calling `Connect-ExchangeOnline` with a parameter that build does not expose. It happens when two module versions have been loaded into the same process - .NET cannot unload assemblies, so `Remove-Module` cannot undo it - and it has also been observed in a clean process on some 3.7.x builds where `Connect-ExchangeOnline` genuinely lacks `IsRpsSession`.

Manual fixes, in order of least effort:

```
# 1. ALWAYS start a FRESH shell. Do not import Az or Microsoft.Graph first, and never retry in a
#    window where a previous attempt already loaded a different module version.

# 2. Inspect what you actually have. Mismatched Client vs Broker in one row is the root cause.
Get-Module -ListAvailable ExchangeOnlineManagement | ForEach-Object {
    $v = $_.Version
    Get-ChildItem $_.ModuleBase -Recurse -Filter 'Microsoft.Identity.Client*.dll' |
        ForEach-Object { '{0,-8} {1,-45} {2}' -f $v, $_.Name, $_.VersionInfo.FileVersion }
}

# 3. Remove the broken version, keeping a consistent one.
Uninstall-Module ExchangeOnlineManagement -RequiredVersion 3.9.2 -Force

# 4. Install a known-good build.
Install-Module ExchangeOnlineManagement -RequiredVersion 3.8.0 -Scope CurrentUser -Force -
AllowClobber

# 5. Connect manually, then re-run the script in the SAME window - it reuses an existing session.
Connect-IPSSession
```

If every installed version is broken, do not fight it. The ****portal** procedure in section 6A.5** has no module dependency and produces identical evidence. The PowerShell path is a convenience, not the only route.

10.2 Symptom table

Symptom	Likely cause	Action
Agent name in transcripts is unrecognisable (e.g. <code>cr834_harvardprofessionalwritin</code> <code>gc_3_SZtu</code>)	Transcripts store the Dataverse schema name, not the registry display name	The tool resolves it automatically from the <code>bot</code> table. Pass the friendly registry name to <code>-AgentName</code> .
Do not know a user's Entra object ID	Not needed	Pass alias, UPN or display name to <code>-User</code> . The resolved identity is echoed before the run.
<code>-User</code> matched several people	Ambiguous value	The tool lists every candidate with name, UPN and object ID. Re-run with a more specific value.
Friendly names not resolving (raw GUIDs / schema names shown)	The identity lacks Read on the <code>bot</code> or <code>systemuser</code> tables	Grant read on those tables. The export still works without them.
Timestamps are not in the expected time zone	Defaults to Eastern Standard Time	Pass <code>-TimeZoneId 'Pacific Standard Time'</code> or any Windows time zone ID. UTC is always kept in the exports.
<code>`Method not found ... WithBroker`</code> on <code>-CheckPurviewRoles</code>	ExchangeOnlineManagement ships mismatched MSAL assemblies (e.g. 3.9.2: Client 4.74.1.0 vs Broker 4.68.0.0)	See section 8.1. <code>-DisableWAM</code> does NOT help. Non-fatal - the Dataverse verdict still completes.
<code>`A parameter cannot be found ... 'IsRpsSession'`</code>	Two module versions loaded in one process, or a build whose <code>Connect-ExchangeOnline</code> lacks the parameter	Start a fresh shell. If it persists, install a known-good version - see 8.1. Or use the portal procedure in 6A.5, which has no module dependency.

Symptom	Likely cause	Action
`AADSTS500011 ... cpfdwebservicecloudapp.net was not found in the tenant`	The session is not a search-only session, so the token has the wrong audience	Not a missing app and not a bad mailbox. Open a FRESH window, install EXO 3.9.0, and reconnect with Connect-IPPSession - EnableSearchOnlySession . See 6A.5d.
`(403) Forbidden` on Preview or Export	A search-only session cannot retrieve content; or the account is not in eDiscovery Manager	Expected in a search-only session. The search itself succeeded - do Preview and Export in the portal. See 6A.5d.
Installed a module but the script still cannot see it	OneDrive Known Folder Move. Documents is redirected, so the Windows PowerShell user module path is ... \OneDrive - <Tenant>\Documents\WindowsPowerShell\Modules, not C:\Users\<you>\Documents\...	Copy the module version into the redirected path, or run \$env:PSModulePath - split ';' to see where PowerShell is actually looking. Note PowerShell 7 uses \Documents\PowerShell\, 5.1 uses \Documents\WindowsPowerShell\.
Looking for a Content Search under Audit and finding nothing	Content searches live under eDiscovery , not Audit	Purview > Solutions > eDiscovery > Content Search . See section 6A.5.
First-party agent (e.g. Microsoft 365 Admin) returns nothing from the Dataverse export	Transcripts are never written for Microsoft 365 Copilot agents	Expected. Use section 6A - the content is in the user's mailbox, not Dataverse.
DSPM shows the prompt for a first-party agent but no response	The detail pane has a Prompt field and no Response field	Expected, documented. Use Content Search (6A.5) - the response is a separate mailbox item sent by the agent identity.
AADSTS650053 ... AiEnterpriseInteraction.Read.All that doesn't exist	That scope exists only as an application permission	Graph Copilot Export API cannot be used

Symptom	Likely cause	Action
		interactively. Register an app with admin consent, or use Content Search. See 6A.4.
Global Administrator gets HTTP 403 / no data	Tenant admin roles do NOT grant Dataverse data access	Run <code>Test-CopilotAuditReadiness.ps1</code> (section 0.1). It tells you per environment whether you need to be added as a user, need <code>Bot Transcript Viewer</code> , or both.
Tenant has many environments and you do not know which to audit	No tenant-wide transcript table exists	Run the readiness survey. It enumerates every environment via the Power Platform admin API - including ones you cannot reach - and prints the ready-to-run export command for each auditable one.
Readiness says READY but 0 transcripts	Recording off, or nothing has happened here	Check "Allow conversation transcripts..." in PPAC (section 3.1). Re-enabling is not retroactive.
Readiness says "Not applicable"	Developer or Teams environment, or no Dataverse database	Expected. These can never hold transcripts. Do not troubleshoot permissions.
An agent response is literally REDACTED	SharePoint-grounded answer	Documented behaviour. The question is stored; the generated answer is not. Not a tool defect.
DSPM shows prompts for some agents but not others	Different channels or different users	Non-Microsoft channels need Purview PAYG; users without an Exchange mailbox never surface content. See section 2.3 gates 2 and 4.

Symptom	Likely cause	Action
Conversations appear in a jumbled or interleaved date order	You are running a build older than the ordering fix, which trusted the Dataverse <code>\$orderby</code>	Use the current script. Ordering is now computed from a parsed date/time. Confirm the run log prints a <code>Sort order</code> line.
Some conversations sit at the bottom regardless of sort direction	Those transcripts carry no parseable start timestamp	Expected and intentional. The run log reports the count as a WARN so it is never silent.
CSV pivot on ConversationId mixes two unrelated exchanges	A conversation GUID can cover more than one transcript, typical for autonomous/triggered runs	Group on TranscriptId instead.
Do not know the Dataverse environment URL	Not surfaced in Copilot Studio	Omit <code>-EnvironmentUrl</code> ; the script discovers it. Or run <code>-ListEnvironments</code> .
Discovery returns no environments	The signed-in identity is not a Dataverse user in any environment. A Global Administrator is not automatically one.	Add the account as a user in the target environment, or pass <code>-EnvironmentUrl</code> directly from Power Platform admin center > Environments > Environment URL.
Discovery finds several environments	Tenant has multiple Dataverse environments	Re-run with <code>-EnvironmentName '<friendly or url name>'</code> or <code>-EnvironmentUrl <url></code> .
Audit returns a large <code>CopilotInteraction</code> count but none is Copilot Studio	Expected - shared operation, no AppHost filter in the UI	Export to CSV and filter <code>AppHost</code> (section 2.1)
Audit keyword search for a ThreadId returns 0 results	Keyword index does not read inside <code>CopilotEventData</code>	Remove the keyword; search on operation and date only, then filter after export

Symptom	Likely cause	Action
DSPM shows "Information not available"	Documented gating prerequisites, or content not captured for custom agents	Do not retry. Go to Dataverse. Work the prerequisites separately if DSPM display is required.
eDiscovery reports "0 locations identified"	No data sources resolved, or content not in any mailbox	Add explicit mailbox locations and rerun. If still empty, use Dataverse.
Web API returns HTTP 403	Most often the token is for a DIFFERENT tenant than the environment. Less often the identity is not a provisioned application user, or lacks Read on ConversationTranscript.	Compare the tool's Token tenant line with the environment tenant. Re-run with -TenantId <guid> -AuthMethod DeviceCode . Only investigate roles after the tenant matches.
Web API returns HTTP 401	Token expired, malformed, or wrong audience	Re-acquire. Confirm Token audience matches the environment URL exactly.
Export returns zero rows	Recording disabled, wrong environment, Dataverse for Teams, M365 Copilot agent, or already purged	Verify sections 3.1 and 3.3, confirm the environment URL, run -Discover , check the bulk deletion job history
-Discover shows a much shorter span than the configured retention	The longer job has not been running long enough, or a shorter job is still active	Confirm only one active job targets the table; the window grows forward from the date the correct job took effect
Data is missing before a certain date	Already purged by the bulk deletion job	Not recoverable by any tool. Set expectations accordingly.
Transcript content truncated or JSON will not parse	Records > 1 MB split across rows sharing Name	Merge in Metadata.BatchId order. The tool does this automatically.

Symptom	Likely cause	Action
Only ~28 days downloadable from Studio Monitor	Expected Copilot Studio storage window	Use Dataverse export or the Web API
Agent responses truncated at 512 characters	Copilot Studio CSV export limit	Use Dataverse Content JSON instead
SharePoint-grounded answer shows REDACTED	Documented transcript behaviour	Use the question and search_results fields; investigate the SharePoint content via authorised Purview surfaces
Export completes but every conversation shows one turn	Collection-flattening defect in a custom parser	The supplied tool detects this and aborts. In your own parser, check for PowerShell array unrolling - return , \$array combined with a caller @() collapses the result to one element.

10.3 Content retrieval decision tree

- Is the agent a Copilot Studio agent in a **standard Dataverse environment**? If no, transcripts are not written and content retrieval is unavailable by this path.
- Is transcript recording **enabled**? If no, enable it. Past conversations are not recoverable.
- Run **-Discover**. Is the conversation **inside the retention horizon**? If no, it has been purged.
- Export from Dataverse. If rows exist, read the content and **stop here** - this is the answer.
- If you additionally need client IP or a tamper-resistant occurrence record, pull the matching Purview Audit record and join on the Entra object GUID.
- If you additionally need sensitivity or resource-exposure analysis, open the matching DSPM event.
- Only pursue eDiscovery when legal hold or defensible export requires it, and only after confirming the content exists in a mailbox.

11. Operating model

Frequency	Control test	Evidence to retain
Weekly	Confirm the three-month bulk deletion job is enabled and succeeding; confirm no shorter job is active	Job status capture or exported system job record

Frequency	Control test	Evidence to retain
Weekly	Confirm transcript recording remains enabled	Power Platform admin center settings capture
Monthly	Run -Discover and record the retention horizon; confirm the span is growing as expected	Discovery output saved with the date
Monthly	Run a seven-day CopilotInteraction audit search; record both the raw count and the AppHost-filtered count	Audit CSV, filtered CSV, and the ratio
Monthly	Run the extraction tool for the same seven days; verify prompt/response text parses cleanly	Protected JSON sample, conversation count, transcript GUIDs
Quarterly	Execute a benign control interaction and trace it end to end through Dataverse, Audit and DSPM	Control test record with UTC timestamps and the Entra GUID join
Quarterly	Re-test whether DSPM has begun returning prompt/response text; update this runbook if Microsoft changes behaviour	Dated screenshot of an Interaction details pane
Quarterly	Review roles, licences, pay-as-you-go status, retention policies and privacy approvals	Access review and policy inventory

11.1 Evidence-handling rules

- Treat every export as sensitive content. Do not place exports in broadly shared locations.
- Use least-privileged roles and case-based access for compliance investigations.
- Record UTC timestamps, the Entra object GUID, the agent **BotId**, the transcript GUID, and a hash of the export file.
- Do not rely on a screenshot alone for a formal investigation; preserve the underlying JSON.
- Preserve the Purview Audit record alongside the Dataverse export so the client IP and the occurrence proof survive with the content.
- Apply legal hold, privacy, labour and records-management requirements before expanding monitoring.

12. Microsoft references

- [View Copilot Studio audit logs in Purview](#)
- [Control how transcripts are retained and accessed](#)
- [Understand downloaded conversation transcripts from Power Apps](#)
- [Understand downloaded session data from Copilot Studio](#)

- [Microsoft Purview data security and compliance for Copilot Studio](#)
- [Considerations for deploying DSPM for AI](#)
- [Audit logs for Copilot and AI activities](#)
- [Manage audit log retention policies](#)
- [Search for and delete Copilot data in eDiscovery](#)
- [Query data using the Dataverse Web API](#)